												(%)
						館山	市					
2 0	2 1 年度 年齢	本態性 (原発性<一次性>) 高血圧(症)	リポタンパク<蛋白> 代謝障害及び その他の脂血症	胃食道 逆流症	詳細不明 の糖尿病	胃炎及び 十二指腸炎	その他の腸の機能障害	屈折及び調節 の障害	心不全	背部痛	睡眠障害	その他
	65~69歳	2.41%	2.35%	2.52%	2.63%	2.08%	1.97%	1.09%	2.03%	1.64%	1.64%	79.64%
	70~74歳	2.70%	2.22%	2.54%	2.56%	1.90%	1.70%	1.47%	1.82%	1.59%	0.99%	80.52%
	75~79歳	2.84%	2.29%	2.38%	2.48%	2.09%	1.65%	1.57%	1.90%	1.43%	1.09%	80.28%
男性	80~84歳	2.62%	2.23%	2.33%	2.34%	2.00%	2.12%	1.53%	1.78%	1.58%	1.10%	80.38%
311	85~89歳	2.75%	1.94%	2.23%	2.33%	1.78%	2.13%	1.30%	2.15%	1.78%	1.40%	80.22%
	90~94歳	2.53%	1.75%	1.88%	2.01%	1.49%	2.53%	1.10%	2.53%	1.69%	1.49%	81.01%
	95~99歳	2.98%	2.17%	2.71%	1.90%	1.90%	2.71%	0.54%	1.90%	1.90%	1.36%	79.95%
	100歳以上	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%
	65~69歳	2.21%	2.02%	2.21%	2.21%	2.08%	1.72%	1.10%	1.23%	1.78%	1.35%	82.11%
	70~74歳	2.71%	2.46%	2.48%	2.42%	2.28%	1.73%	1.51%	1.46%	1.71%	1.36%	79.88%
	75~79歳	2.73%	2.53%	2.35%	2.28%	2.30%	1.73%	1.64%	1.24%	1.56%	1.55%	80.08%
女性	80~84歳	2.64%	2.43%	2.52%	2.13%	2.38%	1.90%	1.17%	1.74%	1.70%	1.39%	80.00%
	85~89歳	2.85%	2.49%	2.39%	2.08%	2.22%	2.12%	1.33%	1.96%	1.74%	1.49%	79.31%
	90~94歳	3.04%	2.32%	2.57%	2.38%	1.94%	2.45%	1.19%	2.26%	1.69%	1.60%	78.56%
	95~99歳	3.01%	1.77%	2.62%	2.39%	1.77%	2.78%	1.08%	2.55%	1.93%	2.16%	77.93%
	100歳以上	2.81%	1.12%	2.81%	0.56%	1.69%	3.37%	2.25%	1.69%	2.25%	1.69%	79.78%

						木更洱	市					
2 0	2 1 年度	本態性 (原発性<一次性>) 高血圧(症)	リポ° タンパウ<蛋白> 代謝障害及び その他の脂血症	胃食道逆流症	詳細不明 の糖尿病	胃炎及び 十二指腸炎	その他の腸の機能障害	屈折及び調節 の障害	心不全	背部痛	睡眠障害	その他
	65~69歳	2.82%	2.55%	2.47%	2.53%	1.92%	1.90%	1.87%	1.32%	1.68%	1.37%	79.57%
	70~74歳	2.89%	2.47%	2.39%	2.47%	2.02%	1.74%	1.94%	1.43%	1.12%	1.10%	80.44%
	75~79歳	2.87%	2.26%	2.31%	2.23%	1.96%	1.86%	1.99%	1.43%	1.48%	1.08%	80.53%
男性	80~84歳	2.67%	2.17%	2.07%	2.16%	1.83%	1.97%	1.90%	1.60%	1.52%	1.05%	81.06%
为压	85~89歳	2.60%	1.79%	2.06%	1.98%	1.86%	2.21%	1.63%	1.77%	1.53%	1.27%	81.30%
	90~94歳	2.86%	1.92%	2.15%	1.98%	1.76%	2.41%	1.76%	1.85%	1.59%	1.17%	80.55%
	95~99歳	3.06%	2.40%	2.18%	1.97%	1.53%	3.06%	0.66%	2.84%	1.31%	1.97%	79.04%
	100歳以上	4.76%	0.00%	2.38%	4.76%	0.00%	4.76%	0.00%	4.76%	2.38%	4.76%	71.43%
	65~69歳	2.35%	2.31%	2.07%	2.09%	1.88%	1.55%	1.83%	1.10%	1.60%	1.25%	81.97%
	70~74歳	2.52%	2.43%	2.34%	2.14%	2.18%	1.64%	2.10%	0.89%	1.47%	1.20%	81.08%
	75~79歳	2.61%	2.46%	2.31%	1.98%	2.12%	1.83%	2.23%	1.12%	1.41%	1.45%	80.49%
女性	80~84歳	2.58%	2.29%	2.17%	2.05%	1.98%	1.96%	1.86%	1.42%	1.63%	1.43%	80.63%
	85~89歳	2.90%	2.31%	2.40%	2.03%	2.03%	2.29%	1.71%	1.84%	1.71%	1.66%	79.12%
	90~94歳	2.99%	2.26%	2.24%	2.11%	2.10%	2.64%	1.42%	2.06%	1.60%	1.68%	78.89%
	95~99歳	2.82%	2.00%	2.31%	2.05%	2.05%	2.77%	1.33%	2.46%	1.59%	1.23%	79.36%
	100歳以上	3.22%	1.61%	2.25%	0.96%	1.93%	3.54%	0.96%	1.93%	1.61%	1.93%	80.06%

						松戸	市					
2 0	21年度	本態性 (原発性<一次性>) 高血圧(症)	リポタンパク<蛋白> 代謝障害及び その他の脂血症	胃食道逆流症	詳細不明 の糖尿病	胃炎及び 十二指腸炎	その他の腸の機能障害	屈折及び調節 の障害	心不全	背部痛	睡眠障害	その他
	65~69歳	2.75%	2.29%	2.28%	2.27%	2.08%	1.64%	1.72%	1.88%	1.28%	1.46%	80.34%
	70~74歳	2.66%	2.13%	2.23%	2.09%	1.99%	1.64%	1.66%	1.72%	1.33%	1.28%	81.26%
	75~79歳	2.54%	2.06%	2.11%	2.04%	2.03%	1.70%	1.86%	1.76%	1.43%	1.29%	81.18%
男性	80~84歳	2.46%	2.05%	2.08%	1.94%	1.94%	1.87%	1.70%	1.82%	1.40%	1.34%	81.41%
711	85~89歳	2.53%	1.83%	2.03%	1.85%	1.82%	2.09%	1.53%	2.03%	1.45%	1.34%	81.49%
	90~94歳	2.52%	1.62%	1.89%	1.67%	1.58%	2.38%	1.27%	2.28%	1.49%	1.46%	81.83%
	95~99歳	2.89%	1.47%	2.38%	2.18%	1.32%	2.43%	1.06%	2.89%	1.52%	1.52%	80.32%
	100歳以上	2.78%	0.00%	2.78%	2.78%	1.85%	1.85%	1.85%	2.78%	0.93%	1.85%	80.56%
	65~69歳	2.15%	2.18%	1.85%	1.92%	2.27%	1.52%	1.91%	1.09%	1.40%	1.45%	82.26%
	70~74歳	2.22%	2.11%	2.07%	1.87%	2.26%	1.55%	2.00%	1.31%	1.37%	1.45%	81.79%
	75~79歳	2.34%	2.26%	2.01%	1.92%	2.15%	1.71%	2.00%	1.46%	1.50%	1.56%	81.08%
女性	80~84歳	2.45%	2.14%	2.03%	1.85%	2.08%	1.84%	1.90%	1.60%	1.48%	1.59%	81.05%
XII.	85~89歳	2.57%	2.05%	2.02%	1.80%	2.02%	2.09%	1.64%	1.95%	1.63%	1.77%	80.47%
	90~94歳	2.80%	2.13%	2.20%	1.86%	1.77%	2.47%	1.34%	2.26%	1.71%	1.81%	79.64%
	95~99歳	3.12%	1.89%	2.26%	1.74%	1.52%	2.79%	1.08%	2.59%	1.71%	1.78%	79.51%
	100歳以上	3.33%	1.66%	2.66%	1.66%	2.00%	3.33%	0.50%	2.66%	2.00%	2.33%	77.87%

						野田	市					
2 0	21年度	本態性 (原発性<一次性>) 高血圧(症)	リポッケンパック<蛋白> 代謝障害及び その他の脂血症	胃食道逆流症	詳細不明 の糖尿病	胃炎及び 十二指腸炎	その他の腸の機能障害	屈折及び調節 の障害	心不全	背部痛	睡眠障害	その他
	65~69歳	2.47%	2.24%	2.35%	2.26%	1.86%	1.44%	1.93%	1.44%	1.68%	1.05%	81.27%
	70~74歳	2.71%	2.06%	2.32%	2.49%	2.29%	1.72%	1.98%	1.44%	1.61%	1.27%	80.12%
	75~79歳	2.50%	1.91%	2.09%	2.30%	2.12%	1.87%	1.82%	1.66%	1.57%	1.24%	80.92%
男性	80~84歳	2.53%	1.76%	2.18%	2.22%	2.13%	2.05%	1.87%	1.59%	1.53%	1.19%	80.96%
711	85~89歳	2.69%	1.65%	2.26%	2.19%	2.03%	2.12%	1.74%	1.83%	1.47%	1.37%	80.64%
	90~94歳	2.85%	1.83%	2.60%	2.24%	1.87%	2.60%	1.38%	2.36%	1.67%	1.83%	78.78%
	95~99歳	2.92%	1.28%	2.74%	2.19%	1.64%	3.10%	0.91%	2.55%	1.46%	1.82%	79.38%
	100歳以上	2.50%	0.00%	2.50%	2.50%	2.50%	2.50%	0.00%	2.50%	2.50%	0.00%	82.50%
	65~69歳	2.22%	2.10%	1.99%	1.99%	2.30%	1.55%	2.11%	1.00%	1.57%	1.42%	81.76%
	70~74歳	2.45%	2.20%	2.09%	2.15%	2.34%	1.73%	2.20%	1.00%	1.68%	1.43%	80.73%
	75~79歳	2.56%	2.13%	2.14%	2.07%	2.29%	1.73%	2.09%	1.22%	1.75%	1.57%	80.45%
女性	80~84歳	2.63%	2.23%	2.20%	2.13%	2.27%	1.93%	2.01%	1.34%	1.70%	1.63%	79.91%
又注	85~89歳	2.87%	2.16%	2.31%	2.13%	2.18%	2.25%	1.88%	1.93%	1.87%	1.90%	78.50%
	90~94歳	3.07%	1.86%	2.32%	2.04%	2.15%	2.79%	1.46%	2.17%	1.62%	1.92%	78.59%
	95~99歳	3.08%	1.50%	2.65%	2.36%	2.29%	3.15%	1.72%	2.51%	1.57%	1.93%	77.24%
	100歳以上	4.21%	2.11%	2.11%	3.16%	2.11%	3.16%	1.05%	1.05%	4.21%	3.16%	73.68%

注1) 性別・年齢階層別に、上位3位に色付けをしています。

												(%)
						茂原	市					
2 0	21年度 年齢	本態性 (原発性<一次性>) 高血圧(症)	リポタンパク<蛋白> 代謝障害及び その他の脂血症	胃食道 逆流症	詳細不明 の糖尿病	胃炎及び 十二指腸炎	その他の腸の機能障害	屈折及び調節 の障害	心不全	背部痛	睡眠障害	その他
,	65~69歳	2.72%	2.37%	2.22%	2.22%	1.72%	1.65%	1.72%	1.57%	1.68%	1.34%	80.78%
	70~74歳	2.86%	2.39%	2.23%	2.41%	2.28%	1.80%	1.99%	1.44%	1.57%	1.25%	79.78%
	75~79歳	2.77%	2.24%	2.38%	2.36%	2.15%	1.88%	1.94%	1.62%	1.57%	1.35%	79.74%
男性	80~84歳	2.65%	2.15%	2.19%	2.32%	2.28%	1.74%	2.03%	1.51%	1.40%	1.24%	80.49%
2511	85~89歳	2.71%	1.89%	2.15%	2.11%	1.95%	2.18%	1.61%	1.65%	1.76%	1.36%	80.64%
	90~94歳	2.72%	1.93%	2.32%	1.83%	1.63%	2.42%	1.38%	1.93%	1.68%	1.43%	80.73%
	95~99歳	2.57%	1.19%	2.17%	1.78%	1.98%	2.37%	0.99%	1.98%	1.19%	1.38%	82.41%
	100歳以上	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%
	65~69歳	2.59%	2.35%	2.01%	1.90%	2.63%	1.73%	1.97%	0.73%	1.63%	1.21%	81.25%
	70~74歳	2.54%	2.59%	2.07%	2.19%	2.45%	1.67%	2.20%	1.07%	1.48%	1.36%	80.37%
	75~79歳	2.63%	2.41%	2.08%	2.03%	2.34%	1.64%	2.16%	1.23%	1.60%	1.43%	80.44%
女性	80~84歳	2.69%	2.35%	2.24%	2.01%	2.19%	1.88%	1.86%	1.45%	1.89%	1.49%	79.95%
\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \	85~89歳	2.98%	2.46%	2.33%	1.91%	2.43%	2.15%	1.93%	1.51%	2.13%	1.64%	78.52%
	90~94歳	2.87%	2.26%	2.41%	2.14%	1.85%	2.36%	1.18%	1.95%	1.81%	1.61%	79.55%
	95~99歳	3.34%	2.01%	2.51%	2.17%	1.84%	3.01%	1.09%	2.84%	2.09%	1.84%	77.28%
	100歳以上	4.00%	1.33%	2.67%	2.00%	1.33%	4.00%	1.33%	3.33%	3.33%	2.67%	74.00%

						成田	市					
2 0	21年度 年齢	本態性 (原発性<一次性>) 高血圧(症)	リポ° タンパウ<蛋白> 代謝障害及び その他の脂血症	胃食道逆流症	詳細不明 の糖尿病	胃炎及び 十二指腸炎	その他の腸の機能障害	屈折及び調節 の障害	心不全	背部痛	睡眠障害	その他
	65~69歳	2.81%	2.42%	2.29%	2.34%	2.13%	1.87%	1.77%	1.51%	1.30%	1.02%	80.53%
	70~74歳	2.75%	2.53%	2.35%	2.35%	2.29%	1.96%	1.75%	1.47%	1.44%	1.08%	80.04%
	75~79歳	2.67%	2.31%	2.24%	2.28%	2.18%	1.93%	1.68%	1.69%	1.49%	1.15%	80.39%
男性	80~84歳	2.76%	2.18%	2.32%	2.05%	2.10%	2.01%	1.82%	1.89%	1.23%	1.08%	80.56%
2011	85~89歳	2.69%	1.81%	2.15%	1.90%	1.98%	2.27%	1.62%	1.74%	1.26%	1.36%	81.22%
	90~94歳	2.83%	1.65%	1.91%	1.65%	2.27%	2.37%	1.03%	2.06%	1.34%	1.44%	81.46%
	95~99歳	3.43%	1.47%	2.94%	1.47%	2.45%	3.43%	1.47%	2.45%	1.96%	1.96%	76.96%
	100歳以上	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%
	65~69歳	2.30%	2.41%	2.03%	1.81%	2.37%	1.75%	1.61%	0.91%	1.50%	1.35%	81.96%
	70~74歳	2.39%	2.39%	2.16%	2.01%	2.41%	1.84%	2.00%	1.03%	1.42%	1.01%	81.33%
	75~79歳	2.61%	2.47%	2.22%	1.89%	2.26%	1.87%	2.00%	1.11%	1.33%	1.40%	80.85%
女性	80~84歳	2.59%	2.34%	2.32%	1.85%	2.35%	1.83%	1.82%	1.43%	1.43%	1.50%	80.52%
XII.	85~89歳	2.81%	2.31%	2.29%	1.81%	2.18%	2.22%	1.61%	1.73%	1.21%	1.57%	80.25%
	90~94歳	3.00%	2.48%	2.30%	1.77%	2.30%	2.46%	1.52%	2.24%	1.59%	1.72%	78.61%
	95~99歳	3.17%	1.63%	2.65%	1.46%	2.31%	2.65%	1.63%	2.40%	1.97%	1.88%	78.25%
	100歳以上	3.91%	1.56%	2.34%	0.78%	1.56%	4.69%	0.78%	3.13%	4.69%	3.13%	73.44%

						佐倉	市					
2 0	21年度	本態性 (原発性<一次性>) 高血圧(症)	リポタンパク<蛋白> 代謝障害及び その他の脂血症	胃食道逆流症	詳細不明 の糖尿病	胃炎及び 十二指腸炎	その他の腸の機能障害	屈折及び調節 の障害	心不全	背部痛	睡眠障害	その他
	65~69歳	2.40%	2.14%	2.07%	2.01%	1.96%	1.75%	1.75%	1.38%	1.68%	1.58%	81.27%
	70~74歳	2.68%	2.25%	2.33%	2.14%	2.02%	1.94%	1.88%	1.68%	1.36%	1.31%	80.40%
	75~79歳	2.40%	2.13%	2.20%	2.02%	1.98%	1.94%	1.90%	1.60%	1.54%	1.36%	80.96%
男性	80~84歳	2.44%	1.99%	2.12%	1.91%	2.06%	2.11%	1.88%	1.81%	1.48%	1.48%	80.72%
2511	85~89歳	2.49%	1.82%	2.13%	1.89%	1.88%	2.21%	1.64%	1.91%	1.55%	1.51%	80.96%
	90~94歳	2.52%	1.70%	2.08%	1.67%	2.14%	2.44%	1.47%	2.06%	1.44%	1.50%	80.97%
	95~99歳	2.73%	1.56%	1.95%	1.95%	1.82%	2.60%	1.56%	2.47%	1.69%	1.30%	80.36%
	100歳以上	3.39%	1.69%	0.00%	1.69%	1.69%	3.39%	1.69%	3.39%	0.00%	0.00%	83.05%
	65~69歳	2.13%	2.25%	1.96%	1.95%	2.20%	1.57%	2.07%	0.99%	1.53%	1.64%	81.71%
	70~74歳	2.24%	2.31%	1.98%	2.05%	2.36%	1.80%	2.29%	1.15%	1.63%	1.48%	80.68%
	75~79歳	2.55%	2.41%	2.25%	2.05%	2.35%	2.00%	2.18%	1.42%	1.57%	1.67%	79.55%
女性	80~84歳	2.57%	2.30%	2.24%	2.05%	2.36%	2.07%	2.03%	1.54%	1.58%	1.75%	79.50%
	85~89歳	2.66%	2.23%	2.14%	1.93%	2.23%	2.33%	1.65%	1.89%	1.76%	1.82%	79.37%
	90~94歳	2.95%	2.29%	2.28%	1.97%	2.14%	2.63%	1.46%	2.14%	1.64%	1.87%	78.63%
	95~99歳	3.15%	2.02%	2.48%	2.02%	1.96%	2.90%	1.45%	2.48%	2.17%	1.96%	77.40%
	100歳以上	3.07%	1.84%	1.84%	1.23%	1.23%	2.45%	2.45%	3.68%	1.84%	1.23%	79.14%

						東金	市					
2 0	2 1 年度 年齢	本態性 (原発性<一次性>) 高血圧(症)	リポタンパク<蛋白> 代謝障害及び その他の脂血症	胃食道逆流症	詳細不明 の糖尿病	胃炎及び 十二指腸炎	その他の腸の機能障害	屈折及び調節 の障害	心不全	背部痛	睡眠障害	その他
	65~69歳	2.75%	2.03%	2.32%	2.75%	1.88%	1.64%	1.55%	1.40%	1.40%	1.21%	81.06%
	70~74歳	2.85%	2.07%	2.40%	2.60%	1.87%	1.60%	1.82%	1.50%	1.32%	1.30%	80.68%
	75~79歳	2.83%	2.19%	2.41%	2.45%	1.87%	1.75%	1.98%	1.91%	1.41%	1.25%	79.96%
男性	80~84歳	2.37%	1.80%	2.23%	2.27%	1.82%	1.94%	1.82%	1.62%	1.50%	1.13%	81.49%
力圧	85~89歳	2.87%	2.19%	2.28%	2.61%	1.83%	2.51%	1.47%	1.63%	1.53%	1.44%	79.64%
	90~94歳	2.42%	1.31%	2.01%	2.01%	1.91%	2.42%	1.01%	2.82%	2.01%	1.41%	80.66%
	95~99歳	2.00%	2.00%	2.00%	1.60%	1.60%	1.60%	1.20%	2.40%	1.60%	1.20%	82.80%
	100歳以上	5.00%	0.00%	5.00%	0.00%	5.00%	5.00%	0.00%	0.00%	0.00%	0.00%	80.00%
	65~69歳	2.57%	2.38%	2.22%	2.34%	2.30%	1.46%	1.66%	1.43%	1.43%	1.27%	80.96%
	70~74歳	2.49%	2.42%	2.25%	2.54%	2.13%	1.57%	2.00%	1.17%	1.73%	1.46%	80.24%
	75~79歳	2.57%	2.28%	2.09%	2.25%	2.16%	1.74%	1.81%	1.32%	1.61%	1.23%	80.92%
女性	80~84歳	2.54%	2.24%	2.22%	2.15%	2.11%	1.89%	2.02%	1.37%	1.76%	1.67%	80.02%
XII	85~89歳	2.93%	2.12%	2.50%	2.44%	2.06%	2.31%	1.66%	1.68%	1.72%	1.63%	78.95%
	90~94歳	3.26%	1.96%	2.43%	2.43%	2.16%	3.10%	1.37%	2.43%	2.04%	1.96%	76.84%
	95~99歳	2.85%	2.40%	2.10%	2.25%	1.50%	2.85%	1.50%	1.95%	1.95%	2.10%	78.56%
	100歳以上	6.25%	0.00%	6.25%	0.00%	6.25%	6.25%	0.00%	6.25%	0.00%	0.00%	68.75%

注1) 性別・年齢階層別に、上位3位に色付けをしています。

(%) 旭市 本態性 リポタンパク<蛋白> 2021年度 胃食道 詳細不明 胃炎及び その他の腸 屈折及び調節 (原発性<一次性>) 代謝障害及び 心不全 背部痛 睡眠障害 その他 逆流症 の糖尿病 十二指腸炎 の機能障害 の障害 その他の脂血症 性別 年齢 1.87% 2.72% 2.53% 2.49% 1.63% 1.52% 79.65% 2.49% 1.87% 2.06% 1.17% 65~69歳 70~74歳 3.05% 2.52% 2.19% 2.74% 1.90% 1.95% 1.74% 1.90% 1.49% 1.06% 79.44% 2.65% 2.17% 2.41% 1.85% 1.87% 1.73% 1.83% 1.58% 1.10% 80.65% 75~79歳 2.16% 80~84歳 2.57% 2.24% 2.16% 2.24% 1.98% 1.99% 1.50% 1.76% 1.89% 1.35% 80.33% 男性 85~89歳 2.94% 2.22% 2.14% 2.42% 1.92% 2.22% 1.87% 1.99% 1.82% 1.25% 79.22% 2.68% 90~94歳 2.82% 1.84% 2.33% 2.05% 1.91% 1.55% 2.26% 2.12% 1.62% 78.81% 2.86% 2.14% 1.79% 1.79% 2.86% 2.50% 1.79% 2.50% 1.43% 1.79% 78.57% 95~99歳 100歳以上 6.67% 0.00% 0.00% 0.00% 6.67% 0.00% 0.00% 6.67% 0.00% 0.00% 80.00% 65~69歳 2.34% 3.07% 2.57% 2.26% 2.26% 1.80% 1.80% 1.07% 1.73% 0.96% 80.13% 70~74歳 2.73% 2.49% 1.88% 2.17% 2.39% 1.49% 2.09% 1.09% 1.70% 1.22% 80.75% 1.87% 2.93% 1.84% 2.06% 2.14% 1.43% 79.34% 75~79歳 2.63% 2.42% 2.19% 1.15% 80~84歳 2.83% 2.59% 2.45% 2.33% 2.22% 2.15% 2.05% 1.49% 1.89% 1.56% 78.45% 1.67% 3.24% 2.51% 2.45% 2.02% 2.38% 2.33% 1.54% 2.43% 1.86% 77.57% 85~89歳 90~94歳 3.06% 2.41% 2.57% 1.57% 2.41% 2.65% 1.34% 2.11% 1.98% 1.77% 78.14% 1.83% 1.50% 3.32% 1.99% 2.99% 1.16% 2.49% 1.99% 78.57% 95~99歳 2.33% 1.83% 100歳以上 3.85% 3.85% 3.85% 0.00% 3.85% 3.85% 0.00% 3.85% 0.00% 0.00% 76.92%

						習志里	赤					
2 0	21年度	本態性 (原発性<一次性>) 高血圧(症)	リポタンパク<蛋白> 代謝障害及び その他の脂血症	胃食道 逆流症	詳細不明 の糖尿病	胃炎及び 十二指腸炎	その他の腸の機能障害	屈折及び調節 の障害	心不全	背部痛	睡眠障害	その他
	65~69歳	2.48%	1.98%	2.03%	2.17%	1.78%	1.67%	1.81%	1.30%	1.21%	1.24%	82.33%
	70~74歳	2.66%	2.04%	2.17%	2.24%	1.78%	1.81%	1.80%	1.43%	1.26%	1.21%	81.60%
	75~79歳	2.60%	2.09%	2.05%	2.08%	1.87%	1.75%	1.92%	1.57%	1.25%	1.32%	81.50%
男性	80~84歳	2.58%	2.07%	1.95%	2.06%	2.00%	1.87%	1.94%	1.58%	1.34%	1.49%	81.13%
711	85~89歳	2.55%	1.79%	1.97%	1.86%	1.71%	2.06%	1.77%	1.80%	1.41%	1.48%	81.60%
	90~94歳	2.74%	1.86%	1.86%	1.99%	1.63%	2.32%	1.67%	2.12%	1.34%	1.73%	80.73%
	95~99歳	2.81%	1.40%	1.82%	1.82%	1.26%	2.95%	1.40%	2.38%	1.40%	1.68%	81.07%
	100歳以上	2.13%	0.00%	2.13%	2.13%	0.00%	2.13%	0.00%	2.13%	2.13%	2.13%	85.11%
	65~69歳	2.06%	2.17%	2.08%	2.08%	2.15%	1.87%	2.28%	0.90%	1.20%	1.56%	81.66%
	70~74歳	2.28%	2.18%	1.95%	1.87%	2.21%	1.79%	2.25%	1.00%	1.28%	1.45%	81.74%
	75~79歳	2.59%	2.20%	2.06%	1.73%	2.14%	1.75%	2.24%	1.14%	1.43%	1.56%	81.15%
女性	80~84歳	2.44%	2.12%	2.02%	1.84%	2.17%	1.90%	2.06%	1.31%	1.47%	1.72%	80.95%
NI NI	85~89歳	2.77%	2.22%	2.04%	1.82%	1.98%	2.19%	1.89%	1.68%	1.51%	1.83%	80.07%
	90~94歳	2.87%	1.97%	2.28%	1.71%	1.94%	2.56%	1.66%	2.01%	1.59%	1.94%	79.47%
	95~99歳	2.97%	1.68%	2.13%	1.74%	1.68%	2.78%	1.48%	2.39%	1.87%	2.13%	79.15%
	100歳以上	3.62%	1.45%	2.17%	2.17%	1.45%	3.62%	0.72%	3.62%	1.45%	0.72%	78.99%

						柏市	त्रं					
2 0	21年度 年齢	本態性 (原発性<一次性>) 高血圧(症)	リポ° タンパ° ク<蛋白> 代謝障害及び その他の脂血症	胃食道 逆流症	詳細不明 の糖尿病	胃炎及び 十二指腸炎	その他の腸の機能障害	屈折及び調節 の障害	心不全	背部痛	睡眠障害	その他
	65~69歳	2.54%	2.05%	2.19%	2.34%	1.87%	1.41%	1.73%	1.48%	1.48%	1.38%	81.52%
	70~74歳	2.58%	2.15%	2.25%	2.33%	1.93%	1.54%	1.92%	1.61%	1.47%	1.20%	81.03%
	75~79歳	2.50%	2.08%	2.08%	2.25%	1.90%	1.68%	1.90%	1.68%	1.37%	1.28%	81.28%
男性	80~84歳	2.41%	1.95%	2.10%	2.09%	1.80%	1.75%	1.73%	1.71%	1.46%	1.17%	81.83%
为压	85~89歳	2.35%	1.86%	2.07%	2.05%	1.84%	2.04%	1.53%	1.92%	1.32%	1.39%	81.63%
	90~94歳	2.57%	1.80%	2.10%	2.02%	1.62%	2.29%	1.36%	2.12%	1.38%	1.35%	81.39%
	95~99歳	2.17%	1.05%	2.31%	1.47%	1.47%	2.38%	1.05%	2.03%	1.47%	1.75%	82.86%
	100歳以上	2.27%	0.76%	3.03%	0.76%	2.27%	3.03%	0.76%	1.52%	2.27%	2.27%	81.06%
	65~69歳	1.88%	2.06%	1.93%	1.83%	1.97%	1.49%	1.89%	0.97%	1.38%	1.26%	83.36%
	70~74歳	2.11%	2.21%	2.00%	2.02%	2.14%	1.52%	2.09%	1.23%	1.56%	1.30%	81.83%
	75~79歳	2.32%	2.22%	1.99%	1.99%	2.08%	1.64%	1.99%	1.32%	1.56%	1.47%	81.41%
女性	80~84歳	2.37%	2.15%	2.05%	1.95%	2.03%	1.75%	1.93%	1.52%	1.59%	1.53%	81.14%
XII	85~89歳	2.48%	2.02%	2.08%	1.83%	1.92%	1.99%	1.69%	1.81%	1.64%	1.60%	80.94%
	90~94歳	2.73%	1.91%	2.20%	1.87%	1.87%	2.44%	1.40%	2.13%	1.78%	1.83%	79.85%
	95~99歳	2.88%	1.71%	2.28%	1.83%	1.92%	2.70%	1.20%	2.37%	1.95%	1.98%	79.21%
	100歳以上	2.91%	1.16%	2.33%	1.74%	2.33%	2.33%	1.16%	1.74%	0.58%	0.58%	83.14%

						勝浦	市					
2 0	21年度	本態性 (原発性<一次性>) 高血圧(症)	リポタンパク<蛋白> 代謝障害及び その他の脂血症	胃食道 逆流症	詳細不明 の糖尿病	胃炎及び 十二指腸炎	その他の腸の機能障害	屈折及び調節 の障害	心不全	背部痛	睡眠障害	その他
	65~69歳	2.58%	2.46%	2.58%	2.69%	1.29%	1.87%	2.11%	1.87%	1.52%	1.41%	79.63%
	70~74歳	2.93%	2.17%	2.23%	2.29%	1.82%	1.88%	1.93%	2.11%	2.17%	1.82%	78.66%
	75~79歳	2.91%	2.29%	2.44%	2.49%	1.51%	1.87%	2.03%	1.72%	1.77%	1.14%	79.83%
男性	80~84歳	2.64%	2.27%	2.48%	2.00%	1.42%	2.16%	2.32%	2.00%	1.64%	1.42%	79.64%
2511	85~89歳	2.88%	1.89%	1.74%	1.97%	1.74%	1.67%	2.35%	2.05%	1.67%	1.29%	80.76%
	90~94歳	2.50%	1.92%	2.11%	2.11%	1.73%	2.50%	1.92%	2.69%	1.54%	1.92%	79.08%
	95~99歳	2.70%	2.03%	1.35%	2.03%	2.03%	2.70%	0.68%	2.70%	2.03%	2.03%	79.73%
	100歳以上	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%
	65~69歳	2.87%	2.46%	2.87%	2.67%	1.85%	1.85%	1.64%	1.44%	1.44%	1.85%	79.06%
	70~74歳	2.50%	2.58%	2.42%	2.19%	1.72%	1.72%	2.11%	1.56%	2.11%	1.64%	79.47%
	75~79歳	2.17%	2.48%	2.29%	2.23%	1.72%	1.59%	2.23%	1.59%	1.46%	1.40%	80.83%
女性	80~84歳	2.34%	2.20%	2.42%	2.09%	1.83%	1.94%	1.98%	1.83%	1.94%	1.90%	79.53%
XII.	85~89歳	2.69%	2.24%	2.37%	2.15%	1.34%	2.64%	1.92%	1.70%	1.97%	1.75%	79.23%
	90~94歳	2.79%	2.23%	2.51%	2.14%	1.86%	2.88%	1.95%	1.30%	2.05%	2.42%	77.86%
	95~99歳	2.42%	2.42%	2.42%	1.45%	0.97%	2.90%	1.93%	0.97%	0.97%	2.42%	81.16%
	100歳以上	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%

注1) 性別・年齢階層別に、上位3位に色付けをしています。

												(%)
						市原	市					
2 0	2 1 年度 年齢	本態性 (原発性<一次性>) 高血圧(症)	リポタンパク<蛋白> 代謝障害及び その他の脂血症	胃食道 逆流症	詳細不明 の糖尿病	胃炎及び 十二指腸炎	その他の腸の機能障害	屈折及び調節 の障害	心不全	背部痛	睡眠障害	その他
12755	65~69歳	2.68%	2.24%	2.46%	2.15%	1.94%	1.48%	1.47%	1.32%	1.53%	1.29%	81.44%
	70~74歳	2.69%	2.16%	2.28%	2.24%	1.92%	1.78%	1.71%	1.40%	1.42%	1.27%	81.12%
	75~79歳	2.75%	2.15%	2.25%	2.26%	2.01%	1.92%	1.87%	1.55%	1.42%	1.28%	80.54%
男性	80~84歳	2.61%	2.04%	2.19%	2.06%	1.95%	2.01%	1.67%	1.68%	1.52%	1.24%	81.04%
2012	85~89歳	2.57%	1.84%	2.20%	1.92%	1.99%	2.17%	1.56%	1.80%	1.67%	1.35%	80.93%
	90~94歳	2.65%	1.66%	2.26%	1.54%	1.97%	2.55%	1.36%	1.81%	1.83%	1.33%	81.04%
	95~99歳	2.67%	1.21%	1.94%	1.27%	1.76%	2.30%	1.46%	2.43%	1.70%	1.58%	81.69%
	100歳以上	3.41%	1.14%	3.41%	2.27%	3.41%	3.41%	1.14%	3.41%	0.00%	2.27%	76.14%
	65~69歳	2.26%	2.37%	1.91%	2.02%	2.23%	1.63%	1.91%		1.56%	1.31%	81.90%
	70~74歳	2.61%	2.32%	1.95%	2.01%	2.07%	1.62%	2.00%	1.02%	1.59%	1.39%	81.42%
	75~79歳	2.48%	2.26%	2.13%	1.98%	2.16%	1.82%	1.92%	1.17%	1.74%	1.51%	80.83%
女性	80~84歳	2.65%	2.29%	2.16%	1.97%	2.10%	1.91%	1.89%	1.32%	1.78%	1.51%	80.40%
711	85~89歳	2.78%	2.11%	2.22%	1.81%	2.06%	2.24%	1.68%	1.69%	1.90%	1.65%	79.87%
	90~94歳	3.08%	2.05%	2.38%	1.84%	2.09%	2.59%	1.77%	2.11%	2.05%	1.83%	78.22%
	95~99歳	3.37%	2.16%	2.60%	1.79%	1.87%	2.86%	1.21%	2.56%	1.72%	1.68%	78.18%
	100歳以上	2.95%	2.11%	2.53%	2.95%	2.11%	2.53%	0.84%	2.95%	2.95%	1.69%	76.37%

						流山	市					
2 0	21年度	本態性 (原発性<一次性>) 高血圧(症)	リポタンパク<蛋白> 代謝障害及び その他の脂血症	胃食道 逆流症	詳細不明 の糖尿病	胃炎及び 十二指腸炎	その他の腸の機能障害	屈折及び調節 の障害	心不全	背部痛	睡眠障害	その他
,,_	65~69歳	2.60%	2.20%	2.22%	2.31%	1.79%	1.41%	1.62%	1.39%	1.31%	1.37%	81.78%
	70~74歳	2.73%	1.97%	2.00%	2.31%	1.93%	1.47%	1.95%	1.55%	1.40%	1.24%	81.45%
	75~79歳	2.51%	2.10%	2.10%	2.21%	1.79%	1.62%	1.92%	1.63%	1.39%	1.18%	81.54%
男性	80~84歳	2.32%	1.84%	1.97%	2.04%	1.64%	1.80%	1.76%	1.71%	1.35%	1.25%	82.31%
方注	85~89歳	2.34%	1.74%	1.97%	2.06%	1.51%	1.97%	1.70%	1.77%	1.36%	1.33%	82.25%
	90~94歳	2.61%	1.68%	2.01%	2.19%	1.39%	2.40%	1.55%	2.09%	1.32%	1.63%	81.13%
	95~99歳	2.28%	1.52%	1.98%	1.98%	1.52%	1.83%	1.22%	2.13%	1.22%	0.76%	83.56%
	100歳以上	1.60%	0.80%	0.80%	2.40%	1.60%	2.40%	1.60%	0.80%	0.80%	0.80%	86.40%
	65~69歳	1.93%	2.20%	2.02%	1.95%	2.18%	1.56%	1.99%	1.00%	1.31%	1.39%	82.48%
	70~74歳	2.10%	2.28%	1.97%	2.11%	2.12%	1.49%	2.12%	1.00%	1.54%	1.43%	81.86%
	75~79歳	2.25%	2.14%	1.87%	1.98%	1.97%	1.64%	2.02%	1.14%	1.40%	1.45%	82.15%
女性	80~84歳	2.27%	2.08%	1.92%	2.05%	1.81%	1.61%	1.92%	1.32%	1.45%	1.44%	82.11%
	85~89歳	2.44%	1.95%	1.99%	1.99%	1.67%	1.97%	1.75%	1.69%	1.60%	1.60%	81.35%
	90~94歳	2.73%	1.93%	2.09%	2.10%	1.64%	2.53%	1.48%		1.74%	1.57%	80.05%
	95~99歳	3.08%	1.60%	2.09%	2.52%	1.42%	2.83%	1.17%	2.03%	1.29%	2.34%	79.63%
	100歳以上	2.75%	1.18%	2.35%	2.35%	1.57%	3.92%	1.96%	1.57%	0.78%	2.75%	78.82%

						八千代	市					
2 0	21年度	本態性 (原発性<一次性>) 高血圧(症)	リポタンパク<蛋白> 代謝障害及び その他の脂血症	胃食道逆流症	詳細不明 の糖尿病	胃炎及び 十二指腸炎	その他の腸の機能障害	屈折及び調節の障害	心不全	背部痛	睡眠障害	その他
	65~69歳	2.60%	2.19%	2.15%	2.49%	2.04%	1.89%	1.39%	1.52%	1.47%	1.56%	80.71%
	70~74歳	2.57%	2.33%	1.92%	2.31%	1.75%	1.75%	1.98%	1.61%	1.33%	1.17%	81.28%
	75~79歳	2.56%	2.09%	2.08%	2.21%	1.91%	1.89%	1.88%	1.69%	1.44%	1.30%	80.96%
男性	80~84歳	2.46%	2.07%	2.04%	2.12%	1.88%	1.93%	1.76%	1.75%	1.39%	1.35%	81.26%
2011	85~89歳	2.42%	1.82%	1.89%	1.96%	1.84%	2.20%	1.48%	1.90%	1.54%	1.34%	81.62%
	90~94歳	2.54%	1.81%	1.92%	1.85%	1.83%	2.45%	1.36%	2.07%	1.52%	1.52%	81.14%
	95~99歳	2.97%	2.26%	2.69%	1.56%	2.26%	3.11%	0.57%	2.55%	1.27%	2.12%	78.64%
	100歳以上	2.44%	2.44%	0.00%	0.00%	0.00%	2.44%	0.00%	2.44%	2.44%	2.44%	85.37%
	65~69歳	2.20%	2.28%	1.98%	1.94%	2.24%	1.81%	1.75%	1.24%	1.58%	1.60%	81.37%
	70~74歳	2.24%	2.33%	1.89%	2.08%	2.12%	1.59%	2.18%	1.22%	1.42%	1.58%	81.35%
	75~79歳	2.43%	2.37%	1.98%	2.01%	2.09%	1.80%	2.10%	1.33%	1.56%	1.71%	80.63%
女性	80~84歳	2.42%	2.30%	1.99%	1.79%	2.04%	1.85%	1.82%	1.59%	1.47%	1.65%	81.08%
XE	85~89歳	2.64%	2.25%	2.11%	1.86%	2.10%	2.11%	1.60%	1.74%	1.69%	1.79%	80.09%
	90~94歳	2.83%	2.00%	2.23%	1.91%	2.00%	2.54%	1.38%	2.24%	1.56%	1.52%	79.77%
	95~99歳	3.34%	2.28%	2.11%	1.85%	2.37%	2.99%	1.05%	2.28%	1.67%	1.67%	78.38%
	100歳以上	2.90%	1.45%	2.90%	1.45%	2.90%	2.90%	1.45%	2.90%	1.45%	1.45%	78.26%

						我孫子	市					
2 0	2 1 年度	本態性 (原発性<一次性>) 高血圧(症)	リポ・タンパ・ク<蛋白> 代謝障害及び その他の脂血症	胃食道逆流症	詳細不明 の糖尿病	胃炎及び 十二指腸炎	その他の腸の機能障害	屈折及び調節 の障害	心不全	背部痛	睡眠障害	その他
	65~69歳	2.85%	2.22%	1.98%	2.33%	2.29%	1.88%	2.02%	1.63%	1.39%	1.22%	80.19%
	70~74歳	2.70%	2.12%	2.21%	2.39%	2.05%	1.66%	2.13%	1.71%	1.39%	1.28%	80.35%
	75~79歳	2.54%	2.13%	2.16%	2.12%	2.05%	1.84%	1.85%	1.71%	1.51%	1.22%	80.88%
男性	80~84歳	2.52%	1.91%	2.13%	2.05%	1.94%	1.88%	1.97%	1.77%	1.47%	1.23%	81.12%
2511	85~89歳	2.53%	1.83%	1.96%	2.04%	1.88%	1.97%	1.59%	2.03%	1.36%	1.21%	81.60%
	90~94歳	2.63%	1.89%	1.89%	2.20%	1.76%	2.48%	1.61%	2.07%	1.36%	1.52%	80.60%
	95~99歳	2.66%	1.41%	2.04%	2.04%	2.04%	2.66%	0.78%	2.51%	1.72%	2.19%	79.94%
	100歳以上	5.41%	2.70%	0.00%	2.70%	0.00%	5.41%	0.00%	5.41%	0.00%	2.70%	75.68%
	65~69歳	2.00%	2.46%	2.12%	2.03%	2.43%	1.61%	2.15%	1.03%	1.70%	1.52%	80.95%
	70~74歳	2.34%	2.35%	1.96%	1.93%	2.19%	1.71%	2.40%	1.23%	1.41%	1.62%	80.87%
	75~79歳	2.43%	2.27%	2.04%	1.87%	2.34%	1.79%	2.25%	1.27%	1.55%	1.50%	80.69%
女性	80~84歳	2.40%	2.08%	2.01%	1.97%	2.10%	1.81%	2.11%	1.42%	1.58%	1.44%	81.08%
XII	85~89歳	2.59%	2.02%	2.13%	2.04%	2.02%	2.17%	1.63%	1.85%	1.50%	1.45%	80.60%
	90~94歳	2.86%	2.11%	2.32%	1.94%	2.03%	2.55%	1.53%	2.03%	1.57%	1.72%	79.33%
	95~99歳	3.11%	2.18%	2.43%	2.18%	2.18%	2.69%	0.67%	3.02%	2.35%	2.27%	76.91%
	100歳以上	2.94%	0.98%	2.94%	0.98%	1.96%	3.92%	0.00%	1.96%	2.94%	1.96%	79.41%

注1) 性別・年齢階層別に、上位3位に色付けをしています。

												(%)
						鴨川	市					
2 0	2 1 年度	本態性 (原発性<一次性>) 高血圧(症)	リポタンパク<蛋白> 代謝障害及び その他の脂血症	胃食道逆流症	詳細不明 の糖尿病	胃炎及び 十二指腸炎	その他の腸の機能障害	屈折及び調節 の障害	心不全	背部痛	睡眠障害	その他
	65~69歳	2.73%	2.73%	2.61%	2.14%	1.66%	1.54%	1.43%	2.14%	1.54%	1.19%	80.29%
	70~74歳	2.43%	1.87%	2.39%	2.46%	1.34%	1.69%	1.76%	1.87%	1.23%	1.09%	81.87%
	75~79歳	2.79%	2.18%	2.41%	2.56%	1.72%	1.87%	2.22%	2.10%	1.80%	1.15%	79.22%
男性	80~84歳	2.68%	1.91%	2.34%	2.42%	1.51%	1.91%	2.20%	1.89%	1.38%	1.38%	80.38%
2711	85~89歳	2.43%	1.84%	2.16%	2.43%	1.38%	1.93%	1.98%	2.02%	1.65%	1.19%	80.98%
	90~94歳	2.37%	1.69%	2.14%	2.37%	1.47%	2.26%	2.03%	1.81%	1.35%	1.47%	81.04%
	95~99歳	3.43%	2.86%	2.29%	1.71%	0.57%	3.43%	1.71%	2.29%	1.71%	1.14%	78.86%
	100歳以上	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%
	65~69歳	1.90%	2.02%	1.55%	2.26%	1.43%	2.26%	1.90%	1.19%	1.66%	1.43%	82.40%
	70~74歳	2.51%	2.32%	2.32%	2.61%	1.33%	1.58%	2.47%	1.08%	1.78%	1.33%	80.67%
	75~79歳	2.59%	2.25%	2.28%	2.07%	1.59%	1.61%	2.25%	1.23%	1.77%	1.54%	80.81%
女性	80~84歳	2.52%	2.22%	2.19%	1.99%	1.49%	1.94%	2.24%	1.56%	1.81%	1.28%	80.77%
V IT	85~89歳	2.68%	2.06%	2.06%	2.25%	1.61%	2.06%	1.63%	1.66%	1.94%	1.18%	80.87%
	90~94歳	2.77%	1.91%	2.40%	2.20%	1.67%	2.36%	1.91%	1.91%	1.87%	1.79%	79.22%
	95~99歳	3.05%	2.28%	2.28%	2.28%	1.27%	3.30%	1.52%	2.54%	1.78%	2.03%	77.66%
	100歳以上	4.35%	2.17%	4.35%	2.17%	0.00%	4.35%	2.17%	4.35%	2.17%	0.00%	73.91%

						鎌ケ名	市					
2 0	2 1 年度 年齢	本態性 (原発性<一次性>) 高血圧(症)	リポタンパク<蛋白> 代謝障害及び その他の脂血症	胃食道 逆流症	詳細不明 の糖尿病	胃炎及び 十二指腸炎	その他の腸の機能障害	屈折及び調節 の障害	心不全	背部痛	睡眠障害	その他
נימבוי		2.270/	2 220/	2.000/	2.270/	1.700/	1.500/	1.500/	1 700/	1.160/	1 110/	04.630/
	65~69歳	2.37%	2.33%	2.00%	2.37%	1.79%	1.58%	1.58%	1.79%	1.16%		81.62%
	70~74歳	2.74%	2.15%	2.31%	2.31%	2.09%	1.67%	1.82%	1.95%	1.41%	1.13%	80.42%
	75~79歳	2.79%	2.39%	2.34%	2.40%	2.26%	1.80%	1.93%	1.95%	1.33%	1.29%	79.52%
男性	80~84歳	2.67%	1.95%	2.29%	2.22%	2.17%	2.00%	1.66%	2.12%	1.58%	1.27%	80.08%
511	85~89歳	2.73%	1.75%	2.18%	2.07%	2.18%	2.18%	1.54%	2.24%	1.54%	1.36%	80.22%
	90~94歳	2.48%	1.80%	2.22%	2.01%	2.01%	2.48%	1.22%	2.38%	1.64%	1.48%	80.29%
	95~99歳	3.00%	1.29%	2.58%	2.58%	1.29%	2.58%	0.86%	2.58%	2.15%	1.72%	79.40%
	100歳以上	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%
	65~69歳	2.16%	2.28%	2.16%	1.91%	2.16%	1.53%	2.13%	1.22%	1.34%	1.59%	81.53%
	70~74歳	2.36%	2.22%	1.99%	2.13%	2.16%	1.40%	2.12%	1.46%	1.60%	1.46%	81.09%
	75~79歳	2.49%	2.23%	2.05%	2.11%	2.34%	1.71%	1.99%	1.67%	1.52%	1.56%	80.32%
女性	80~84歳	2.54%	2.22%	2.14%	2.10%	2.16%	1.76%	1.88%	2.01%	1.64%	1.78%	79.76%
又任	85~89歳	2.78%	2.04%	2.28%	1.92%	2.25%	2.23%	1.62%	2.24%	1.92%	1.85%	78.87%
	90~94歳	3.03%	2.24%	2.32%	1.81%	2.04%	2.49%	1.25%	2.74%	1.61%	2.04%	78.44%
	95~99歳	2.74%	1.98%	2.74%	1.82%	2.58%	2.74%	1.22%	2.13%	1.67%	1.67%	78.72%
	100歳以上	3.62%	1.45%	2.17%	2.17%	0.72%	2.90%	1.45%	3.62%	2.17%	2.90%	76.81%

						君津	市					
2 0	2 1 年度	本態性 (原発性<一次性>) 高血圧(症)	リポタンパク<蛋白> 代謝障害及び その他の脂血症	胃食道逆流症	詳細不明 の糖尿病	胃炎及び 十二指腸炎	その他の腸の機能障害	屈折及び調節 の障害	心不全	背部痛	睡眠障害	その他
	65~69歳	2.98%	2.30%	2.26%	2.69%	1.76%	1.90%	1.51%	1.76%	1.40%	1.33%	80.11%
	70~74歳	2.68%	2.32%	2.30%	2.30%	2.07%	1.62%	1.84%	1.48%	1.56%	1.10%	80.73%
	75~79歳	2.65%	2.07%	2.26%	2.05%	1.93%	1.70%	1.94%	1.33%	1.43%	1.16%	81.49%
男性	80~84歳	2.66%	1.98%	2.18%	2.13%	1.94%	1.90%	1.67%	1.75%	1.61%	1.34%	80.84%
2511	85~89歳	2.58%	1.88%	2.19%	1.79%	1.96%	2.02%	1.66%	1.89%	1.83%	1.43%	80.77%
	90~94歳	2.76%	1.53%	2.05%	1.87%	1.94%	2.72%	1.31%	2.05%	1.83%	1.38%	80.56%
	95~99歳	3.19%	1.28%	2.34%	1.91%	1.49%	2.55%	2.13%	2.77%	1.06%	1.28%	80.00%
	100歳以上	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%
	65~69歳	2.21%	2.42%	2.26%	2.23%	1.94%	1.99%	2.02%	0.97%	1.67%	1.43%	80.88%
	70~74歳	2.43%	2.45%	2.07%	2.07%	2.19%	1.47%	2.16%	1.22%	1.46%	1.25%	81.23%
	75~79歳	2.58%	2.60%	2.23%	1.98%	2.13%	1.80%	2.17%	1.23%	1.63%	1.31%	80.34%
女性	80~84歳	2.58%	2.27%	2.25%	1.87%	1.90%	1.92%	1.91%	1.50%	1.78%	1.37%	80.65%
	85~89歳	2.84%	2.20%	2.40%	1.98%	2.12%	2.16%	1.87%	1.76%	1.96%	1.68%	79.03%
	90~94歳	3.15%	2.35%	2.54%	2.04%	1.87%	2.63%	1.50%	2.19%	1.82%	1.67%	78.24%
	95~99歳	3.16%	1.94%	2.04%	1.73%	1.94%	3.16%	0.92%	2.76%	1.63%	2.04%	78.67%
	100歳以上	3.94%	1.57%	2.36%	1.57%	2.36%	3.15%	0.00%	3.94%	0.79%	2.36%	77.95%

						富津	市					
2 0	21年度	本態性 (原発性<一次性>) 高血圧(症)	リポタンパク<蛋白> 代謝障害及び その他の脂血症	胃食道 逆流症	詳細不明 の糖尿病	胃炎及び 十二指腸炎	その他の腸の機能障害	屈折及び調節 の障害	心不全	背部痛	睡眠障害	その他
	65~69歳	2.61%	2.07%	2.12%	2.16%	1.98%	1.53%	1.62%	1.49%	1.04%	1.17%	82.22%
	70~74歳	3.11%	2.41%	2.33%	2.28%	2.26%	1.76%	1.78%	1.16%	1.46%	1.23%	80.22%
	75~79歳	2.77%	1.95%	2.36%	2.23%	2.09%	1.86%	1.69%	1.65%	1.42%	1.15%	80.81%
男性	80~84歳	2.63%	1.81%	2.25%	2.20%	2.03%	1.94%	1.55%	1.72%	1.27%	1.27%	81.34%
2511	85~89歳	2.87%	1.93%	2.40%	2.08%	2.06%	2.21%	1.49%	1.91%	1.74%	1.38%	79.94%
	90~94歳	2.83%	1.71%	1.94%	1.94%	2.24%	2.53%	1.34%	2.38%	1.34%	0.89%	80.85%
	95~99歳	2.71%	1.20%	2.41%	1.51%	2.11%	2.11%	0.90%	3.01%	1.20%	1.81%	81.02%
	100歳以上	4.65%	0.00%	2.33%	0.00%	2.33%	4.65%	0.00%	4.65%	2.33%	4.65%	74.42%
	65~69歳	2.53%	2.69%	2.20%	2.20%	2.15%	1.45%	2.10%	1.18%	1.67%	1.24%	80.59%
	70~74歳	2.44%	2.32%	2.22%	2.40%	2.13%	1.31%	2.13%	1.13%	1.46%	1.27%	81.18%
	75~79歳	2.83%	2.51%	2.28%	2.33%	2.26%	1.78%	2.12%	1.23%	1.73%	1.66%	79.27%
女性	80~84歳	2.76%	2.25%	2.26%	2.20%	2.18%	1.81%	1.96%	1.38%	1.68%	1.47%	80.05%
NI XII	85~89歳	3.10%	2.34%	2.54%	1.92%	2.13%	2.27%	1.54%	1.73%	1.89%	1.79%	78.76%
	90~94歳	3.06%	1.96%	2.62%	1.56%	1.79%	2.46%	1.56%	1.89%	1.66%	1.76%	79.67%
	95~99歳	3.32%	2.74%	2.89%	2.60%	1.59%	3.03%	1.44%	2.02%	1.88%	1.73%	76.77%
	100歳以上	3.80%	3.80%	3.80%	2.53%	1.27%	3.80%	0.00%	2.53%	1.27%	3.80%	73.42%

注1) 性別・年齢階層別に、上位3位に色付けをしています。

												(%)
						浦安	市					
2 0	2 1 年度 年齢	本態性 (原発性<一次性>) 高血圧(症)	リポタンパク<蛋白> 代謝障害及び その他の脂血症	胃食道 逆流症	詳細不明 の糖尿病	胃炎及び 十二指腸炎	その他の腸の機能障害	屈折及び調節 の障害	心不全	背部痛	睡眠障害	その他
12755	65~69歳	2.09%	2.03%	2.12%	2.25%	2.00%	1.84%	1.59%	1.62%	1.65%	1.50%	81.32%
	70~74歳	2.51%	2.18%	2.19%	2.31%	1.94%	1.64%	1.66%	1.57%	1.48%	1.39%	81.12%
	75~79歳	2.28%	1.98%	1.94%	2.10%	1.77%	1.62%	1.65%	1.71%	1.39%	1.18%	82.37%
男性	80~84歳	2.33%	1.97%	1.83%	2.14%	1.76%	1.74%	1.50%	1.89%	1.46%	1.40%	81.98%
2511	85~89歳	2.31%	1.90%	1.82%	2.02%	1.62%	2.01%	1.40%	1.82%	1.57%	1.41%	82.13%
	90~94歳	2.59%	1.92%	1.61%	2.08%	1.31%	2.35%	1.14%	2.05%	1.58%	1.75%	81.62%
	95~99歳	1.88%	0.75%	1.50%	1.13%	1.13%	3.01%	1.50%	1.88%	1.88%	2.26%	83.08%
	100歳以上	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%
	65~69歳	1.72%	1.98%	1.74%	1.82%	2.22%	1.31%	1.86%	0.95%	1.43%	1.43%	83.55%
	70~74歳	2.15%	2.16%	1.85%	2.04%	2.16%	1.56%	2.06%	1.23%	1.48%	1.63%	81.69%
	75~79歳	2.21%	2.13%	1.82%	2.01%	2.02%	1.69%	1.76%	1.34%	1.65%	1.54%	81.83%
女性	80~84歳	2.24%	2.09%	1.86%	1.92%	2.00%	1.74%	1.70%	1.46%	1.58%	1.64%	81.77%
~1	85~89歳	2.29%	2.03%	1.99%	1.88%	1.90%	1.92%	1.20%	1.76%	1.67%	1.80%	81.56%
	90~94歳	2.40%	1.95%	2.05%	1.77%	1.77%	2.26%	1.31%	1.97%	1.66%	1.71%	81.14%
	95~99歳	2.75%	1.67%	1.87%	1.77%	1.97%	2.36%	1.08%	2.46%	1.47%	1.97%	80.63%
	100歳以上	2.80%	1.87%	2.80%	2.80%	0.93%	2.80%	0.93%	2.80%	1.87%	0.00%	80.37%

						四街道	市					
2 0	2 1 年度 年齢	本態性 (原発性<一次性>) 高血圧(症)	リポ° タンパウ<蛋白> 代謝障害及び その他の脂血症	胃食道 逆流症	詳細不明 の糖尿病	胃炎及び 十二指腸炎	その他の腸の機能障害	屈折及び調節 の障害	心不全	背部痛	睡眠障害	その他
	65~69歳	2.26%	2.02%	2.07%	2.46%	1.97%	1.78%	1.69%	1.64%	1.69%	1.54%	80.89%
	70~74歳	2.58%	2.09%	2.21%	2.35%	2.06%	1.65%	2.04%	1.52%	1.23%	1.27%	81.00%
	75~79歳	2.47%	2.14%	2.10%	2.20%	1.88%	1.80%	1.89%	1.68%	1.43%	1.39%	81.04%
男性	80~84歳	2.53%	1.79%	1.94%	1.94%	1.92%	1.95%	1.80%	1.86%	1.34%	1.25%	81.68%
711	85~89歳	2.49%	1.98%	2.00%	2.07%	2.02%	2.33%	1.69%	1.96%	1.36%	1.25%	80.86%
	90~94歳	2.51%	2.27%	1.91%	1.73%	1.67%	2.45%	1.49%	2.03%	1.37%	1.19%	81.36%
	95~99歳	3.11%	1.33%	2.67%	1.33%	1.33%	3.11%	0.89%	3.11%	0.44%	0.89%	81.78%
	100歳以上	0.00%	0.00%	2.56%	0.00%	2.56%	2.56%	0.00%	2.56%	2.56%	2.56%	84.62%
	65~69歳	2.23%	2.56%	1.71%	2.11%	2.40%	1.54%	2.19%	1.02%	1.38%	1.50%	81.36%
	70~74歳	2.15%	2.30%	1.94%	2.08%	2.23%	1.73%	2.23%	1.17%	1.25%	1.45%	81.48%
	75~79歳	2.34%	2.31%	1.79%	1.93%	2.08%	1.61%	2.08%	1.14%	1.37%	1.46%	81.89%
女性	80~84歳	2.32%	2.08%	1.92%	1.90%	2.05%	1.82%	1.88%	1.49%	1.33%	1.64%	81.57%
\ \rac{1}{2}	85~89歳	2.77%	2.18%	2.18%	2.04%	2.19%	2.19%	1.68%	1.86%	1.49%	1.60%	79.82%
	90~94歳	2.71%	1.75%	2.14%	1.69%	1.91%	2.49%	1.60%	2.17%	1.53%	1.85%	80.15%
	95~99歳	3.03%	1.18%	1.68%	1.68%	1.85%	2.86%	0.67%	2.36%	1.18%	2.19%	81.31%
	100歳以上	3.95%	3.95%	2.63%	1.32%	2.63%	2.63%	2.63%	2.63%	1.32%	2.63%	73.68%

						袖ケ洞	市					
2 0	21年度 年齢	本態性 (原発性<一次性>) 高血圧(症)	リポタンパク<蛋白> 代謝障害及び その他の脂血症	胃食道逆流症	詳細不明 の糖尿病	胃炎及び 十二指腸炎	その他の腸の機能障害	屈折及び調節 の障害	心不全	背部痛	睡眠障害	その他
	65~69歳	2.96%	2.21%	2.54%	2.59%	1.97%	1.50%	2.07%	1.18%	1.69%	1.41%	79.88%
	70~74歳	2.88%	2.41%	2.61%	2.36%	2.18%	1.64%	1.89%	1.33%	1.26%	1.17%	80.27%
	75~79歳	2.67%	2.16%	2.23%	2.39%	2.04%	1.84%	2.18%	1.59%	1.31%	1.26%	80.34%
男性	80~84歳	2.83%	2.01%	2.40%	2.54%	1.86%	2.15%	2.02%	1.50%	1.45%	1.11%	80.13%
711	85~89歳	2.95%	1.80%	2.13%	2.16%	1.80%	2.37%	1.86%	1.74%	1.89%	1.43%	79.88%
	90~94歳	2.57%	1.52%	2.29%	1.52%	1.62%	2.86%	2.00%	1.90%	2.00%	1.43%	80.29%
	95~99歳	1.17%	0.58%	2.34%	3.51%	2.34%	2.92%	1.17%	2.92%	1.17%	2.34%	79.53%
	100歳以上	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%
	65~69歳	2.37%	2.03%	2.80%	2.22%	2.32%	1.98%	1.88%	0.97%	1.50%	1.69%	80.24%
	70~74歳	2.75%	2.66%	2.47%	2.37%	2.32%	1.78%	2.16%	0.95%	1.77%	1.46%	79.31%
	75~79歳	2.70%	2.28%	2.17%	2.34%	2.01%	1.94%	2.22%	1.00%	1.57%	1.69%	80.07%
女性	80~84歳	2.93%	2.23%	2.64%	2.21%	2.11%	2.31%	2.32%	1.33%	1.71%	1.71%	78.49%
_ ^ !-	85~89歳	3.24%	2.17%	2.85%	2.27%	2.11%	2.56%	1.88%	1.51%	1.85%	1.83%	77.73%
	90~94歳	3.33%	2.00%	2.80%	1.60%	2.35%	3.15%	2.04%	1.33%	1.69%	1.60%	78.10%
	95~99歳	4.00%	2.00%	2.80%	3.20%	1.80%	3.40%	0.60%	3.00%	1.40%	2.20%	75.60%
	100歳以上	1.49%	1.49%	2.99%	0.00%	1.49%	2.99%	1.49%	1.49%	1.49%	2.99%	82.09%

						八街	市					
2 0	21年度	本態性 (原発性<一次性>) 高血圧(症)	リポタンパク<蛋白> 代謝障害及び その他の脂血症	胃食道逆流症	詳細不明 の糖尿病	胃炎及び 十二指腸炎	その他の腸の機能障害	屈折及び調節 の障害	心不全	背部痛	睡眠障害	その他
	65~69歳	2.85%	2.41%	2.14%	2.45%	2.05%	1.56%	1.60%	1.60%	1.65%	1.38%	80.31%
	70~74歳	2.77%	2.22%	2.30%	2.45%	1.87%	1.58%	1.95%	1.42%	1.52%	1.19%	80.73%
	75~79歳	2.83%	2.30%	2.29%	2.27%	1.90%	1.89%	1.90%	1.66%	1.41%	1.10%	80.45%
男性	80~84歳	2.71%	2.08%	2.22%	2.22%	1.76%	2.01%	1.76%	1.86%	1.45%	1.19%	80.75%
3711	85~89歳	2.70%	1.91%	2.55%	2.06%	1.95%	2.10%	1.50%	2.14%	1.42%	1.31%	80.35%
	90~94歳	3.09%	2.01%	2.26%	2.76%	1.42%	2.68%	1.67%	2.59%	1.51%	1.25%	78.76%
	95~99歳	3.05%	2.37%	2.37%	2.37%	1.02%	2.71%	1.36%	1.69%	2.03%	1.36%	79.66%
	100歳以上	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%
	65~69歳	2.39%	2.27%	2.15%	2.11%	2.35%	1.96%	2.07%	1.17%	2.00%	1.60%	79.92%
	70~74歳	2.68%	2.53%	2.10%	2.29%	2.20%	1.82%	1.90%	1.19%	1.88%	1.40%	80.00%
	75~79歳	2.87%	2.52%	2.27%	2.16%	1.84%	1.90%	1.84%	1.37%	1.83%	1.66%	79.71%
女性	80~84歳	2.90%	2.31%	2.25%	2.25%	2.13%	1.96%	1.66%	1.58%	1.79%	1.70%	79.48%
XII	85~89歳	3.01%	2.34%	2.29%	2.22%	1.71%	2.29%	1.35%	2.00%	1.69%	1.60%	79.51%
	90~94歳	2.96%	1.96%	2.68%	2.00%	1.68%	2.55%	1.68%	2.36%	1.82%	1.68%	78.63%
	95~99歳	3.58%	2.26%	2.26%	1.88%	1.32%	3.01%	1.32%	2.82%	1.32%	1.13%	79.10%
	100歳以上	5.00%	0.00%	5.00%	5.00%	0.00%	5.00%	0.00%	0.00%	5.00%	5.00%	70.00%

注1) 性別・年齢階層別に、上位3位に色付けをしています。

												(%)
						印西	市					
2 0	21年度 年齢	本態性 (原発性<一次性>) 高血圧(症)	リポ・タンパ・ク<蛋白> 代謝障害及び その他の脂血症	胃食道 逆流症	詳細不明 の糖尿病	胃炎及び 十二指腸炎	その他の腸の機能障害	屈折及び調節 の障害	心不全	背部痛	睡眠障害	その他
11773	65~69歳	2.58%	2.04%	2.39%	1.81%	2.08%	1.66%	1.97%	1.27%	1.66%	1.31%	81.22%
	70~74歳	2.47%	2.10%	1.97%	1.87%	1.82%	1.80%	1.94%	1.58%	1.45%	1.28%	81.72%
	75~79歳	2.50%	2.03%	2.21%	1.69%	2.15%	1.63%	1.94%	1.49%	1.62%	1.09%	81.64%
男性	80~84歳	2.54%	1.82%	2.10%	1.82%	1.89%	1.98%	1.80%	1.87%	1.41%	1.20%	81.56%
力江	85~89歳	2.43%	1.31%	2.10%	1.67%	1.96%	1.98%	1.65%	1.91%	1.55%	1.62%	81.81%
	90~94歳	2.60%	1.62%	2.14%	1.69%	2.01%	2.60%	1.36%	1.95%	1.62%	1.62%	80.77%
	95~99歳	3.85%	1.54%	2.31%	0.77%	3.08%	3.08%	1.54%	2.31%	2.31%	0.77%	78.46%
	100歳以上	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%
	65~69歳	2.33%	2.21%	2.15%	1.74%	2.11%	1.55%	2.30%	1.00%	1.40%	1.15%	82.06%
	70~74歳	2.03%	2.15%	1.88%	1.82%	2.15%	1.54%	2.27%	1.15%	1.72%	1.28%	82.01%
	75~79歳	2.39%	1.89%	2.12%	1.84%	2.05%	1.74%	2.32%	1.27%	1.66%	1.58%	81.14%
女性	80~84歳	2.44%	2.18%	2.11%	1.91%	2.01%	2.01%	2.06%	1.61%	1.59%	1.66%	80.43%
\ \i	85~89歳	2.67%	2.22%	2.19%	1.91%	2.10%	2.29%	1.64%	1.74%	1.56%	1.62%	80.05%
	90~94歳	2.95%	2.12%	2.15%	1.88%	2.08%	2.64%	1.53%	2.12%	1.53%	1.88%	79.12%
	95~99歳	2.97%	1.72%	1.72%	1.25%	2.50%	2.81%	1.09%	2.19%	2.19%	1.88%	79.69%
	100歳以上	2.53%	1.27%	2.53%	2.53%	1.27%	3.80%	1.27%	3.80%	2.53%	1.27%	77.22%

						白井	市					
2 0	2 1 年度	本態性 (原発性<一次性>) 高血圧(症)	リポタンパク<蛋白> 代謝障害及び その他の脂血症	胃食道 逆流症	詳細不明 の糖尿病	胃炎及び 十二指腸炎	その他の腸の機能障害	屈折及び調節 の障害	心不全	背部痛	睡眠障害	その他
11/33	65~69歳	2.55%	1.91%	2.14%	1.97%	1.56%	1.74%	1.45%	1.62%	1.33%	1.22%	82.51%
	70~74歳	2.52%	2.14%	2.10%	2.24%	1.85%	1.53%	1.85%		1.23%	1.19%	81.87%
	75~79歳	2.44%	1.96%	1.94%	2.16%	1.90%	1.58%	1.97%		1.25%	1.25%	81.75%
m.	80~84歳	2.54%	1.98%	2.15%	1.95%	1.72%	1.87%	1.72%	1.77%	1.45%	1.26%	81.60%
男性	85~89歳	2.34%	1.90%	1.77%	1.88%	1.66%	2.20%	1.52%	1.82%	1.41%	1.41%	82.07%
	90~94歳	2.56%	2.05%	2.13%	1.62%	1.19%	2.56%	1.19%	2.22%	1.53%	1.53%	81.42%
	95~99歳	2.82%	1.61%	2.02%	2.02%	2.42%	2.42%	1.21%	2.02%	1.21%	0.81%	81.45%
	100歳以上	2.44%	2.44%	2.44%	2.44%	2.44%	2.44%	0.00%	2.44%	2.44%	0.00%	80.49%
	65~69歳	2.46%	2.17%	2.12%	2.12%	2.22%	1.58%	2.27%	1.08%	1.38%	1.28%	81.32%
	70~74歳	2.21%	2.51%	1.93%	2.17%	1.95%	1.53%	2.32%	1.25%	1.55%	1.37%	81.21%
	75~79歳	2.39%	2.26%	1.94%	1.99%	1.97%	1.55%	2.19%	1.35%	1.55%	1.55%	81.25%
女性	80~84歳	2.45%	2.17%	1.99%	1.89%	1.77%	1.86%	1.89%	1.57%	1.50%	1.63%	81.27%
\ \rm \	85~89歳	2.63%	2.21%	2.04%	2.14%	1.92%	2.14%	1.61%	1.78%	1.65%	1.70%	80.18%
	90~94歳	3.04%	2.06%	1.95%	1.95%	1.68%	2.33%	1.30%	2.39%	1.47%	1.90%	79.92%
	95~99歳	2.79%	1.69%	1.79%	1.69%	2.09%	2.69%	1.10%	2.09%	1.79%	1.89%	80.36%
	100歳以上	2.14%	1.43%	1.43%	0.71%	2.14%	2.14%	0.71%	2.14%	1.43%	1.43%	84.29%

						富里	市					
2 0	2 1 年度	本態性 (原発性<一次性>) 高血圧(症)	リポタンパク<蛋白> 代謝障害及び その他の脂血症	胃食道 逆流症	詳細不明 の糖尿病	胃炎及び 十二指腸炎	その他の腸の機能障害	屈折及び調節 の障害	心不全	背部痛	睡眠障害	その他
	65~69歳	2.52%	2.15%	2.21%	2.15%	2.09%	2.09%	1.35%	1.60%	1.84%	1.78%	80.22%
	70~74歳	2.71%	2.28%	2.28%	2.49%	1.93%	1.84%	1.55%	1.77%	1.43%	1.05%	80.67%
	75~79歳	2.70%	2.27%	2.10%	2.32%	1.87%	2.04%	1.52%	1.76%	1.59%	1.03%	80.80%
男性	80~84歳	2.64%	2.31%	1.95%	1.97%	1.97%	1.89%	1.57%	1.69%	1.47%	1.33%	81.21%
为江	85~89歳	2.54%	1.98%	2.19%	2.04%	1.73%	2.04%	1.07%	1.78%	1.58%	1.37%	81.68%
	90~94歳	2.65%	1.99%	1.99%	1.66%	1.99%	2.65%	1.16%	1.99%	1.82%	1.66%	80.43%
	95~99歳	2.90%	2.90%	2.90%	1.45%	1.45%	2.90%	0.00%	2.90%	0.00%	1.45%	81.16%
	100歳以上	1.56%	0.00%	3.13%	1.56%	1.56%	1.56%	3.13%	1.56%	3.13%	1.56%	81.25%
	65~69歳	2.25%	2.45%	2.05%	2.00%	2.30%	1.75%	1.50%	0.85%	2.00%	1.65%	81.16%
	70~74歳	2.25%	2.42%	2.03%	2.34%	2.15%	1.65%	1.54%	1.23%	1.69%	1.48%	81.21%
	75~79歳	2.63%	2.50%	2.24%	2.17%	2.07%	1.76%	1.87%	1.58%	1.60%	1.40%	80.18%
女性	80~84歳	2.62%	2.35%	1.99%	2.09%	2.21%	1.71%	1.50%	1.44%	1.71%	1.64%	80.73%
\ \tag{1}	85~89歳	2.78%	2.33%	2.11%	2.11%	1.99%	2.11%	1.48%	1.58%	1.67%	1.61%	80.22%
	90~94歳	3.22%	2.48%	2.67%	2.30%	1.84%	2.76%	1.65%	2.21%	2.11%		76.75%
	95~99歳	3.52%	2.73%	2.73%	1.95%	1.95%	3.13%	1.17%	3.13%	0.39%	2.73%	76.56%
	100歳以上	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%

						南房総	市					
2 0	21年度	本態性 (原発性<一次性>) 高血圧(症)	リポタンパク<蛋白> 代謝障害及び その他の脂血症	胃食道逆流症	詳細不明 の糖尿病	胃炎及び 十二指腸炎	その他の腸の機能障害	屈折及び調節 の障害	心不全	背部痛	睡眠障害	その他
	65~69歳	2.92%	2.62%	2.43%	3.04%	1.70%	1.58%	1.52%	1.64%	1.46%	1.03%	80.04%
	70~74歳	2.78%	2.23%	2.56%	2.58%	1.99%	1.77%	1.84%	1.75%	1.60%	1.16%	79.75%
	75~79歳	2.64%	2.23%	2.55%	2.60%	1.95%	1.77%	1.64%	1.62%	1.69%	1.30%	80.02%
男性	80~84歳	2.72%	2.07%	2.43%	2.36%	2.07%	1.74%	1.69%	2.08%	1.74%	1.00%	80.12%
3711	85~89歳	2.55%	2.07%	2.21%	2.42%	1.81%	1.99%	1.33%	2.29%	1.62%	1.25%	80.46%
	90~94歳	2.84%	1.56%	2.28%	2.23%	1.67%	2.28%	1.28%	2.45%	1.84%	1.34%	80.24%
	95~99歳	2.58%	1.10%	2.03%	1.84%	1.84%	2.39%	1.29%	2.39%	1.66%	1.47%	81.40%
	100歳以上	3.70%	0.00%	0.00%	0.00%	0.00%	3.70%	0.00%	3.70%	0.00%	3.70%	85.19%
	65~69歳	1.96%	2.39%	2.20%	2.20%	2.51%	1.35%	1.65%	0.80%	2.02%	0.92%	82.02%
	70~74歳	2.42%	2.49%	2.08%	2.60%	1.97%	1.50%	1.68%	1.34%	1.75%	1.23%	80.93%
	75~79歳	2.53%	2.53%	2.36%	2.28%	2.33%	1.56%	1.85%	1.43%	1.96%	1.32%	79.86%
女性	80~84歳	2.58%	2.19%	2.30%	2.26%	2.23%	1.82%	1.41%	1.71%	1.80%	1.36%	80.36%
NIT.	85~89歳	2.74%	2.28%	2.53%	2.37%	2.23%	2.00%	1.52%	2.06%	1.85%	1.42%	79.00%
	90~94歳	2.86%	2.17%	2.49%	2.44%	2.17%	2.09%	1.11%	2.44%	1.83%	1.72%	78.68%
	95~99歳	3.11%	2.31%	2.75%	2.49%	1.69%	2.75%	0.89%	2.75%	1.60%	1.42%	78.24%
	100歳以上	2.63%	2.63%	2.63%	0.00%	1.32%	2.63%	0.00%	2.63%	1.32%	1.32%	82.89%

注1) 性別・年齢階層別に、上位3位に色付けをしています。

												(%)
						匝瑳	市					
2 0	2 1 年度	本態性 (原発性<一次性>) 高血圧(症)	リポ° タンパウ<蛋白> 代謝障害及び その他の脂血症	胃食道 逆流症	詳細不明 の糖尿病	胃炎及び 十二指腸炎	その他の腸の機能障害	屈折及び調節 の障害	心不全	背部痛	睡眠障害	その他
	65~69歳	3.18%	2.68%	2.43%	2.35%	2.35%	1.68%	1.59%	1.59%	1.68%	0.84%	79.65%
	70~74歳	2.56%	2.07%	2.11%	2.25%	1.97%	2.21%	1.65%	1.72%	1.47%	0.95%	81.04%
	75~79歳	2.89%	2.08%	2.11%	2.44%	2.35%	1.57%	2.02%	1.60%	1.29%	1.26%	80.40%
男性	80~84歳	3.09%	2.49%	2.46%	2.40%	2.01%	2.19%	1.98%	2.10%	1.38%	1.47%	78.42%
2312	85~89歳	2.76%	2.00%	2.25%	2.20%	2.25%	2.25%	1.90%	2.10%	1.50%	1.45%	79.31%
	90~94歳	2.72%	1.26%	1.95%	1.85%	1.85%	2.63%	1.65%	2.04%	1.17%	1.46%	81.42%
	95~99歳	3.13%	1.56%	3.13%	3.13%	0.00%	3.13%	1.56%	1.56%	1.56%	0.00%	81.25%
	100歳以上	4.65%	4.65%	2.33%	2.33%	0.00%	2.33%	4.65%	4.65%	2.33%	4.65%	67.44%
	65~69歳	2.60%	2.17%	2.24%	2.24%	2.53%	1.23%	1.95%	1.73%		1.16%	80.65%
	70~74歳	2.89%	2.57%	2.25%	2.49%	2.33%	1.49%	2.45%	1.45%		1.16%	79.36%
	75~79歳	2.57%	2.43%	1.88%	2.37%	2.23%	1.77%	2.00%	1.60%	1.46%	1.17%	80.53%
女性	80~84歳	2.68%	2.40%	2.28%	2.13%	2.23%	1.99%	2.09%	1.73%	1.61%	1.47%	79.39%
711	85~89歳	2.93%	2.46%	2.23%	2.28%	2.31%	2.17%	2.28%	1.82%	1.61%	1.73%	78.18%
	90~94歳	3.06%	1.91%	2.26%	1.96%	1.96%	2.56%	1.96%	2.21%		1.41%	79.02%
	95~99歳	3.64%	1.66%	1.99%	2.65%	2.32%	2.98%	1.66%	2.65%	1.32%	1.99%	77.15%
	100歳以上	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%

						香取	市					
2 0	21年度	本態性 (原発性<一次性>) 高血圧(症)	リポタンパク<蛋白> 代謝障害及び その他の脂血症	胃食道 逆流症	詳細不明 の糖尿病	胃炎及び 十二指腸炎	その他の腸の機能障害	屈折及び調節 の障害	心不全	背部痛	睡眠障害	その他
,,_	65~69歳	3.13%	2.53%	2.15%	2.44%	2.15%	2.00%	1.34%	1.76%	1.64%	1.13%	79.74%
	70~74歳	2.93%	2.32%	2.36%	2.43%	2.17%	1.86%	1.89%	1.75%	1.58%	1.04%	79.68%
	75~79歳	2.71%	2.14%	2.31%	2.38%	2.07%	1.96%	1.89%	1.91%	1.60%	0.97%	80.05%
男性	80~84歳	2.72%	2.22%	2.25%	2.22%	1.88%	2.07%	1.83%	1.87%	1.59%	1.20%	80.16%
方注	85~89歳	2.69%	1.86%	2.07%	1.89%	2.07%	2.27%	1.84%	1.92%	1.64%	1.09%	80.65%
	90~94歳	2.81%	1.73%	2.39%	2.11%	1.69%	2.57%	1.59%	2.48%	1.69%	1.03%	79.92%
	95~99歳	2.81%	2.15%	2.15%	1.49%	1.99%	2.48%	1.16%	2.48%	1.82%	1.82%	79.64%
	100歳以上	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%
	65~69歳	2.16%	2.29%	2.49%	1.62%	2.36%	1.68%	1.74%	1.20%	1.42%	0.94%	82.10%
	70~74歳	2.61%	2.28%	2.39%	1.96%	2.18%	1.75%	2.09%	1.19%	1.64%	1.23%	80.68%
	75~79歳	2.70%	2.36%	2.12%	2.01%	2.26%	1.86%	2.08%	1.45%	1.68%	1.31%	80.16%
女性	80~84歳	2.85%	2.33%	2.18%	1.93%	2.19%	1.92%	2.30%	1.43%	1.90%	1.48%	79.49%
\ \rac{1}{2}	85~89歳	2.73%	2.35%	2.18%	1.83%	2.11%	2.07%	2.05%	1.74%	1.82%	1.59%	79.52%
	90~94歳	3.17%	2.24%	2.38%	1.84%	2.22%	2.40%	1.98%	2.01%	1.77%		78.47%
	95~99歳	3.62%	1.81%	2.15%	2.49%	2.26%	2.94%	1.13%	2.49%	2.03%	1.58%	77.51%
	100歳以上	4.35%	1.45%	4.35%	0.00%	1.45%	4.35%	1.45%	2.90%	1.45%	1.45%	76.81%

						出武	市					
2 0	21年度	本態性 (原発性<一次性>) 高血圧(症)	リポタンパク<蛋白> 代謝障害及び その他の脂血症	胃食道逆流症	詳細不明 の糖尿病	胃炎及び 十二指腸炎	その他の腸の機能障害	屈折及び調節 の障害	心不全	背部痛	睡眠障害	その他
	65~69歳	3.08%	2.46%	2.37%	2.46%	2.01%	2.01%	1.03%	1.79%	1.61%	1.56%	79.64%
	70~74歳	2.99%	2.19%	2.47%	2.40%	2.17%	1.76%	1.55%	1.92%	1.69%	1.12%	79.72%
	75~79歳	2.74%	2.07%	2.22%	2.20%	1.74%	1.88%	1.95%	1.95%	1.52%	1.34%	80.40%
男性	80~84歳	2.91%	2.09%	2.35%	2.42%	2.07%	2.35%	1.56%	2.12%	2.04%	1.33%	78.78%
711	85~89歳	2.92%	1.49%	2.33%	2.16%	1.96%	2.44%	1.74%	2.33%	1.63%	1.32%	79.70%
	90~94歳	3.15%	2.17%	1.85%	1.96%	1.85%	2.28%	1.74%	2.17%	1.74%	1.30%	79.78%
	95~99歳	3.57%	2.20%	1.92%	1.92%	2.20%	2.75%	0.55%	2.75%	2.20%	1.65%	78.30%
	100歳以上	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%
	65~69歳	2.86%	2.14%	2.40%	2.40%	2.30%	1.68%	2.19%	1.23%	1.48%	1.58%	79.73%
	70~74歳	2.91%	2.41%	2.43%	2.14%	2.25%	1.82%	1.86%	1.32%	1.82%	1.73%	79.33%
	75~79歳	2.94%	2.56%	2.36%	2.24%	2.21%	1.86%	2.24%	1.43%	1.86%	1.37%	78.93%
女性	80~84歳	2.93%	2.28%	2.27%	2.19%	2.25%	2.14%	1.95%	1.73%	1.91%	1.36%	79.00%
X E	85~89歳	2.92%	2.30%	2.63%	1.91%	2.22%	2.49%	1.29%	2.08%	1.79%	1.60%	78.76%
	90~94歳	3.22%	2.32%	3.05%	2.04%	2.20%	2.66%	1.53%	2.32%	2.04%	1.81%	76.82%
	95~99歳	3.84%	1.10%	2.93%	1.65%	1.65%	3.47%	1.10%	2.56%	2.56%	2.38%	76.78%
	100歳以上	3.45%	0.00%	1.72%	3.45%	1.72%	3.45%	0.00%	3.45%	1.72%	1.72%	79.31%

						いすみ	≯市					
2 0	21年度	本態性 (原発性<一次性>) 高血圧(症)	リポッケンパック<蛋白> 代謝障害及び その他の脂血症	胃食道 逆流症	詳細不明 の糖尿病	胃炎及び 十二指腸炎	その他の腸の機能障害	屈折及び調節 の障害	心不全	背部痛	睡眠障害	その他
	65~69歳	2.66%	2.48%	2.42%	2.66%	1.89%	1.71%	2.07%	1.83%	1.53%	1.06%	79.69%
	70~74歳	2.88%	2.22%	2.30%	2.78%	1.82%	1.52%	1.79%	2.08%	1.66%	1.04%	79.92%
	75~79歳	2.42%	1.95%	2.35%	2.27%	1.86%	1.72%	1.84%	1.99%	1.62%	1.41%	80.57%
男性	80~84歳	2.43%	1.95%	2.22%	2.39%	1.86%	2.07%	1.65%	1.92%	1.78%	1.46%	80.27%
3711	85~89歳	2.36%	1.70%	2.13%	2.07%	1.76%	1.96%	1.55%	2.24%	1.70%	1.21%	81.32%
	90~94歳	2.61%	1.61%	2.15%	1.92%	1.99%	2.22%	1.46%	2.38%	1.30%	1.07%	81.30%
	95~99歳	2.79%	1.86%	2.17%	1.55%	0.93%	2.48%	1.55%	2.79%	2.17%	0.93%	80.80%
	100歳以上	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%
	65~69歳	2.16%	2.53%	1.97%	2.28%	2.34%	1.42%	2.16%	1.11%	1.60%	1.66%	80.78%
	70~74歳	2.52%	2.15%	2.09%	2.23%	2.06%	1.55%	1.92%	1.69%	1.69%	1.12%	81.00%
	75~79歳	2.78%	2.29%	2.33%	2.37%	2.12%	1.68%	1.62%	1.86%	1.96%	1.36%	79.62%
女性	80~84歳	2.67%	2.21%	2.17%	2.09%	2.04%	1.86%	1.82%	1.76%	1.64%	1.41%	80.33%
NIT.	85~89歳	2.69%	2.18%	2.22%	2.10%	2.12%	1.97%	1.36%	2.12%	2.03%	1.70%	79.52%
	90~94歳	3.06%	2.13%	2.43%	1.96%	1.76%	2.56%	1.40%	2.46%	1.80%	1.56%	78.88%
	95~99歳	2.90%	1.86%	2.28%	2.28%	2.48%	2.90%	1.24%	2.69%	2.07%	2.07%	77.23%
	100歳以上	2.63%	2.63%	2.63%	2.63%	0.00%	2.63%	0.00%	2.63%	2.63%	2.63%	78.95%

注1) 性別・年齢階層別に、上位3位に色付けをしています。

												(%)
						大網白	里市					
2 0	2 1 年度	本態性 (原発性<一次性>) 高血圧(症)	リポタンパク<蛋白> 代謝障害及び その他の脂血症	胃食道 逆流症	詳細不明 の糖尿病	胃炎及び 十二指腸炎	その他の腸 の機能障害	屈折及び調節 の障害	心不全	背部痛	睡眠障害	その他
	65~69歳	2.82%	2.07%	1.96%	2.36%	2.36%	1.61%	1.61%	1.61%	1.44%	1.09%	81.08%
	70~74歳	2.64%	2.08%	2.27%	2.27%	2.08%	1.64%	1.96%	1.86%	1.42%	0.98%	80.80%
	75~79歳	2.54%	2.15%	2.05%	2.40%	1.99%	1.87%	1.78%	2.01%	1.51%	1.09%	80.61%
男性	80~84歳	2.39%	1.69%	1.99%	2.03%	1.69%	1.88%	1.74%	1.89%	1.52%	1.11%	82.06%
311	85~89歳	2.50%	1.67%	2.14%	2.19%	1.91%	2.11%	1.52%	2.06%	1.57%	1.34%	80.99%
	90~94歳	2.47%	1.69%	2.05%	2.19%	1.55%	2.40%	1.13%	2.47%	1.55%	1.27%	81.24%
	95~99歳	2.17%	1.36%	2.17%	2.17%	1.08%	2.44%	1.08%	2.44%	1.63%	1.08%	82.38%
	100歳以上	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%
	65~69歳	2.46%	2.29%	2.20%	2.16%	2.20%	1.47%	1.29%	1.60%	1.51%	1.73%	81.10%
	70~74歳	2.16%	1.97%	2.10%	2.14%	2.16%	1.62%	1.99%	1.65%	1.45%	1.22%	81.53%
	75~79歳	2.24%	2.20%	2.20%	2.34%	2.04%	1.78%	2.13%	1.94%	1.54%	1.37%	80.22%
女性	80~84歳	2.49%	1.93%	2.14%	2.17%	2.01%	1.92%	2.03%	1.80%	1.38%	1.56%	80.58%
	85~89歳	2.67%	2.04%	2.13%	2.08%	1.99%	2.21%	1.83%	1.95%	1.63%	1.70%	79.75%
	90~94歳	2.96%	1.88%	2.04%	2.17%	2.01%	2.52%	1.37%	2.68%	1.50%	1.53%	79.36%
	95~99歳	2.83%	1.64%	2.08%	2.08%	1.79%	2.68%	1.34%	2.53%	2.23%	1.93%	78.87%
	100歳以上	4.35%	0.00%	4.35%	0.00%	4.35%	4.35%	0.00%	4.35%	0.00%	4.35%	73.91%

						酒々ま	‡町					
2 0	21年度 年齢	本態性 (原発性<一次性>) 高血圧(症)	リポタンパ゚ク<蛋白> 代謝障害及び その他の脂血症	胃食道 逆流症	詳細不明 の糖尿病	胃炎及び 十二指腸炎	その他の腸の機能障害	屈折及び調節 の障害	心不全	背部痛	睡眠障害	その他
	65~69歳	2.57%	2.09%	2.57%	2.25%	2.41%	1.77%	1.61%	1.77%	1.93%	0.96%	80.06%
	70~74歳	2.65%	2.28%	2.34%	2.22%	1.91%	1.85%	1.67%	1.67%	1.67%	1.23%	80.51%
	75~79歳	2.81%	2.23%	2.28%	2.31%	2.08%	1.93%	1.76%	1.49%	1.32%	1.29%	80.50%
男性	80~84歳	2.55%	2.21%	2.09%	2.32%	1.98%	1.98%	1.83%	1.52%	1.37%	1.52%	80.62%
力圧	85~89歳	2.90%	2.37%	2.57%	2.44%	2.30%	2.24%	1.65%	1.65%	1.45%	1.71%	78.74%
	90~94歳	2.05%	2.25%	1.64%	2.46%	2.66%	2.46%	1.64%	2.46%	1.64%	1.64%	79.10%
	95~99歳	3.26%	2.17%	3.26%	2.17%	2.17%	3.26%	1.09%	3.26%	2.17%	1.09%	76.09%
	100歳以上	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%
	65~69歳	2.36%	1.89%	2.05%	2.05%	2.68%	1.57%	2.36%	1.26%	1.73%	1.57%	80.47%
	70~74歳	2.25%	2.17%	2.05%	2.38%	2.34%	1.54%	2.17%	1.34%	1.46%	1.54%	80.75%
	75~79歳	2.53%	2.40%	2.37%	2.21%	2.47%	1.58%	2.02%	1.30%	1.58%	1.45%	80.08%
女性	80~84歳	2.44%	2.28%	1.91%	2.20%	2.32%	1.51%	2.04%	1.51%	1.26%	1.67%	80.86%
XE	85~89歳	3.07%	2.53%	2.32%	2.80%	2.32%	1.91%	1.78%	1.71%	1.64%	1.84%	78.07%
	90~94歳	3.77%	2.36%	2.67%	2.99%	2.52%	2.36%	1.57%	3.14%	2.52%	1.42%	74.69%
	95~99歳	2.82%	1.21%	2.02%	2.02%	2.42%	2.82%	1.21%	2.82%	2.02%	2.02%	78.63%
	100歳以上	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%

						栄田	J					
2 0	21年度 年齢	本態性 (原発性<一次性>) 高血圧(症)	リポタンパク<蛋白> 代謝障害及び その他の脂血症	胃食道逆流症	詳細不明 の糖尿病	胃炎及び 十二指腸炎	その他の腸の機能障害	屈折及び調節 の障害	心不全	背部痛	睡眠障害	その他
	65~69歳	2.84%	2.39%	2.24%	2.99%	1.94%	1.49%	1.49%	1.64%	1.94%	0.75%	80.30%
	70~74歳	2.70%	2.45%	2.30%	2.05%	2.35%	1.65%	2.25%	1.45%	1.25%	1.35%	80.18%
	75~79歳	2.37%	2.06%	2.11%	2.47%	2.32%	1.70%	1.96%	1.75%	1.39%	1.13%	80.75%
男性	80~84歳	2.90%	2.90%	2.12%	2.12%	2.00%	2.24%	2.18%	1.87%	1.51%	1.33%	78.84%
711	85~89歳	2.82%	2.09%	1.98%	2.71%	2.30%	2.19%	1.88%	1.98%	0.94%	1.46%	79.65%
	90~94歳	2.70%	2.03%	2.03%	1.58%	1.80%	2.70%	1.35%	2.48%	1.35%	1.58%	80.41%
	95~99歳	3.45%	2.30%	3.45%	2.30%	2.30%	3.45%	0.00%	3.45%	3.45%	1.15%	74.71%
	100歳以上	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%
	65~69歳	1.72%	1.99%	2.27%	1.92%	2.27%	1.79%	1.72%	0.89%	1.17%	1.10%	83.17%
	70~74歳	2.58%	2.44%	2.16%	2.02%	2.39%	1.92%	2.20%	0.94%	1.55%	1.27%	80.54%
	75~79歳	2.60%	2.65%	2.45%	1.82%	2.50%	2.24%	2.24%	0.83%	1.35%	1.20%	80.12%
女性	80~84歳	2.50%	2.37%	2.07%	1.73%	2.25%	2.03%	1.81%	1.08%	1.47%	1.73%	80.96%
711	85~89歳	3.33%	2.89%	2.51%	1.82%	2.32%	2.51%	1.69%	1.63%	1.13%		78.41%
	90~94歳	3.20%	2.17%	2.69%	1.92%	1.92%	3.07%	1.53%	2.05%	1.79%	1.53%	78.13%
	95~99歳	4.17%	1.19%	3.57%	1.19%	2.38%	4.17%	1.19%	3.57%	1.19%	4.17%	73.21%
	100歳以上	5.88%	0.00%	5.88%	0.00%	5.88%	5.88%	0.00%	0.00%	0.00%	5.88%	70.59%

						神崎	町					
2 0	2 1 年度	本態性 (原発性<一次性>) 高血圧(症)	リポッケンパック<蛋白> 代謝障害及び その他の脂血症	胃食道 逆流症	詳細不明 の糖尿病	胃炎及び 十二指腸炎	その他の腸の機能障害	屈折及び調節 の障害	心不全	背部痛	睡眠障害	その他
	65~69歳	2.18%	2.18%	2.62%	0.87%	2.18%	1.75%	1.31%	0.87%	1.75%	1.31%	82.97%
	70~74歳	2.24%	2.02%	2.02%	2.02%	2.69%	2.24%	2.24%	1.12%	1.57%	0.90%	80.94%
	75~79歳	2.85%	2.09%	2.66%	2.66%	2.28%	2.09%	1.33%	1.52%	1.71%	1.52%	79.28%
男性	80~84歳	2.86%	2.06%	2.54%	1.43%	1.75%	1.90%	2.38%	2.38%	0.95%	1.43%	80.32%
2511	85~89歳	2.60%	1.86%	2.42%	1.86%	2.60%	1.67%	2.23%	2.42%	1.30%	1.12%	79.93%
	90~94歳	2.24%	2.24%	2.24%	1.49%	1.87%	1.49%	1.12%	1.87%	0.37%	0.75%	84.33%
	95~99歳	2.94%	2.94%	0.00%	2.94%	2.94%	0.00%	2.94%	2.94%	2.94%	2.94%	76.47%
	100歳以上	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%
	65~69歳	1.70%	1.36%	2.04%	1.02%	1.70%	1.36%	1.70%	1.02%	1.70%	1.02%	85.37%
	70~74歳	2.24%	2.24%	2.74%	2.49%	2.99%	1.50%	2.24%	0.75%	1.25%	1.25%	80.30%
	75~79歳	2.34%	2.34%	1.85%	1.97%	2.22%	1.60%	1.85%	1.60%	1.48%	1.23%	81.53%
女性	80~84歳	2.72%	2.27%	1.99%	1.72%	2.45%	1.81%	1.99%	2.09%	0.82%	0.82%	81.32%
N X III	85~89歳	2.54%	1.69%	2.54%	1.21%	2.06%	1.94%	1.69%	2.18%	0.48%	1.45%	82.20%
	90~94歳	2.94%	1.90%	2.08%	1.38%	2.42%	2.25%	1.73%	2.42%	0.87%	1.56%	80.45%
	95~99歳	2.41%	2.41%	2.41%	1.20%	2.41%	2.41%	1.20%	2.41%	0.00%	1.20%	81.93%
	100歳以上	2.44%	2.44%	2.44%	0.00%	2.44%	2.44%	0.00%	2.44%	0.00%	0.00%	85.37%

注1) 性別・年齢階層別に、上位3位に色付けをしています。

												(%)
						多古	町					
2 0	21年度 年齢	本態性 (原発性<一次性>) 高血圧(症)	リポタンパク<蛋白> 代謝障害及び その他の脂血症	胃食道 逆流症	詳細不明 の糖尿病	胃炎及び 十二指腸炎	その他の腸の機能障害	屈折及び調節 の障害	心不全	背部痛	睡眠障害	その他
上方り	4-Mp 65~69歳	2.23%	2.03%	2.64%	2.23%	2.43%	1.83%	2.23%	1.01%	1.62%	1.83%	79.92%
	70~74歳	2.94%	2.10%	2.63%	2.00%	2.21%	1.68%	1.68%	1.89%	1.37%	1.37%	80.15%
	75~79歳	2.51%	1.90%	2.36%	2.43%	1.67%	1.98%	1.83%	2.13%	1.37%	1.14%	80.68%
男性	80~84歳	2.56%	2.00%	1.80%	1.73%	1.86%	1.59%	1.59%	2.14%	1.38%	1.17%	82.18%
为江	85~89歳	2.50%	1.95%	2.11%	2.19%	1.88%	1.95%	1.95%	1.95%	1.02%	1.49%	81.00%
	90~94歳	3.23%	1.08%	2.15%	3.23%	1.61%	2.69%	1.61%	2.69%	1.61%	1.61%	78.49%
	95~99歳	2.99%	2.24%	2.99%	2.24%	1.49%	1.49%	2.99%	2.24%	0.75%	0.00%	80.60%
	100歳以上	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%
	65~69歳	1.96%	1.80%	1.80%	2.13%	1.47%	1.64%	1.80%	1.15%	1.47%		83.63%
	70~74歳	2.59%	2.59%	2.43%	2.34%	2.51%	1.34%	2.34%	1.42%	1.59%	1.76%	79.08%
	75~79歳	3.26%	2.23%	2.47%	2.31%	2.55%	2.15%	1.99%	2.15%	1.43%	1.43%	78.04%
女性	80~84歳	2.68%	2.23%	2.62%	2.40%	2.46%	2.12%	2.23%	2.12%	2.06%	1.51%	77.57%
	85~89歳	3.12%	2.54%	2.60%	2.28%	2.67%	2.47%	2.54%	2.08%	1.89%	1.82%	75.99%
	90~94歳	3.12%	2.34%	2.96%	2.03%	2.50%	2.34%	2.18%	2.96%	2.18%	2.34%	75.04%
	95~99歳	2.99%	2.49%	2.49%	1.99%	2.49%	2.49%	1.00%	2.99%	1.49%	1.99%	77.61%
	100歳以上	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%

						東庄	町					
2 0	21年度 年齢	本態性 (原発性<一次性>) 高血圧(症)	リポタンパク<蛋白> 代謝障害及び その他の脂血症	胃食道 逆流症	詳細不明 の糖尿病	胃炎及び 十二指腸炎	その他の腸の機能障害	屈折及び調節 の障害	心不全	背部痛	睡眠障害	その他
11779	65~69歳	2.59%	2.82%	2.82%	2.59%	0.94%	1.65%	2.12%	1.41%	1.18%	1.41%	80.47%
	70~74歳	2.58%	2.48%	1.88%	2.87%	2.08%	1.88%	1.39%	1.49%	1.68%	1.19%	80.48%
	75~79歳	2.90%	2.33%	2.83%	2.39%	1.76%	2.02%	1.57%	1.95%	2.08%	1.45%	78.72%
	80~84歳	2.93%	2.30%	2.61%	2.45%	2.22%	2.53%	1.50%	1.90%	1.98%		78.07%
男性	85~89歳	2.58%	1.85%	2.58%	2.58%	2.21%	2.46%	1.23%	1.85%	2.09%	1.60%	78.97%
	90~94歳	3.05%	1.91%	2.29%	1.15%	1.53%	3.05%	1.53%	1.91%	2.29%	1.91%	79.39%
	95~99歳	2.50%	1.88%	1.25%	2.50%	2.50%	2.50%	1.88%	2.50%	1.25%	1.88%	79.38%
	100歳以上	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%
	65~69歳	2.77%	3.05%	2.22%	3.05%	2.22%	1.39%	2.22%	1.39%	2.22%	1.39%	78.12%
	70~74歳	2.55%	2.27%	2.08%	2.36%	2.27%	1.79%	1.70%	1.13%	1.42%	1.32%	81.11%
	75~79歳	2.80%	2.71%	2.45%	2.63%	2.36%	2.28%	1.58%	1.58%	1.84%	1.31%	78.46%
女性	80~84歳	2.71%	2.38%	2.63%	2.63%	2.06%	2.06%	1.56%	1.48%	2.14%	1.56%	78.78%
XII.	85~89歳	3.07%	2.58%	2.82%	2.45%	1.72%	2.33%	1.47%	1.47%	2.21%	1.96%	77.91%
	90~94歳	3.18%	2.60%	2.60%	2.46%	1.59%	2.46%	1.30%	1.73%	2.31%	2.02%	77.75%
	95~99歳	2.33%	0.00%	3.10%	3.10%	2.33%	3.10%	2.33%	2.33%	2.33%	2.33%	76.74%
	100歳以上	4.55%	2.27%	2.27%	2.27%	2.27%	2.27%	0.00%	4.55%	2.27%	2.27%	75.00%

						九十九	里町					
2 0	21年度	本態性 (原発性<一次性>) 高血圧(症)	リポタンパク<蛋白> 代謝障害及び その他の脂血症	胃食道逆流症	詳細不明 の糖尿病	胃炎及び 十二指腸炎	その他の腸の機能障害	屈折及び調節 の障害	心不全	背部痛	睡眠障害	その他
	65~69歳	2.77%	2.05%	1.93%	2.53%	2.29%	1.68%	1.20%	1.20%	1.56%	1.08%	81.71%
	70~74歳	2.90%	2.27%	2.43%	2.32%	2.32%	1.74%	1.48%	1.64%	1.58%	1.53%	79.78%
	75~79歳	2.46%	1.75%	2.32%	1.99%	2.08%	2.08%	1.52%	1.42%	1.80%	0.90%	81.68%
男性	80~84歳	2.93%	1.56%	1.75%	2.06%	1.69%	2.06%	2.00%	1.62%	1.44%	1.12%	81.77%
2011	85~89歳	2.95%	1.81%	2.57%	2.28%	1.90%	2.47%	1.71%	2.28%	1.52%	1.24%	79.28%
	90~94歳	2.52%	1.08%	1.80%	2.16%	2.52%	2.16%	1.44%	2.52%	1.80%	1.44%	80.58%
	95~99歳	2.44%	0.81%	2.44%	1.63%	1.63%	2.44%	0.81%	2.44%	1.63%	0.81%	82.93%
	100歳以上	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%
	65~69歳	2.54%	2.65%	2.76%	2.32%	2.32%	1.76%	1.76%	0.99%	1.76%	0.99%	80.15%
	70~74歳	2.42%	2.35%	2.16%	2.29%	2.10%	1.91%	1.59%	1.21%	1.84%	1.53%	80.60%
	75~79歳	2.48%	2.38%	2.11%	1.88%	2.43%	2.06%	1.93%	1.33%	1.65%	1.88%	79.87%
女性	80~84歳	2.95%	2.35%	2.31%	1.93%	2.18%	1.93%	1.67%	1.41%	1.93%	1.45%	79.89%
XE	85~89歳	3.04%	1.97%	2.42%	1.63%	2.08%	2.42%	1.91%	1.52%	1.69%	1.69%	79.63%
	90~94歳	2.76%	1.94%	2.30%	1.29%	2.30%	2.30%	1.75%	1.66%	1.66%	1.84%	80.18%
	95~99歳	3.97%	2.78%	3.17%	2.38%	1.59%	3.57%	1.19%	1.98%	1.98%	2.78%	74.60%
	100歳以上	2.33%	2.33%	2.33%	0.00%	2.33%	2.33%	0.00%	0.00%	2.33%	0.00%	86.05%

						芝山	町					
2 0	21年度	本態性 (原発性<一次性>) 高血圧(症)	リポタンパク<蛋白> 代謝障害及び その他の脂血症	胃食道逆流症	詳細不明 の糖尿病	胃炎及び 十二指腸炎	その他の腸の機能障害	屈折及び調節 の障害	心不全	背部痛	睡眠障害	その他
	65~69歳	2.75%	2.20%	1.65%	1.10%	2.20%	2.20%	2.20%	2.20%	1.65%	2.20%	79.67%
	70~74歳	2.79%	2.43%	2.31%	2.67%	2.31%	2.18%	1.82%	2.06%	1.58%	1.46%	78.40%
	75~79歳	2.53%	2.31%	2.42%	2.20%	1.87%	1.87%	1.65%	1.98%	2.09%	1.65%	79.43%
男性	80~84歳	2.81%	1.93%	2.46%	2.63%	1.40%	2.46%	1.75%	2.11%	1.05%	1.23%	80.18%
2511	85~89歳	2.67%	2.17%	1.67%	2.67%	2.00%	2.34%	1.67%	2.67%	1.50%	1.00%	79.63%
	90~94歳	2.29%	0.76%	1.53%	1.53%	2.29%	2.29%	1.53%	2.29%	1.53%	1.53%	82.44%
	95~99歳	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%
	100歳以上	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%
	65~69歳	1.78%	1.52%	1.78%	1.78%	1.52%	1.78%	1.78%	1.27%	0.76%	1.02%	85.03%
	70~74歳	2.56%	2.31%	2.56%	1.54%	1.79%	1.28%	1.03%	0.51%	2.56%	1.28%	82.56%
	75~79歳	2.90%	2.42%	2.32%	2.23%	2.32%	2.13%	2.03%	1.94%	1.65%	1.06%	78.99%
女性	80~84歳	2.80%	2.35%	2.13%	1.79%	2.46%	1.90%	1.46%	1.79%	1.79%	1.46%	80.07%
NI XII	85~89歳	2.98%	2.23%	2.36%	2.23%	2.23%	2.48%	1.74%	1.99%	1.61%	2.23%	77.92%
	90~94歳	3.89%	3.89%	3.33%	3.33%	3.33%	3.89%	2.22%	2.78%	1.11%	3.33%	68.89%
	95~99歳	2.96%	0.74%	2.96%	1.48%	2.96%	2.22%	2.22%	1.48%	2.22%	2.96%	77.78%
	100歳以上	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%

注1) 性別・年齢階層別に、上位3位に色付けをしています。

												(%)
						横芝光	台町					
2 0	21年度 年齢	本態性 (原発性<一次性>) 高血圧(症)	リポタンパク<蛋白> 代謝障害及び その他の脂血症	胃食道 逆流症	詳細不明 の糖尿病	胃炎及び 十二指腸炎	その他の腸の機能障害	屈折及び調節 の障害	心不全	背部痛	睡眠障害	その他
נימבו	65~69歳	3.14%	2.30%	2.41%	2.30%	2.30%	1.88%	0.94%	1.99%	1.57%	1.57%	79.58%
	70~74歳	2.81%	2.73%	2.48%	2.57%	2.12%	1.55%	1.47%	1.87%	1.34%	1.26%	79.80%
	75~79歳	2.97%	2.66%	2.70%	2.12%	2.03%	1.67%	1.62%	1.80%	1.67%	1.13%	79.64%
男性	80~84歳	2.70%	2.17%	2.17%	2.35%	2.08%	2.04%	1.86%	1.95%	1.55%	1.24%	79.91%
芳 住	85~89歳	2.92%	2.08%	2.08%	2.14%	1.85%	2.59%	1.07%	1.97%	2.02%	1.52%	79.76%
	90~94歳	2.99%	1.90%	2.17%	2.31%	1.63%	1.90%	2.04%	2.31%	1.63%	1.22%	79.92%
	95~99歳	3.08%	2.31%	1.54%	2.31%	1.54%	2.31%	2.31%	2.31%	2.31%	2.31%	77.69%
	100歳以上	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%
	65~69歳	2.43%	2.53%	2.22%	2.02%	2.63%	1.42%	1.72%	0.91%	1.21%	1.21%	81.70%
	70~74歳	2.51%	2.44%	2.77%	2.25%	2.25%	2.06%	2.19%	1.35%	1.74%	1.48%	78.97%
	75~79歳	2.99%	2.47%	2.27%	2.23%	2.55%	1.79%	2.19%	1.36%	1.76%	1.32%	79.06%
女性	80~84歳	2.83%	2.37%	2.62%	1.98%	2.65%	1.95%	1.95%	1.59%	1.45%	1.31%	79.30%
712	85~89歳	2.94%	1.94%	2.23%	2.11%	2.44%	1.94%	1.78%	1.94%	1.90%	1.45%	79.33%
	90~94歳	3.07%	1.74%	2.25%	1.64%	2.46%	2.76%	1.64%	2.46%	1.64%	1.74%	78.61%
	95~99歳	4.16%	1.94%	3.05%	1.39%	2.77%	2.49%	2.22%	2.49%	1.94%	2.49%	75.07%
	100歳以上	6.25%	6.25%	0.00%	0.00%	0.00%	0.00%	0.00%	6.25%	6.25%	0.00%	75.00%

						一宮	町					
2 0	21年度	本態性 (原発性<一次性>) 高血圧(症)	リポタンパク<蛋白> 代謝障害及び その他の脂血症	胃食道 逆流症	詳細不明 の糖尿病	胃炎及び 十二指腸炎	その他の腸の機能障害	屈折及び調節 の障害	心不全	背部痛	睡眠障害	その他
	65~69歳	2.32%	2.65%	2.98%	2.98%	2.98%	2.32%	0.99%	1.66%	1.66%	1.99%	77.48%
	70~74歳	3.28%	2.37%	2.37%	2.94%	2.82%	1.58%	2.03%	1.81%	1.69%	1.47%	77.63%
	75~79歳	2.93%	2.12%	2.77%	2.69%	2.04%	1.63%	1.63%	2.20%	1.63%	1.30%	79.07%
男性	80~84歳	2.95%	2.36%	2.36%	2.51%	2.43%	2.21%	1.99%	1.99%	2.14%	1.25%	77.82%
2512	85~89歳	2.90%	2.05%	2.41%	2.05%	2.41%	1.81%	1.57%	2.65%	1.69%	1.45%	79.01%
	90~94歳	2.71%	1.94%	2.71%	2.71%	1.55%	3.49%	0.78%	3.49%	1.55%	2.33%	76.74%
	95~99歳	3.39%	1.69%	1.69%	3.39%	3.39%	3.39%	0.00%	3.39%	1.69%	0.00%	77.97%
	100歳以上	4.55%	0.00%	4.55%	4.55%	0.00%	4.55%	0.00%	4.55%	4.55%	0.00%	72.73%
	65~69歳	1.81%	1.81%	1.81%	1.81%	1.81%	1.81%	2.41%	0.90%	1.20%	1.51%	83.13%
	70~74歳	1.97%	2.25%	2.34%	2.53%	1.97%	1.69%	1.97%	1.31%	1.40%	1.50%	81.09%
	75~79歳	3.10%	2.89%	2.41%	2.62%	2.73%	1.34%	2.03%	1.66%	1.98%	1.18%	78.07%
女性	80~84歳	3.01%	2.81%	2.33%	2.33%	2.60%	1.71%	2.05%	1.85%	1.92%	1.44%	77.96%
\ \rac{1}{2}	85~89歳	3.02%	2.42%	2.24%	1.90%	2.67%	1.81%	1.55%	2.24%	1.98%	1.55%	78.60%
	90~94歳	3.07%	1.59%	2.39%	2.39%	2.27%	2.27%	1.70%	2.27%	2.39%	1.70%	77.95%
	95~99歳	3.04%	2.21%	3.04%	2.76%	2.76%	3.04%	0.83%	2.49%	2.21%	1.66%	75.97%
	100歳以上	3.60%	0.90%	3.60%	1.80%	2.70%	2.70%	0.00%	1.80%	1.80%	2.70%	78.38%

						睦沢	町					
2 0	21年度 年齢	本態性 (原発性<一次性>) 高血圧(症)	リポタンパク<蛋白> 代謝障害及び その他の脂血症	胃食道逆流症	詳細不明 の糖尿病	胃炎及び 十二指腸炎	その他の腸の機能障害	屈折及び調節 の障害	心不全	背部痛	睡眠障害	その他
	65~69歳	4.29%	3.57%	2.86%	3.57%	0.71%	2.14%	1.43%	1.43%	2.86%	1.43%	75.71%
	70~74歳	2.64%	1.25%	2.64%	2.36%	1.95%	1.95%	1.25%	1.95%	1.67%	1.11%	81.22%
	75~79歳	2.85%	1.80%	2.37%	2.09%	1.99%	1.80%	1.42%	1.90%	1.52%	0.85%	81.39%
男性	80~84歳	2.42%	1.75%	2.34%	2.25%	2.00%	1.75%	1.67%	2.00%	1.67%	0.83%	81.30%
为江	85~89歳	2.55%	1.75%	2.39%	1.75%	2.39%	2.55%	1.11%	2.23%	1.27%	1.43%	80.57%
	90~94歳	2.75%	1.18%	2.75%	1.18%	1.57%	2.75%	1.18%	1.96%	1.57%	0.78%	82.35%
	95~99歳	3.90%	1.30%	3.90%	2.60%	2.60%	2.60%	0.00%	3.90%	1.30%	2.60%	75.32%
	100歳以上	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%
	65~69歳	3.37%	3.85%	3.37%	3.37%	2.40%	3.37%	1.92%	1.44%	1.92%	1.92%	73.08%
	70~74歳	2.25%	2.35%	1.76%	2.25%	2.15%	0.78%	1.66%	1.37%	1.96%	1.27%	82.21%
	75~79歳	2.93%	2.72%	2.09%	2.79%	2.51%	1.75%	2.44%	1.82%	2.23%	1.33%	77.37%
女性	80~84歳	2.61%	2.42%	2.52%	2.23%	2.13%	1.45%	1.84%	2.03%	1.74%	1.55%	79.48%
7.1	85~89歳	2.52%	1.58%	2.37%	2.37%	2.68%	2.52%	1.42%	2.05%	1.42%	1.74%	79.34%
	90~94歳	2.67%	1.91%	2.86%	1.53%	2.10%	2.29%	1.34%	2.48%	1.91%	2.10%	78.82%
	95~99歳	3.18%	1.27%	3.18%	3.18%	1.91%	3.82%	2.55%	3.82%	0.64%	1.27%	75.16%
	100歳以上	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%

						長生	村					
2 0	21年度	本態性 (原発性<一次性>) 高血圧(症)	リポタンパク<蛋白> 代謝障害及び その他の脂血症	胃食道 逆流症	詳細不明 の糖尿病	胃炎及び 十二指腸炎	その他の腸の機能障害	屈折及び調節 の障害	心不全	背部痛	睡眠障害	その他
	65~69歳	2.20%	1.71%	1.83%	1.96%	1.83%	1.71%	1.59%	1.34%	1.71%	0.86%	83.25%
	70~74歳	2.80%	2.40%	2.30%	2.70%	1.90%	1.40%	2.40%	1.80%	1.40%	1.20%	79.70%
	75~79歳	2.82%	1.93%	2.08%	2.15%	2.23%	1.93%	2.08%	1.26%	1.26%	1.26%	80.98%
男性	80~84歳	2.80%	2.10%	2.56%	2.51%	2.16%	1.63%	1.63%	1.69%	1.69%	1.11%	80.13%
2511	85~89歳	2.30%	1.55%	2.11%	1.92%	1.99%	1.61%	1.80%	1.55%	1.55%	1.12%	82.51%
	90~94歳	2.93%	1.81%	2.48%	2.71%	2.71%	2.48%	0.90%	2.48%	1.58%	1.35%	78.56%
	95~99歳	1.84%	0.61%	2.45%	1.84%	2.45%	3.07%	1.23%	3.07%	2.45%	1.84%	79.14%
	100歳以上	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%
	65~69歳	2.10%	2.73%	2.31%	2.52%	2.10%	1.89%	2.10%	0.84%	1.68%	1.47%	80.25%
	70~74歳	2.69%	2.69%	2.14%	2.69%	2.14%	1.37%	2.52%	1.15%	1.54%	0.71%	80.36%
	75~79歳	2.51%	2.35%	2.35%	2.62%	2.35%	1.82%	1.71%	1.23%	1.76%	1.34%	79.97%
女性	80~84歳	2.77%	2.45%	2.41%	2.53%	2.53%	1.61%	1.93%	1.25%	1.73%	1.69%	79.09%
, ALL	85~89歳	2.73%	2.62%	2.50%	2.28%	2.11%	2.22%	1.88%	1.82%	2.22%	1.25%	78.37%
	90~94歳	3.47%	1.74%	3.00%	2.21%	3.00%	3.47%	1.26%	2.84%	2.37%	1.42%	75.24%
	95~99歳	3.04%	1.38%	2.49%	1.38%	2.76%	2.76%	1.38%	2.21%	2.21%	1.93%	78.45%
	100歳以上	3.70%	3.70%	0.00%	3.70%	3.70%	0.00%	0.00%	3.70%	0.00%	3.70%	77.78%

注1) 性別・年齢階層別に、上位3位に色付けをしています。

												(%)
						白子	町					
2 0	21年度 年齢	本態性 (原発性<一次性>) 高血圧(症)	リポタンパク<蛋白> 代謝障害及び その他の脂血症	胃食道 逆流症	詳細不明 の糖尿病	胃炎及び 十二指腸炎	その他の腸の機能障害	屈折及び調節 の障害	心不全	背部痛	睡眠障害	その他
נימבו	65~69歳	2.82%	2.35%	2.82%	2.51%	2.51%	1.72%	2.04%	1.41%	1.57%	1.57%	78.68%
	70~74歳	2.90%	2.19%	2.26%	2.68%	2.19%	1.34%	1.91%	1.41%	1.98%	0.99%	80.08%
	75~79歳	2.64%	2.32%	2.43%	2.26%	2.26%	1.40%	1.78%	1.29%	2.05%	1.62%	79.95%
	80~84歳	2.47%	1.53%	2.08%	2.13%	2.18%	1.68%	1.78%	1.43%	1.63%	1.19%	81.89%
男性	85~89歳	2.76%	1.96%	2.32%	2.32%	2.23%	2.41%	1.25%	1.60%	2.14%	1.16%	79.86%
	90~94歳	2.67%	1.33%	2.22%	2.67%	1.78%	2.67%	2.22%	0.44%	2.22%	0.44%	81.33%
	95~99歳	3.64%	1.21%	3.03%	2.42%	2.42%	2.42%	1.82%	3.03%	3.03%	1.82%	75.15%
	100歳以上	3.70%	0.00%	0.00%	3.70%	3.70%	3.70%	0.00%	3.70%	0.00%	3.70%	77.78%
	65~69歳	2.73%	2.05%	2.05%	2.28%	2.51%	1.82%	1.59%	0.00%	2.73%	1.37%	80.87%
	70~74歳	2.78%	2.88%	2.37%	3.09%	3.09%	1.54%	2.26%	1.34%	2.47%	1.34%	76.85%
	75~79歳	2.79%	2.33%	2.49%	2.33%	2.54%	1.73%	2.13%	1.32%	2.08%	1.27%	79.00%
女性	80~84歳	2.49%	2.29%	2.20%	2.49%	2.34%	2.00%	2.00%	1.22%	2.39%	1.56%	79.02%
	85~89歳	2.83%	2.26%	2.33%	2.55%	2.12%	2.19%	1.63%	1.27%	2.12%	1.56%	79.14%
	90~94歳	2.64%	2.35%	2.55%	2.84%	2.55%	2.35%	1.47%	2.25%	2.15%	1.57%	77.28%
	95~99歳	4.00%	3.50%	3.00%	2.50%	2.00%	3.50%	1.00%	2.50%	1.50%	2.50%	74.00%
	100歳以上	4.62%	1.54%	3.08%	3.08%	1.54%	4.62%	0.00%	1.54%	3.08%	3.08%	73.85%

						長柄	町					
2 0	21年度 年齢	本態性 (原発性<一次性>) 高血圧(症)	リポタンパク<蛋白> 代謝障害及び その他の脂血症	胃食道逆流症	詳細不明 の糖尿病	胃炎及び 十二指腸炎	その他の腸の機能障害	屈折及び調節 の障害	心不全	背部痛	睡眠障害	その他
	65~69歳	2.72%	3.26%	2.72%	2.99%	2.17%	1.90%	1.36%	1.63%	1.63%	1.63%	77.99%
	70~74歳	2.77%	1.91%	2.43%	2.60%	2.43%	1.91%	2.25%	1.04%	1.56%	1.56%	79.55%
	75~79歳	2.25%	1.87%	2.25%	1.87%	1.68%	1.68%	1.87%	1.59%	1.96%	1.50%	81.48%
男性	80~84歳	2.64%	2.18%	2.53%	2.18%	2.41%	2.07%	1.95%	1.26%	1.61%	1.61%	79.56%
为压	85~89歳	2.45%	1.90%	2.17%	2.04%	2.04%	2.04%	1.77%	1.77%	1.49%	1.09%	81.25%
	90~94歳	3.03%	2.27%	1.89%	1.52%	2.27%	2.65%	1.89%	2.65%	2.65%	1.52%	77.65%
	95~99歳	3.57%	3.57%	0.00%	3.57%	0.00%	3.57%	3.57%	3.57%	3.57%	0.00%	75.00%
	100歳以上	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%
	65~69歳	3.16%	2.89%	2.11%	2.37%	2.11%	2.37%	1.84%	1.32%	1.58%	1.58%	78.68%
	70~74歳	2.51%	2.68%	2.17%	2.51%	2.34%	1.84%	2.17%	1.51%	1.34%	1.17%	79.77%
	75~79歳	2.98%	2.49%	2.39%	2.19%	2.29%	1.69%	1.69%	1.29%	1.89%	1.79%	79.32%
女性	80~84歳	2.96%	2.83%	2.45%	2.45%	2.19%	1.80%	2.19%	1.80%	1.93%	1.29%	78.12%
~1	85~89歳	2.94%	2.40%	2.40%	2.67%	2.27%	1.60%	1.20%	1.87%	2.27%	1.87%	78.50%
	90~94歳	3.14%	2.40%	2.77%	1.66%	1.85%	2.40%	1.11%	2.77%	2.03%	1.66%	78.23%
	95~99歳	1.78%	1.78%	1.78%	1.18%	1.18%	2.37%	1.78%	1.78%	1.18%	0.59%	84.62%
	100歳以上	2.86%	2.86%	0.00%	0.00%	2.86%	2.86%	0.00%	0.00%	0.00%	2.86%	85.71%

						長南	町					
2 0	21年度	本態性 (原発性<一次性>) 高血圧(症)	リポタンパク<蛋白> 代謝障害及び その他の脂血症	胃食道逆流症	詳細不明 の糖尿病	胃炎及び 十二指腸炎	その他の腸の機能障害	屈折及び調節 の障害	心不全	背部痛	睡眠障害	その他
	65~69歳	2.34%	1.98%	1.80%	1.44%	2.52%	1.98%	1.62%	0.90%	1.44%	0.90%	83.09%
	70~74歳	2.52%	2.52%	2.52%	3.02%	2.14%	1.64%	1.51%	2.14%	1.76%	0.88%	79.37%
	75~79歳	3.10%	2.20%	2.80%	2.70%	2.40%	1.80%	2.00%	1.50%	2.00%	1.20%	78.28%
男性	80~84歳	2.85%	2.04%	2.52%	1.87%	2.52%	2.04%	1.79%	1.06%	1.55%	1.63%	80.13%
为正	85~89歳	2.78%	2.00%	2.22%	1.67%	2.34%	2.34%	1.33%	1.89%	1.33%	1.78%	80.31%
	90~94歳	2.71%	1.16%	2.33%	2.33%	2.71%	2.71%	1.16%	1.55%	2.33%	1.55%	79.46%
	95~99歳	2.70%	1.35%	2.70%	2.70%	1.35%	2.70%	1.35%	1.35%	1.35%	2.70%	79.73%
	100歳以上	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%
	65~69歳	2.53%	2.53%	2.53%	2.07%	2.30%	2.07%	1.61%	2.07%	1.38%	1.61%	79.26%
	70~74歳	3.08%	2.91%	2.57%	2.23%	2.57%	1.88%	2.40%	1.03%	1.88%	2.23%	77.23%
	75~79歳	2.80%	2.44%	2.20%	2.56%	2.80%	1.71%	2.20%	1.10%	2.20%	1.22%	78.78%
女性	80~84歳	2.80%	2.98%	2.89%	2.35%	2.71%	2.08%	1.90%	1.53%	2.35%	1.71%	76.71%
) AIT	85~89歳	3.34%	2.85%	2.23%	1.98%	3.34%	2.23%	1.86%	0.99%	2.72%	2.35%	76.11%
	90~94歳	3.87%	2.42%	2.58%	1.94%	2.90%	2.90%	1.45%	1.94%	2.42%	1.94%	75.65%
	95~99歳	3.82%	3.18%	3.18%	3.18%	2.55%	3.82%	0.00%	3.18%	2.55%	1.27%	73.25%
	100歳以上	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%

						大多喜	雪町					
2 0	2 1 年度	本態性 (原発性<一次性>) 高血圧(症)	リポッケンパック<蛋白> 代謝障害及び その他の脂血症	胃食道 逆流症	詳細不明 の糖尿病	胃炎及び 十二指腸炎	その他の腸の機能障害	屈折及び調節 の障害	心不全	背部痛	睡眠障害	その他
	65~69歳	3.13%	3.13%	3.91%	4.30%	3.13%	2.34%	1.17%	1.17%	1.95%	1.95%	73.83%
	70~74歳	2.85%	2.53%	2.32%	2.53%	1.80%	1.80%	1.80%	1.80%	1.48%	1.06%	80.04%
	75~79歳	2.59%	1.63%	2.50%	2.40%	1.63%	2.02%	2.21%	1.54%	1.34%	0.86%	81.27%
男性	80~84歳	2.60%	2.16%	2.38%	2.27%	1.52%	2.06%	2.06%	2.49%	1.41%	1.08%	79.98%
2511	85~89歳	2.17%	1.68%	2.08%	1.48%	1.19%	1.98%	1.98%	2.08%	1.58%	1.09%	82.71%
	90~94歳	3.06%	1.97%	1.97%	1.75%	0.66%	2.19%	2.41%	2.63%	1.09%	1.75%	80.53%
	95~99歳	2.40%	0.80%	0.80%	2.40%	0.80%	1.60%	2.40%	3.20%	1.60%	0.80%	83.20%
	100歳以上	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%
	65~69歳	2.59%	2.59%	1.11%	2.22%	1.11%	1.11%	1.66%	1.48%	1.29%	1.11%	83.73%
	70~74歳	2.47%	2.04%	2.26%	2.37%	1.72%	1.72%	2.15%	1.08%	1.72%	1.29%	81.18%
	75~79歳	2.61%	2.70%	2.16%	2.07%	1.71%	1.35%	2.70%	1.17%	1.62%	1.35%	80.59%
女性	80~84歳	2.46%	2.37%	2.46%	2.37%	1.44%	1.44%	1.78%	1.36%	1.36%	1.02%	81.93%
NE NE	85~89歳	2.90%	2.46%	2.20%	2.20%	1.41%	1.93%	1.85%	2.28%	2.11%	1.85%	78.82%
	90~94歳	2.86%	2.63%	1.94%	2.51%	0.91%	2.40%	1.26%	2.40%	1.94%	1.94%	79.20%
	95~99歳	2.85%	2.33%	1.30%	2.59%	1.30%	1.81%	1.81%	2.33%	2.33%	1.81%	79.53%
	100歳以上	3.28%	1.64%	3.28%	1.64%	0.00%	1.64%	1.64%	3.28%	0.00%	1.64%	81.97%

注1) 性別・年齢階層別に、上位3位に色付けをしています。

(%)御宿町 本態性 リポタンパク<蛋白> 2021年度 胃食道 詳細不明 胃炎及び その他の腸 屈折及び調節 心不全 背部痛 睡眠障害 その他 (原発性<一次性>) 代謝障害及び 逆流症 の糖尿病 十二指腸炎 の機能障害 の障害 その他の脂血症 性別 年齢 2.46% 1.76% 1.76% 1.76% 1.76% 79.93% 2.11% 2.11% 2.11% 2.11% 2.11% 65~69歳 1.74% 70~74歳 2.47% 2.32% 2.03% 2.47% 2.18% 1.60% 1.89% 1.74% 1.45% 80.12% 2.82% 2.33% 2.33% 1.94% 1.94% 2.33% 1.94% 1.75% 79.22% 75~79歳 1.84% 1.55% 80~84歳 2.97% 2.68% 3.11% 2.40% 1.41% 1.98% 2.82% 1.69% 1.69% 1.13% 78.11% 男性 85~89歳 1.16% 3.14% 2.48% 1.98% 2.81% 1.32% 2.31% 2.15% 2.15% 1.65% 78.84% 90~94歳 3.19% 2.48% 2.13% 1.77% 1.77% 2.84% 1.77% 2.13% 2.48% 1.06% 78.37% 1.27% 2.53% 1.27% 2.53% 1.27% 2.53% 2.53% 0.00% 2.53% 1.27% 82.28% 95~99歳 100歳以上 0.00% 0.00% 0.00% 0.00% 0.00% 0.00% 0.00% 0.00% 0.00% 0.00% 0.00% 65~69歳 2.13% 2.36% 2.13% 2.13% 2.13% 1.89% 2.36% 0.71% 1.65% 1.42% 81.09% 70~74歳 2.46% 2.03% 1.74% 2.46% 1.88% 1.88% 2.03% 0.72% 1.59% 1.74% 81.48% 1.87% 1.87% 1.78% 78.59% 2.03% 75~79歳 2.92% 2.76% 2.51% 1.87% 1.62% 2.19% 80~84歳 2.29% 1.94% 2.36% 1.80% 1.80% 2.01% 2.01% 1.46% 1.80% 2.01% 80.50% 2.70% 2.20% 2.20% 1.70% 1.80% 2.30% 1.70% 2.00% 1.90% 79.88% 85~89歳 1.60% 90~94歳 3.05% 2.29% 2.29% 2.44% 1.53% 3.21% 1.68% 2.14% 2.29% 2.14% 76.95% 1.65% 1.65% 0.83% 1.65% 1.65% 3.31% 77.69% 95~99歳 4.13% 4.13% 1.65% 1.65% 100歳以上 0.00% 0.00% 0.00% 0.00% 0.00% 0.00% 0.00% 0.00% 0.00% 0.00% 0.00%

						鋸南	町					
2 0	21年度 年齢	本態性 (原発性<一次性>) 高血圧(症)	リポタンパク<蛋白> 代謝障害及び その他の脂血症	胃食道 逆流症	詳細不明 の糖尿病	胃炎及び 十二指腸炎	その他の腸の機能障害	屈折及び調節 の障害	心不全	背部痛	睡眠障害	その他
11775	65~69歳	2.72%	2.72%	3.47%	2.97%	2.72%	1.49%	2.23%	1.49%	1.49%	0.99%	77.72%
	70~74歳	2.04%	2.35%	2.51%	2.04%	1.73%	1.73%	1.41%	1.73%	2.04%	0.78%	81.63%
	75~79歳	2.62%	2.05%	2.62%	2.05%	2.39%	1.93%	2.05%	1.71%	1.71%		79.29%
	80~84歳	2.82%	2.35%	2.71%	1.88%	1.88%	1.76%	2.00%	1.76%	1.41%	0.71%	80.71%
男性	85~89歳	2.37%	2.54%	2.37%	1.69%	1.02%	1.86%	1.53%	2.20%	1.36%	1.19%	81.86%
	90~94歳	2.76%	1.61%	2.07%	1.61%	1.15%	2.53%	1.84%	2.07%	1.61%	1.61%	81.15%
	95~99歳	2.86%	0.00%	0.00%	2.86%	0.00%	0.00%	0.00%	2.86%	0.00%	2.86%	88.57%
	100歳以上	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%
	65~69歳	2.24%	2.88%	2.24%	1.92%	2.56%	1.60%	1.28%	1.28%	2.24%	0.96%	80.77%
	70~74歳	2.75%	2.63%	2.40%	2.06%	2.52%	1.95%	1.83%	1.72%	1.14%	0.92%	80.09%
	75~79歳	3.00%	2.53%	2.91%	2.06%	2.16%	1.59%	2.16%	1.59%	2.06%	1.13%	78.80%
女性	80~84歳	3.34%	2.98%	2.98%	2.03%	2.03%	1.79%	1.79%	2.51%	2.27%	1.67%	76.61%
XII.	85~89歳	2.98%	2.11%	2.50%	1.44%	1.54%	1.92%	1.92%	1.92%	1.73%	1.25%	80.69%
	90~94歳	3.43%	2.83%	2.68%	1.64%	1.49%	2.24%	1.94%	2.68%	1.94%	1.79%	77.35%
	95~99歳	2.33%	1.16%	2.33%	1.16%	2.33%	3.49%	0.00%	3.49%	2.33%	3.49%	77.91%
	100歳以上	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%

注1) 性別・年齢階層別に、上位3位に色付けをしています。

15. 被保険者に占める多剤投与患者割合

		2017年度	2018年度	2019年度	2020年度	2021年度
医療圏	 市町村	患者割合(%)	患者割合(%)	患者割合(%)	患者割合(%)	 患者割合(%)
 千葉	千葉市	14.77%	13.84%	13.70%	10.82%	11.75%
東葛南部	市川市	15.09%	14.53%	14.60%	11.53%	12.65%
	船橋市	13.57%	12.79%	12.60%	9.88%	10.76%
	習志野市	13.34%	12.62%	12.26%	9.50%	10.41%
	八千代市	14.69%	13.68%	13.31%	10.53%	11.39%
	鎌ケ谷市	13.68%	13.39%	13.02%	9.51%	10.63%
	浦安市	15.23%	14.68%	14.69%	12.12%	13.62%
東葛北部	松戸市	14.97%	14.22%	13.90%	10.59%	11.54%
	野田市	13.95%	12.62%	12.34%	9.57%	10.23%
	柏市	13.55%	12.55%	12.53%	<mark>9.</mark> 15%	10.17%
	流山市	15.41%	14.60%	14.68%	11.31%	12.40%
	我孫子市	13.94%	13.32%	12.78%	9.86%	10.95%
印旛	成田市	13.63%	12.71%	12.48%	10.14%	11.03%
	佐倉市	12.68%	12.09%	11.90%	9.46%	10.38%
	四街道市	12.37%	11. _{71%}	11.76%	<mark>8</mark> .82%	10.14%
	八街市	12.63%	11.26%	11.86%	9.67%	10.46%
	印西市	12.43%	11.78%	11.22%	<mark>8</mark> .60%	9.54%
	白井市	13.74%	13.70%	13.36%	10.07%	11.02%
	富里市	13.47%	12.17%	12.22%	9.39%	10.59%
	酒々井町	13.73%	12.90%	13.27%	10.49%	11.28%
	栄町	11.10%	10.32%	10.25%	8.29%	8.73%
香取海匝	銚子市	16.04%	14.66%	14.31%	11.08%	11.75%
	旭市	12.81%	12.22%	11.76%	10.23%	11.07%
	匝瑳市	12.15%	11.25%	11.22%	<mark>8</mark> .84%	9.55%
	香取市	13.25%	12.48%	12.09%	9.76%	10.49%
	神崎町	12.85%	12.53%	13.64%	11.73%	11.50%
	多古町	11.96%	11.37%	10.20%	8.49%	8.74%
	東庄町	8.29%	8.25%	8.46%	6.77%	7.67%
山武長生夷隅	茂原市	13.45%	12.76%	12.48%	10.07%	10.97%
	東金市	14.31%	13.70%	13.60%	10.29%	10.85%
	勝浦市	9.14%	9.31%	9.61%	7.53%	8.40%
	山武市	12.77%	12.12%	11.58%	<mark>8</mark> .99%	9.78%
	いすみ市	11.49%	10.82%	11.18%	9.65%	10.13%
	大網白里市	15.41%	14.39%	13.81%	11.10%	11.47%
	九十九里町	13.30%	13.15%	12.63%	10.16%	11.27%
	芝山町	12.01%	12.11%	12.32%	<mark>8</mark> .58%	9.92%
	横芝光町	12.21%	11.45%	10.68%	9.07%	9.91%
	一宮町	14.31%	12.69%	13.28%	10.85%	11.31%
	睦沢町	13.47%	12.55%	12.84%	9.96%	11.43%
	長生村	13.35%	12.55%	12.32%	10.99%	12.45%
	白子町	16.46%	15.07%	15.22%	12.16%	12.36%
	長柄町	14.01%	12.92%	12.10%	9.36%	10.82%
	長南町	11.72%	10.75%	12.63%	9.11%	10.67%
	大多喜町	12.06%	11.30%	10.60%	9.30%	10.54%
	御宿町	9.00%	9.84%	10.03%	8.18%	9.25%
安房	館山市	13.94%	13.05%	13.13%	10.51%	
	鴨川市	9.87%	9.47%			
	南房総市	14.27%	13.50%		10.53%	
	鋸南町	11.79%	11.13%	10.72%	8.01%	9.11%
君津	木更津市	15.49%	14.96%	15.42%	12.21%	12.88%
	君津市	15.03%	14.37%	14.89%	11.87%	12.87%
	富津市	17.00%	16.15%	15.79%	13.24%	14.01%
	袖ケ浦市	13.50%	13.21%	12.69%	10.41%	11.48%
市原	市原市	14.94%	14.10%	13.97%	11.18%	11.74%

16. 薬効分類別多剤医薬品割合【性別・年齢階級別】 (県全体)

県全体 (%)

			消化	比性潰瘍原	用剤		į	鎮痛、鎮	痒、収斂	【、消炎 脊	IJ		解索	热鎮痛消	炎剤				眼科用剤	J	
性別	年齢	2017年度	2018年度	2019年度	2020年度	2021年度	2017年度	2018年度	2019年度	2020年度	2021年度	2017年度	2018年度	2019年度	2020年度	2021年度	2017年度	2018年度	2019年度	2020年度	2021年度
	65~69歳	4.48%	4.52%	4.49%	4.76%	4.68%	3.69%	3.74%	3.76%	3.96%	3.93%	3.98%	4.00%	4.02%	3.87%	4.16%	2.85%	2.93%	2.93%	2.95%	2.83%
	70~74歳	4.42%	4.47%	4.44%	4.73%	4.63%	3.88%	3.86%	3.85%	4.06%	4.01%	3.89%	3.89%	3.90%	3.78%	4.04%	3.12%	3.15%	3.22%	3.24%	3.16%
	75~79歳	4.43%	4.47%	4.42%	4.66%	4.61%	4.08%	4.09%	4.06%	4.28%	4.23%	3.82%	3.80%	3.81%	3.70%	3.97%	3.33%	3.37%	3.38%	3.43%	3.40%
男性	80~84歳	4.36%	4.39%	4.38%	4.67%	4.62%	4.17%	4.17%	4.21%	4.45%	4.41%	3.80%	3.82%	3.78%	3.73%	3.98%	3.36%	3.38%	3.42%	3.46%	3.45%
2711	85~89歳	4.43%	4.42%	4.41%	4.67%	4.63%	4.36%	4.35%	4.37%	4.61%	4.57%	3.86%	3.84%	3.84%	3.80%	4.03%	3.31%	3.29%	3.36%	3.38%	3.35%
	90~94歳	4.50%	4.54%	4.44%	4.75%	4.61%	4.53%	4.55%	4.56%	4.83%	4.80%	3.91%	3.97%	3.93%	3.84%	4.06%	3.21%	3.32%	3.24%	3.28%	3.23%
	95~99歳	4.72%	4.70%	4.61%	4.74%	4.82%	4.73%	4.71%	4.82%	4.93%	4.94%	3.90%	4.04%	3.78%	3.97%	4.29%	3.20%	3.16%	3.03%	3.33%	3.17%
	100歳以上	4.64%	4.10%	4.14%	4.79%	4.79%	4.06%	4.54%	4.37%	5.07%	5.21%	3.71%	4.10%	3.66%	4.51%	4.47%	3.13%	2.99%	3.55%	3.24%	2.98%
	65~69歳	4.44%	4.45%	4.42%	4.77%	4.70%	3.98%	4.01%	4.01%	4.32%	4.24%	4.27%	4.30%	4.39%	4.36%	4.52%	3.57%	3.61%	3.65%	3.68%	3.69%
	70~74歳	4.43%	4.45%	4.43%	4.77%	4.72%	4.22%	4.21%	4.18%	4.50%	4.46%	4.16%	4.18%	4.19%	4.25%	4.54%	3.72%	3.76%	3.82%	3.99%	3.92%
	75~79歳	4.52%	4.58%	4.53%	4.83%	4.77%	4.46%	4.53%	4.47%	4.74%	4.67%	4.16%	4.22%	4.20%	4.24%	4.50%	3.80%	3.87%	3.89%	4.05%	4.01%
女性	80~84歳	4.55%	4.59%	4.58%	4.92%	4.82%	4.62%	4.62%	4.64%	4.90%	4.84%	4.22%	4.22%	4.23%	4.33%	4.53%	3.76%	3.80%	3.83%	3.99%	3.97%
\ \i	85~89歳	4.67%	4.69%	4.68%	5.01%	4.90%	4.77%	4.79%	4.81%	5.10%	5.04%	4.31%	4.31%	4.30%	4.41%	4.59%	3.70%	3.69%	3.73%	3.88%	3.82%
	90~94歳	4.85%	4.80%	4.80%	5.12%	5.02%	4.92%	4.95%	4.95%	5.26%	5.15%	4.39%	4.42%	4.36%	4.45%	4.63%	3.62%	3.58%	3.63%	3.70%	3.69%
	95~99歳	4.79%	4.93%	4.91%	5.06%	4.99%	4.92%	5.02%	5.08%	5.30%	5.31%	4.41%	4.47%	4.54%	4.44%	4.59%	3.45%	3.47%	3.49%	3.61%	3.55%
	100歳以上	4.72%	4.71%	4.91%	5.23%	4.96%	5.07%	5.20%	5.04%	5.29%	5.28%	4.40%	4.62%	4.52%	4.58%	4.68%	3.59%	3.33%	3.53%	3.64%	3.56%

			启	局所麻酔剤	FIJ			ц	血圧降下流	削			ц	血管拡張剂	削			ц	血液代用剂	削	
性別	年齢	2017年度	2018年度	2019年度	2020年度	2021年度	2017年度	2018年度	2019年度	2020年度	2021年度	2017年度	2018年度	2019年度	2020年度	2021年度	2017年度	2018年度	2019年度	2020年度	2021年度
	65~69歳	3.53%	3.58%	3.52%	3.72%	3.74%	3.13%	3.19%	3.17%	3.39%	3.35%	2.78%	2.81%	2.82%	3.05%	2.95%	3.27%	3.26%	3.33%	3.52%	3.48%
	70~74歳	3.60%	3.61%	3.70%	3.81%	3.90%	3.16%	3.22%	3.23%	3.49%	3.46%	2.87%	2.89%	2.88%	3.16%	3.18%	3.23%	3.31%	3.40%	3.55%	3.59%
	75~79歳	3.41%	3.46%	3.55%	3.67%	3.80%	3.19%	3.21%	3.18%	3.43%	3.46%	2.97%	2.95%	2.94%	3.20%	3.17%	3.08%	3.15%	3.25%	3.33%	3.48%
男性	80~84歳	3.21%	3.27%	3.32%	3.41%	3.53%	3.22%	3.23%	3.21%	3.48%	3.40%	3.08%	3.10%	3.10%	3.36%	3.27%	2.94%	3.00%	3.04%	3.02%	3.17%
2511	85~89歳	2.85%	2.87%	2.96%	2.96%	3.05%	3.21%	3.22%	3.24%	3.45%	3.46%	3.21%	3.20%	3.26%	3.45%	3.40%	2.82%	2.83%	2.83%	2.76%	2.86%
	90~94歳	2.41%	2.44%	2.42%	2.31%	2.43%	3.19%	3.28%	3.26%	3.38%	3.42%	3.37%	3.43%	3.43%	3.65%	3.52%	2.74%	2.78%	2.65%	2.55%	2.65%
	95~99歳	1.87%	1.81%	1.84%	2.01%	1.88%	3.16%	3.13%	3.18%	3.16%	3.21%	3.44%	3.53%	3.62%	3.66%	3.68%	3.01%	2.90%	2.85%	2.63%	2.57%
	100歳以上	0.58%	1.11%	1.77%	1.83%	1.60%	3.25%	2.44%	2.72%	2.54%	3.30%	3.36%	2.99%	2.72%	4.08%	3.83%	2.78%	3.21%	3.43%	2.68%	2.55%
	65~69歳	3.25%	3.26%	3.29%	3.53%	3.71%	2.19%	2.24%	2.16%	2.53%	2.39%	2.06%	2.07%	2.02%	2.34%	2.27%	3.01%	2.99%	3.02%	3.23%	3.32%
	70~74歳	3.36%	3.35%	3.47%	3.71%	3.83%	2.51%	2.51%	2.48%	2.82%	2.70%	2.36%	2.37%	2.37%	2.69%	2.62%	2.89%	2.98%	3.09%	3.24%	3.34%
	75~79歳	3.20%	3.23%	3.31%	3.46%	3.63%	2.75%	2.80%	2.79%	3.04%	3.05%	2.70%	2.76%	2.72%	3.02%	2.97%	2.74%	2.79%	2.88%	2.96%	3.06%
女性	80~84歳	2.95%	2.99%	3.06%	3.14%	3.29%	3.08%	3.09%	3.04%	3.33%	3.25%	3.02%	3.06%	3.04%	3.35%	3.24%	2.60%	2.64%	2.72%	2.65%	2.75%
XII	85~89歳	2.51%	2.57%	2.56%	2.62%	2.73%	3.37%	3.34%	3.34%	3.56%	3.51%	3.44%	3.42%	3.39%	3.71%	3.62%	2.48%	2.52%	2.49%	2.34%	2.43%
	90~94歳	1.96%	1.95%	1.98%	2.00%	2.15%	3.45%	3.52%	3.50%	3.74%	3.69%	3.72%	3.77%	3.75%	3.99%	3.91%	2.46%	2.45%	2.38%	2.20%	2.24%
	95~99歳	1.53%	1.58%	1.59%	1.58%	1.60%	3.24%	3.33%	3.37%	3.56%	3.71%	3.92%	3.96%	3.95%	4.05%	4.13%	2.58%	2.50%	2.56%	2.28%	2.32%
	100歳以上	0.98%	1.41%	1.22%	1.06%	1.27%	3.04%	3.19%	3.09%	3.07%	3.46%	3.85%	3.99%	3.82%	4.32%	4.26%	2.87%	2.99%	2.80%	2.51%	2.49%

			高	脂血症用]剤			止し	や剤、整	経腸剤				その他		
性別	年齢	2017年度	2018年度	2019年度	2020年度	2021年度	2017年度	2018年度	2019年度	2020年度	2021年度	2017年度	2018年度	2019年度	2020年度	2021年度
	65~69歳	2.38%	2.54%	2.59%	2.90%	2.91%	2.82%	2.82%	2.78%	2.64%	2.79%	67.07%	66.62%	66.59%	65.24%	65.18%
	70~74歳	2.41%	2.53%	2.60%	2.84%	2.92%	2.82%	2.81%	2.83%	2.73%	2.86%	66.61%	66.26%	65.95%	64.62%	64.27%
	75~79歳	2.34%	2.48%	2.53%	2.75%	2.84%	2.71%	2.71%	2.72%	2.66%	2.75%	66.62%	66.32%	66.16%	64.90%	64.30%
男性	80~84歳	2.16%	2.27%	2.36%	2.59%	2.64%	2.59%	2.61%	2.59%	2.53%	2.59%	67.11%	66.75%	66.60%	65.29%	64.94%
711	85~89歳	1.94%	2.06%	2.14%	2.36%	2.39%	2.43%	2.43%	2.39%	2.33%	2.41%	67.59%	67.50%	67.19%	66.24%	65.84%
	90~94歳	1.59%	1.67%	1.74%	1.99%	2.09%	2.29%	2.30%	2.20%	2.14%	2.26%	68.27%	67.74%	68.15%	67.28%	66.94%
	95~99歳	1.27%	1.27%	1.39%	1.51%	1.57%	2.20%	1.91%	2.18%	2.13%	2.03%	68.50%	68.83%	68.71%	67.93%	67.84%
	100歳以上	0.81%	0.78%	0.83%	0.85%	0.85%	1.39%	2.44%	2.01%	2.25%	1.70%	72.27%	71.32%	70.80%	68.17%	68.72%
	65~69歳	2.60%	2.65%	2.64%	2.98%	3.01%	2.80%	2.75%	2.75%	2.75%	2.91%	67.84%	67.66%	67.65%	65.52%	65.23%
	70~74歳	2.78%	2.85%	2.85%	3.17%	3.16%	2.75%	2.73%	2.76%	2.68%	2.83%	66.82%	66.59%	66.37%	64.17%	63.89%
	75~79歳	2.82%	2.96%	2.96%	3.24%	3.26%	2.64%	2.57%	2.59%	2.55%	2.70%	66.21%	65.71%	65.66%	63.86%	63.38%
女性	80~84歳	2.69%	2.76%	2.82%	3.10%	3.15%	2.43%	2.42%	2.43%	2.37%	2.48%	66.08%	65.80%	65.61%	63.93%	63.67%
	85~89歳	2.49%	2.56%	2.59%	2.88%	2.89%	2.15%	2.16%	2.16%	2.12%	2.21%	66.10%	65.95%	65.95%	64.38%	64.27%
	90~94歳	2.10%	2.16%	2.27%	2.46%	2.50%	1.96%	1.95%	2.00%	1.91%	2.02%	66.57%	66.45%	66.36%	65.16%	65.00%
	95~99歳	1.60%	1.63%	1.69%	1.87%	1.96%	1.84%	1.81%	1.85%	1.76%	1.85%	67.72%	67.31%	66.98%	66.48%	66.00%
	100歳以上	1.19%	0.98%	1.30%	1.63%	1.40%	2.11%	1.66%	2.08%	1.92%	1.94%	68.18%	67.94%	67.70%	66.75%	66.68%

(%) 千葉市 2021年度 鎮痛、鎮痒、 消化性潰瘍用剤 解熱鎮痛消炎剤 眼科用剤 局所麻酔剤 血圧降下剤 血管拡張剤 血液代用剤 高脂血症用剤 止しゃ剤、整腸剤 その他 収斂、消炎剤 性別 年齢 4.71% 3.96% 4.10% 2.92% 3.86% 3.20% 2.98% 3.20% 3.03% 3.18% 64.87% 65~69歳 3.79% 70~74歳 4.61% 4.05% 3.88% 3.19% 3.30% 3.17% 3.34% 2.89% 3.06% 64.72% 3.77% 3.34% 4.25% 3.74% 3.31% 3.22% 3.24% 2.84% 64.74% 75~79歳 4.55% 2.98% 80~84歳 4.60% 4.43% 3.83% 3.47% 3.48% 3.29% 3.32% 2.92% 2.68% 2.80% 65.19% 男性 85~89歳 3.31% 3.45% 4.58% 4.53% 3.92% 3.39% 3.10% 2.71% 2.46% 2.60% 65.95% 90~94歳 4.61% 4.83% 4.02% 3.42% 2.30% 3.16% 3.77% 2.56% 2.12% 2.27% 66.95% 3.27% 4.85% 5.21% 4.39% 1.58% 2.76% 3.63% 2.04% 1.48% 1.89% 68.90% 95~99歳 100歳以上 5.85% 4.79% 3.72% 2.66% 2.13% 3.19% 4.79% 1.60% 0.53% 0.00% 70.74% 3.70% 2.01% 3.37% 65~69歳 4.49% 4.07% 4.26% 3.73% 2.09% 2.85% 3.02% 66.40% 70~74歳 4.66% 4.44% 4.24% 3.77% 3.72% 2.54% 2.59% 3.12% 3.14% 3.00% 64.80% 4.75% 3.54% 2.99% 3.28% 63.87% 2.94% 75~79歳 4.63% 4.31% 3.96% 2.81% 2.93% 80~84歳 4.79% 4.84% 4.40% 3.96% 3.23% 3.08% 3.31% 2.58% 3.10% 2.70% 64.00% 4.84% 4.88% 4.47% 3.80% 2.66% 3.30% 3.64% 2.27% 2.80% 2.35% 64.98% 85~89歳 90~94歳 4.89% 5.01% 4.64% 3.65% 2.18% 3.45% 4.06% 2.06% 2.42% 2.03% 65.62% 3.29% 1.58% 5.06% 5.30% 4.62% 3.62% 4.07% 1.69% 66.72% 95~99歳 2.14% 1.91% 100歳以上 5.18% 5.67% 4.93% 4.56% 0.49% 3.82% 4.81% 1.85% 0.99% 1.73% 65.97%

						銚子	市					
2 0	2 1 年度	消化性潰瘍用剤	鎮痛、鎮痒、 収斂、消炎剤	解熱鎮痛消炎剤	眼科用剤	局所麻酔剤	血圧降下剤	血管拡張剤	血液代用剤	高脂血症用剤	止しゃ剤、整腸剤	その他
	65~69歳	4.26%	3.38%	4.19%	2.97%	3.24%	3.58%	3.45%	3.78%	2.77%	1.96%	66.42%
	70~74歳	4.74%	4.64%	4.16%	2.88%	3.65%	3.98%	3.43%	3.25%	3.07%	2.45%	63.76%
	75~79歳	4.60%	4.37%	4.21%	2.93%	3.99%	3.90%	3.49%	3.79%	2.82%	2.55%	63.34%
男性	80~84歳	4.73%	4.90%	4.15%	3.32%	3.15%	3.85%	3.17%	3.02%	2.56%	2.20%	64.95%
为压	85~89歳	4.79%	4.75%	4.08%	3.73%	3.02%	4.24%	3.30%	2.55%	2.67%	1.81%	65.06%
	90~94歳	4.87%	5.30%	4.78%	3.48%	2.43%	4.26%	3.74%	2.43%	2.17%	2.00%	64.52%
	95~99歳	4.35%	5.07%	4.71%	3.99%	1.81%	2.90%	2.90%	2.90%	1.45%	1.09%	68.84%
	100歳以上	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%
	65~69歳	4.71%	4.71%	4.64%	3.44%	3.72%	2.88%	2.74%	3.09%	3.30%	2.95%	63.81%
	70~74歳	4.92%	4.67%	4.67%	3.47%	3.33%	3.62%	2.97%	2.93%	3.36%	2.64%	63.42%
	75~79歳	5.12%	4.96%	4.79%	3.46%	3.40%	3.81%	3.24%	2.91%	3.40%	2.19%	62.73%
女性	80~84歳	4.76%	4.93%	4.49%	3.89%	2.86%	3.83%	3.08%	2.72%	3.15%	2.15%	64.14%
711	85~89歳	4.99%	5.28%	4.77%	3.75%	2.43%	4.01%	3.58%	2.13%	3.15%	2.10%	63.82%
	90~94歳	5.20%	5.44%	4.67%	3.98%	2.07%	3.62%	3.86%	2.07%	2.68%	2.15%	64.24%
	95~99歳	5.24%	6.00%	4.09%	4.60%	1.92%	4.34%	3.96%	1.79%	3.07%	1.66%	63.35%
	100歳以上	5.80%	2.90%	5.80%	5.80%	1.45%	4.35%	2.90%	2.90%	1.45%	1.45%	65.22%

						市川	市					
2 0	2 1 年度	消化性潰瘍用剤	鎮痛、鎮痒、 収斂、消炎剤	解熱鎮痛消炎剤	眼科用剤	局所麻酔剤	血圧降下剤	血管拡張剤	血液代用剤	高脂血症用剤	止しゃ剤、整腸剤	その他
性別	年齢											
	65~69歳	4.24%	3.84%	3.92%	2.90%	3.59%	3.11%	2.55%	3.43%	2.90%	2.82%	66.69%
	70~74歳	4.28%	3.94%	3.65%	3.38%	3.99%	3.33%	2.84%	3.74%	2.96%	3.09%	64.80%
	75~79歳	4.33%	4.14%	3.71%	3.40%	3.79%	3.37%	2.83%	3.55%	2.87%	2.94%	65.07%
男性	80~84歳	4.33%	4.37%	3.74%	3.52%	3.45%	3.18%	2.93%	3.42%	2.62%	2.69%	65.77%
2511	85~89歳	4.31%	4.46%	3.89%	3.35%	2.97%	3.31%	3.23%	2.89%	2.37%	2.63%	66.60%
	90~94歳	4.35%	4.74%	3.82%	3.19%	2.25%	3.63%	3.29%	2.49%	2.30%	2.64%	67.30%
	95~99歳	4.52%	4.62%	4.31%	2.84%	2.84%	3.26%	3.47%	2.94%	1.68%	3.05%	66.49%
	100歳以上	5.00%	5.83%	4.17%	2.50%	0.83%	4.17%	3.33%	3.33%	1.67%	2.50%	66.67%
	65~69歳	4.45%	4.10%	4.54%	4.16%	3.53%	2.43%	2.05%	3.44%	3.01%	2.68%	65.62%
	70~74歳	4.50%	4.50%	4.35%	3.94%	3.57%	2.45%	2.25%	3.20%	3.05%	2.86%	65.34%
	75~79歳	4.41%	4.54%	4.12%	4.17%	3.57%	2.85%	2.73%	3.12%	3.20%	2.74%	64.55%
女性	80~84歳	4.45%	4.63%	4.26%	4.00%	3.27%	3.18%	2.98%	2.75%	3.10%	2.47%	64.91%
\ \tag{1}	85~89歳	4.52%	4.85%	4.37%	3.87%	2.63%	3.36%	3.34%	2.51%	2.81%	2.34%	65.42%
	90~94歳	4.86%	4.99%	4.47%	3.82%	2.05%	3.75%	3.70%	1.99%	2.61%	2.14%	65.62%
	95~99歳	4.24%	4.74%	4.24%	3.43%	1.85%	3.78%	4.01%	2.51%	2.20%	1.73%	67.27%
	100歳以上	4.02%	4.82%	4.82%	3.21%	2.41%	3.21%	4.82%	2.01%	1.61%	1.20%	67.87%

						船橋	市					
	2 1 年度	消化性潰瘍用剤	鎮痛、鎮痒、 収斂、消炎剤	解熱鎮痛消炎剤	眼科用剤	局所麻酔剤	血圧降下剤	血管拡張剤	血液代用剤	高脂血症用剤	止しゃ剤、整腸剤	その他
性別	年齢											
	65~69歳	4.70%	3.87%	4.12%	3.04%	3.70%	3.50%	3.27%	3.51%	2.74%	2.75%	64.81%
	70~74歳	4.57%	3.87%	4.13%	3.35%	3.68%	3.32%	3.07%	3.46%	2.87%	2.75%	64.93%
	75~79歳	4.49%	4.13%	4.12%	3.49%	3.75%	3.40%	3.15%	3.37%	2.76%	2.70%	64.63%
男性	80~84歳	4.38%	4.31%	3.99%	3.62%	3.39%	3.21%	3.31%	3.20%	2.68%	2.57%	65.32%
2511	85~89歳	4.57%	4.49%	3.88%	3.53%	2.84%	3.25%	3.37%	2.80%	2.36%	2.41%	66.50%
	90~94歳	4.44%	4.66%	4.02%	3.42%	2.38%	3.22%	3.54%	2.52%	1.81%	2.38%	67.61%
	95~99歳	4.74%	4.66%	4.59%	3.13%	1.60%	3.06%	3.86%	2.48%	1.46%	1.75%	68.66%
	100歳以上	6.25%	3.13%	4.69%	3.13%	1.56%	4.69%	4.69%	4.69%	0.00%	1.56%	65.63%
	65~69歳	4.65%	4.19%	4.52%	3.74%	3.47%	2.24%	2.31%	3.11%	2.93%	2.76%	66.09%
	70~74歳	4.60%	4.45%	4.48%	4.18%	3.72%	2.53%	2.58%	3.15%	2.95%	2.84%	64.53%
	75~79歳	4.69%	4.53%	4.47%	4.18%	3.62%	2.97%	2.95%	2.99%	3.14%	2.79%	63.67%
女性	80~84歳	4.60%	4.78%	4.46%	4.08%	3.18%	3.19%	3.19%	2.63%	2.97%	2.54%	64.37%
XII	85~89歳	4.77%	4.97%	4.50%	3.95%	2.69%	3.50%	3.67%	2.19%	2.86%	2.38%	64.52%
	90~94歳	4.89%	5.14%	4.62%	3.67%	1.94%	3.55%	3.83%	1.90%	2.30%	2.12%	66.04%
	95~99歳	5.04%	5.28%	4.46%	3.33%	1.17%	3.88%	4.05%	1.89%	1.82%	1.82%	67.27%
l	100歳以上	4.93%	4.61%	4.93%	2.63%	0.99%	3.62%	5.26%	2.30%	0.99%	1.32%	68.42%

注1) 性別・年齢階層別に、上位3位に色付けをしています。

												(%)
						館山	市					
	2 1 年度	消化性潰瘍用剤	鎮痛、鎮痒、 収斂、消炎剤	解熱鎮痛消炎剤	眼科用剤	局所麻酔剤	血圧降下剤	血管拡張剤	血液代用剤	高脂血症用剤	止しゃ剤、整腸剤	その他
性別	年齢											
	65~69歳	4.74%	3.77%	4.21%	1.84%	3.95%	2.72%	2.54%	3.25%	3.33%		67.54%
	70~74歳	5.03%	3.79%	4.27%	3.00%	4.17%	3.75%	3.31%	3.75%	3.03%	2.65%	63.26%
	75~79歳	4.84%	4.31%	4.28%	3.37%	3.84%	3.78%	2.90%	3.34%	3.16%		63.46%
男性	80~84歳	4.69%	4.60%	4.28%	3.43%	3.78%	3.49%	3.06%	3.32%	3.03%	2.27%	64.06%
2312	85~89歳	4.47%	4.44%	4.01%	3.59%	3.16%	3.90%	3.20%	3.16%	2.43%	2.12%	65.52%
	90~94歳	4.02%	4.26%	3.67%	3.91%	3.67%	3.31%	2.49%	3.79%	2.13%	1.54%	67.22%
	95~99歳	4.95%	4.46%	4.95%	2.48%	2.97%	4.46%	2.48%	2.97%	1.98%	1.49%	66.83%
	100歳以上	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%
	65~69歳	4.72%	4.41%	4.72%	3.18%	3.90%	3.18%	1.54%	3.29%	2.77%	3.29%	64.99%
	70~74歳	4.93%	4.90%	4.46%	3.41%	3.78%	3.11%	2.94%	3.31%	3.41%	2.70%	63.04%
	75~79歳	4.95%	4.85%	4.85%	3.67%	3.80%	2.95%	2.69%	3.28%	3.26%	2.44%	63.26%
女性	80~84歳	4.99%	4.97%	4.72%	3.85%	3.76%	3.36%	2.75%	3.18%	3.20%	2.58%	62.63%
XIE.	85~89歳	4.98%	5.21%	4.83%	4.16%	3.24%	3.83%	3.42%	3.07%	3.63%	2.15%	61.48%
	90~94歳	5.05%	5.38%	4.83%	3.90%	3.08%	4.12%	3.40%	3.24%	2.97%	1.32%	62.71%
	95~99歳	4.92%	5.20%	5.34%	4.08%	2.67%	3.94%	4.08%	3.38%	1.83%	1.27%	63.29%
	100歳以上	4.95%	5.94%	3.96%	4.95%	1.98%	2.97%	3.96%	2.97%	0.00%	0.99%	67.33%

						木更泽	市					
	2 1 年度	消化性潰瘍用剤	鎮痛、鎮痒、 収斂、消炎剤	解熱鎮痛消炎剤	眼科用剤	局所麻酔剤	血圧降下剤	血管拡張剤	血液代用剤	高脂血症用剤	止しゃ剤、整腸剤	その他
性別	年齢											
	65~69歳	5.16%	4.13%	4.52%	2.88%	3.83%	3.78%	3.01%	3.53%	3.14%	2.49%	63.53%
	70~74歳	5.03%	4.32%	4.27%	3.44%	3.97%	3.72%	3.39%	3.48%	3.52%	2.82%	62.05%
	75~79歳	4.83%	4.46%	4.19%	3.55%	3.84%	3.65%	2.96%	3.67%	2.94%	2.72%	63.19%
男性	80~84歳	4.62%	4.58%	4.30%	3.59%	3.42%	3.59%	3.08%	3.38%	2.96%	2.41%	64.06%
711	85~89歳	4.44%	4.71%	4.40%	3.35%	2.89%	3.53%	2.88%	3.19%	2.13%	2.18%	66.29%
	90~94歳	4.68%	4.62%	4.16%	3.58%	3.18%	3.87%	3.01%	3.47%	2.25%	1.56%	65.61%
	95~99歳	5.62%	6.02%	4.82%	2.41%	3.21%	4.02%	3.61%	2.01%	3.21%	1.20%	63.86%
	100歳以上	3.23%	6.45%	6.45%	0.00%	0.00%	3.23%	3.23%	6.45%	0.00%	0.00%	70.97%
	65~69歳	4.86%	4.47%	4.66%	3.55%	3.59%	2.85%	2.31%	3.55%	3.51%	2.74%	63.92%
	70~74歳	4.81%	4.66%	4.79%	3.81%	3.73%	2.90%	2.66%	3.79%	3.55%	2.86%	62.43%
	75~79歳	5.02%	5.02%	4.71%	4.22%	3.54%	3.36%	2.84%	3.37%	3.60%	2.60%	61.71%
女性	80~84歳	4.78%	5.00%	4.63%	4.00%	3.08%	3.43%	3.06%	2.90%	3.29%	2.17%	63.65%
又任	85~89歳	5.03%	5.40%	4.76%	3.96%	2.41%	3.85%	3.68%	3.03%	2.86%	1.79%	63.22%
	90~94歳	5.09%	5.38%	4.55%	4.01%	1.70%	3.97%	4.10%	2.69%	2.60%	1.83%	64.08%
	95~99歳	4.74%	5.11%	4.55%	4.18%	1.49%	3.16%	4.09%	3.62%	2.79%	2.88%	63.38%
	100歳以上	5.34%	5.34%	4.85%	3.88%	2.43%	3.40%	4.85%	2.91%	0.49%	2.43%	64.08%

						松戸	市					
2 0	2 1 年度	消化性潰瘍用剤	鎮痛、鎮痒、 収斂、消炎剤	解熱鎮痛消炎剤	眼科用剤	局所麻酔剤	血圧降下剤	血管拡張剤	血液代用剤	高脂血症用剤	止しゃ剤、整腸剤	その他
性別	年齢											
	65~69歳	4.96%	4.10%	4.07%	3.03%	3.70%	3.67%	3.21%	3.38%	3.11%	2.47%	64.30%
	70~74歳	4.65%	3.92%	4.01%	3.00%	3.90%	3.29%	3.21%	3.36%	2.66%	2.85%	65.16%
	75~79歳	4.61%	4.18%	3.86%	3.29%	3.89%	3.44%	3.23%	3.40%	2.69%	2.94%	64.47%
男性	80~84歳	4.74%	4.42%	3.98%	3.18%	3.60%	3.29%	3.49%	3.03%	2.54%	2.65%	65.09%
2512	85~89歳	4.70%	4.62%	3.94%	3.09%	3.11%	3.40%	3.45%	2.69%	2.33%	2.44%	66.22%
	90~94歳	4.43%	4.90%	4.18%	2.90%	2.33%	3.28%	3.41%	2.44%	1.86%	2.42%	67.85%
	95~99歳	4.57%	5.30%	4.39%	2.93%	2.19%	3.47%	3.56%	2.29%	1.65%	2.19%	67.46%
	100歳以上	6.00%	6.00%	4.00%	2.00%	2.00%	0.00%	6.00%	2.00%	0.00%		72.00%
	65~69歳	4.82%	4.28%	4.33%	3.54%	3.79%	2.33%	2.55%	3.09%	2.95%	2.91%	65.41%
	70~74歳	4.72%	4.35%	4.47%	3.85%	3.95%	2.63%	2.71%	3.01%	2.92%		64.45%
	75~79歳	4.79%	4.65%	4.36%	3.88%	3.70%	2.83%	3.08%	2.73%	3.22%		64.00%
女性	80~84歳	4.82%	4.79%	4.44%	3.82%	3.42%	3.10%	3.30%	2.58%	3.11%	2.44%	64.18%
	85~89歳	4.83%	4.99%	4.49%	3.69%	2.98%	3.28%	3.62%	2.31%	2.79%		64.76%
	90~94歳	5.08%	5.26%	4.52%	3.57%	2.29%	3.55%	3.99%	2.11%	2.57%		64.86%
	95~99歳	4.97%	5.20%	4.74%	3.34%	1.37%	3.75%	4.29%	2.09%	1.97%	2.20%	66.10%
	100歳以上	5.59%	5.90%	4.97%	2.80%	0.00%	3.73%	3.73%	1.55%	1.24%	2.17%	68.32%

						野田	市					
2 0	2 1 年度 年齢	消化性潰瘍用剤	鎮痛、鎮痒、 収斂、消炎剤	解熱鎮痛消炎剤	眼科用剤	局所麻酔剤	血圧降下剤	血管拡張剤	血液代用剤	高脂血症用剤	止しゃ剤、整腸剤	その他
	65~69歳	4.44%	3.84%	4.28%	3.28%	3.84%	3.40%	2.48%	3.64%	3.04%	2.80%	64.95%
	70~74歳	4.69%	3.78%	4.31%	3.01%	3.82%	3.47%	3.10%	3.97%	2.65%	2.66%	64.54%
	75~79歳	4.42%	4.33%	4.10%	3.08%	3.69%	3.53%	3.00%	3.53%	2.59%	2.50%	65.24%
男性	80~84歳	4.51%	4.44%	4.01%	3.14%	3.37%	3.60%	3.06%	3.39%	2.35%	2.56%	65.56%
711	85~89歳	4.90%	4.45%	4.26%	3.37%	3.06%	3.49%	3.37%	2.99%	2.30%	2.26%	65.55%
	90~94歳	5.44%	4.99%	4.62%	2.98%	2.46%	4.02%	4.02%	2.53%	2.01%	2.01%	64.93%
	95~99歳	5.23%	5.23%	3.27%	1.96%	1.96%	3.59%	3.92%	2.61%	1.63%	1.96%	68.63%
	100歳以上	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%
	65~69歳	4.51%	4.51%	4.57%	3.72%	3.38%	2.44%	2.32%	3.53%	2.86%	2.47%	65.69%
	70~74歳	4.65%	4.31%	4.54%	3.93%	3.95%	2.82%	2.69%	3.71%	2.95%	2.83%	63.62%
	75~79歳	4.72%	4.75%	4.62%	3.84%	3.27%	3.08%	2.94%	3.22%	3.09%	2.37%	64.09%
女性	80~84歳	4.96%	4.97%	4.66%	3.91%	3.10%	3.43%	3.24%	2.78%	3.16%	2.45%	63.33%
	85~89歳	5.07%	5.21%	4.98%	3.82%	2.50%	3.74%	3.53%	2.82%	2.98%	2.09%	63.25%
	90~94歳	4.92%	5.24%	4.83%	3.38%	1.70%	3.82%	3.72%	2.56%	2.21%	2.05%	65.58%
	95~99歳	5.68%	5.30%	5.05%	3.91%	1.77%	3.91%	3.79%	2.15%	1.39%	1.26%	65.78%
	100歳以上	3.17%	6.35%	4.76%	6.35%	1.59%	4.76%	4.76%	3.17%	1.59%	3.17%	60.32%

注1) 性別・年齢階層別に、上位3位に色付けをしています。

												(%)
						茂原	市					
	2 1 年度	消化性潰瘍用剤	鎮痛、鎮痒、 収斂、消炎剤	解熱鎮痛消炎剤	眼科用剤	局所麻酔剤	血圧降下剤	血管拡張剤	血液代用剤	高脂血症用剤	止しゃ剤、整腸剤	その他
性別	年龄	4.73%	4.41%	4.08%	2,85%	4.08%	3,56%	2.92%	3.31%	3.31%	2.72%	64.03%
	65~69歳 70~74歳	4.73%	4.41%	4.08%	3.23%	3,99%	3.48%	3.16%	3.31%	3.31%	2.72%	63.15%
	75~74歳	4.98%	4.16%	4.30%	3.55%	3.72%	3.76%	3.26%	3.21%	3.18%	2.48%	63.48%
	80~84歳	4.99%	4.26%	4.17%	3.64%	3.82%	3.60%	3.22%	2.89%	2.86%	2.71%	63.85%
男性	85~89歳	4.74%	4.49%	4.40%	3.08%	3.41%	3.54%	3.75%	2.89%	2.34%	2,46%	64.90%
	90~94歳	4.85%	4.50%	3.88%	2.91%	2.38%	3.35%	3.80%	2.12%	2.29%	1.59%	68.31%
	95~99歳	4.85%	4.48%	5.22%	1.87%	1.87%	2.24%	3.73%	2.99%	1.49%	1.87%	69.40%
	100歳以上	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%
	65~69歳	5.34%	3.99%	5.16%	3.76%	3.64%	2.58%	2.70%	2.35%	3.29%	2.93%	64.26%
	70~74歳	4.82%	4.37%	4.63%	3.92%	3.98%	2.69%	2.88%	3.25%	3.74%	2.78%	62.94%
	75~79歳	4.85%	4.60%	4.74%	4.24%	3.82%	3.29%	3.12%	2.77%	3.53%	2.74%	62.30%
女性	80~84歳	4.88%	4.87%	4.38%	3.80%	3.59%	3.32%	3.08%	2.53%	3.46%	2.53%	63.55%
XII	85~89歳	5.04%	5.10%	4.73%	4.00%	3.20%	3.91%	3.54%	2.50%	3.26%	2.27%	62.45%
	90~94歳	4.69%	5.08%	4.52%	3.16%	2.09%	3.80%	3.37%	1.88%	2.82%	2.09%	66.50%
	95~99歳	5.04%	4.64%	4.24%	2.92%	2.25%	3.32%	4.51%	2.25%	1.86%	2.12%	66.84%
	100歳以上	4.17%	6.25%	4.17%	4.17%	3.13%	3.13%	5.21%	2.08%	1.04%	3.13%	63.54%

						成田	市					
	2 1 年度	消化性潰瘍用剤	鎮痛、鎮痒、 収斂、消炎剤	解熱鎮痛消炎剤	眼科用剤	局所麻酔剤	血圧降下剤	血管拡張剤	血液代用剤	高脂血症用剤	止しゃ剤、整腸剤	その他
性別	年齢											
	65~69歳	4.88%	3.87%	4.01%	2.95%	3.82%	3.55%	2.99%	3.87%	3.27%	2.99%	63.81%
	70~74歳	5.00%	4.17%	4.17%	2.94%	4.13%	3.58%	3.14%	3.81%	3.32%	3.10%	62.65%
	75~79歳	4.72%	4.14%	3.80%	3.14%	3.98%	3.49%	3.41%	3.66%	2.94%	2.92%	63.80%
男性	80~84歳	4.79%	4.33%	3.78%	3.76%	3.80%	3.70%	3.21%	3.57%	2.60%	2.71%	63.75%
711	85~89歳	4.93%	4.64%	4.05%	3.60%	3.53%	3.92%	3.63%	2.98%	2.43%	2.50%	63.78%
	90~94歳	4.55%	5.02%	4.36%	2.46%	3.03%	3.50%	3.41%	2.18%	1.99%	1.99%	67.52%
	95~99歳	5.79%	4.96%	4.96%	2.48%	0.83%	2.48%	4.13%	1.65%	0.83%	1.65%	70.25%
	100歳以上	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%
	65~69歳	5.10%	4.41%	4.37%	3.20%	3.96%	2.55%	2.31%	3.48%	3.52%	3.44%	63.67%
	70~74歳	4.93%	4.34%	4.45%	3.86%	4.14%	2.99%	2.69%	3.57%	3.38%	3.41%	62.24%
	75~79歳	4.79%	4.97%	4.44%	4.14%	3.83%	3.39%	2.91%	3.00%	3.69%	3.13%	61.72%
女性	80~84歳	5.15%	4.86%	4.63%	4.05%	3.53%	3.67%	3.24%	2.84%	3.39%	2.67%	61.96%
又任	85~89歳	4.84%	4.98%	4.49%	4.08%	3.00%	3.81%	3.58%	2.53%	3.08%	2.65%	62.96%
	90~94歳	5.20%	5.12%	4.40%	3.64%	2.04%	3.96%	3.36%	1.72%	2.84%	1.96%	65.77%
	95~99歳	5.14%	5.29%	4.08%	4.53%	1.21%	4.38%	4.23%	1.96%	1.81%	1.66%	65.71%
	100歳以上	4.21%	5.26%	4.21%	2.11%	1.05%	3.16%	3.16%	3.16%	2.11%	5.26%	66.32%

						佐倉	市					
	21年度	消化性潰瘍用剤	鎮痛、鎮痒、 収斂、消炎剤	解熱鎮痛消炎剤	眼科用剤	局所麻酔剤	血圧降下剤	血管拡張剤	血液代用剤	高脂血症用剤	止しゃ剤、整腸剤	その他
性別	年齢											
	65~69歳	4.50%	3.77%		2.82%		2.88%	2.85%	3.55%	2.63%	2.69%	66.91%
	70~74歳	4.74%	4.02%	4.35%	3.14%	3.62%	3.54%	3.32%	3.40%	2.89%	2.66%	64.33%
	75~79歳	4.76%	4.22%	4.00%	3.35%	3.63%	3.13%	3.17%	3.48%	2.75%	2.48%	65.05%
男性	80~84歳	4.68%	4.48%	4.07%	3.42%	3.32%	3.32%	3.32%	2.93%	2.50%	2.30%	65.65%
力圧	85~89歳	4.77%	4.51%	4.14%	3.41%	2.94%	3.60%	3.56%	2.81%	2.12%	2.23%	65.91%
	90~94歳	4.71%	4.89%	4.08%	3.10%	1.90%	3.28%	3.39%	2.36%	1.84%	2.82%	67.64%
	95~99歳	4.63%	5.66%	3.60%	3.60%	1.80%	3.08%	3.08%	2.06%	1.54%	2.57%	68.38%
	100歳以上	5.88%	5.88%	2.94%	2.94%	2.94%	5.88%	5.88%	2.94%	0.00%	5.88%	58.82%
	65~69歳	5.01%	4.50%	4.43%	3.79%	3.85%	2.30%	2.39%	3.24%	2.88%	3.01%	64.61%
	70~74歳	4.87%	4.47%	4.79%	4.04%	3.95%	2.60%	2.59%	3.62%	3.21%	2.50%	63.39%
	75~79歳	4.97%	4.77%	4.77%	3.84%	3.57%	3.02%	3.24%	2.90%	3.32%	2.39%	63.21%
女性	80~84歳	5.02%	4.89%	4.72%	3.90%	3.34%	3.18%	3.37%	2.67%	3.06%	2.36%	63.50%
女性	85~89歳	5.01%	5.17%	4.72%	3.62%	2.62%	3.43%	3.70%	2.14%	2.82%	2.27%	64.49%
	90~94歳	5.23%	5.20%	4.76%	3.44%	1.93%	3.60%	4.00%	2.21%	2.71%	1.93%	65.00%
	95~99歳	5.12%	5.39%	4.76%	3.77%	1.35%	3.14%	4.13%	1.53%	1.80%	2.25%	66.76%
	100歳以上	3.70%	4.63%	4.63%	3.70%	2.78%	4.63%	3.70%	4.63%	0.93%	1.85%	64.81%

						東金	市					
2 0	2 1 年度	消化性潰瘍用剤	鎮痛、鎮痒、 収斂、消炎剤	解熱鎮痛消炎剤	眼科用剤	局所麻酔剤	血圧降下剤	血管拡張剤	血液代用剤	高脂血症用剤	止しゃ剤、整腸剤	その他
	65~69歳	4.80%	3.91%	4.48%	2.52%	3.75%	3.83%	2.77%	3.66%	2.69%	2.93%	64.66%
	70~74歳	5.14%	3.98%	4.39%	2.78%	4.14%	3.56%	2.78%	4.23%	2.40%	2.94%	63.67%
	75~79歳	4.96%	4.04%	4.31%	3.34%	4.10%	3.78%	3.19%	3.69%	3.01%	2.83%	62.74%
男性	80~84歳	4.64%	4.26%	4.32%	3.28%	3.69%	3.24%	2.99%	2.99%	2.42%	2.45%	65.72%
711	85~89歳	4.78%	4.38%	3.97%	2.71%	3.11%	3.51%	3.00%	3.11%	2.94%	2.59%	65.90%
	90~94歳	4.32%	5.04%	4.32%	2.34%	2.34%	2.70%	2.70%	3.60%	1.80%	2.52%	68.35%
	95~99歳	5.00%	5.00%	5.00%	3.33%	3.33%	2.50%	3.33%	2.50%	2.50%	1.67%	65.83%
	100歳以上	6.25%	0.00%	6.25%	0.00%	0.00%	6.25%	6.25%	0.00%	0.00%	0.00%	75.00%
	65~69歳	5.31%	4.34%	4.99%	3.11%	3.82%	2.98%	2.07%	3.37%	3.18%	2.79%	64.03%
	70~74歳	5.05%	4.40%	4.78%	3.56%	3.75%	2.87%	2.41%	3.83%	3.37%	2.68%	63.30%
	75~79歳	4.74%	4.64%	4.54%	3.50%	3.29%	3.12%	2.46%	3.07%	3.09%	2.48%	65.08%
女性	80~84歳	4.91%	4.81%	4.54%	3.82%	3.08%	3.06%	2.76%	3.06%	3.36%	2.29%	64.30%
XII	85~89歳	4.91%	5.21%	4.62%	3.45%	2.27%	3.59%	3.37%	2.42%	2.97%	1.72%	65.46%
	90~94歳	5.02%	5.02%	4.51%	3.43%	1.46%	3.62%	3.94%	2.48%	2.29%	2.41%	65.84%
	95~99歳	4.53%	5.01%	4.77%	3.34%	0.48%	2.86%	4.53%	2.15%	2.86%	2.15%	67.30%
	100歳以上	6.90%	6.90%	3.45%	6.90%	0.00%	3.45%	3.45%	0.00%	0.00%	3.45%	65.52%

注1) 性別・年齢階層別に、上位3位に色付けをしています。

												(%)
						旭市	5					
	2 1 年度	消化性潰瘍用剤	鎮痛、鎮痒、 収斂、消炎剤	解熱鎮痛消炎剤	眼科用剤	局所麻酔剤	血圧降下剤	血管拡張剤	血液代用剤	高脂血症用剤	止しゃ剤、整腸剤	その他
性別	年齢											
	65~69歳	4.70%	3.18%	4.52%	2.50%	4.28%	3.30%	2.75%	4.22%	2.87%	2.44%	65.24%
	70~74歳	4.31%	3.84%	3.81%	2.74%	4.21%	3.94%	3.88%	4.34%	3.01%	2.47%	63.45%
	75~79歳	4.58%	3.94%	3.79%	3.09%	4.27%	3.52%	3.70%	3.91%	2.88%	2.61%	63.73%
男性	80~84歳	4.59%	4.59%	4.44%	2.99%	3.86%	2.99%	3.45%	3.72%	2.47%	2.53%	64.38%
311	85~89歳	4.41%	4.58%	4.11%	3.31%	3.56%	3.60%	3.43%	3.43%	2.42%	2.33%	64.82%
	90~94歳	4.64%	4.41%	4.07%	3.05%	2.94%	3.51%	3.85%	3.51%	2.15%	1.70%	66.18%
	95~99歳	5.23%	4.07%	3.49%	3.49%	2.33%	2.91%	4.07%	2.33%	0.58%	1.74%	69.77%
	100歳以上	0.00%	8.33%	8.33%	0.00%	0.00%	0.00%	0.00%	8.33%	0.00%	0.00%	75.00%
	65~69歳	4.73%	3.94%	4.67%	3.09%	3.88%	2.79%	2.49%	3.34%	3.76%	2.85%	64.44%
	70~74歳	4.38%	4.73%	4.73%	3.80%	4.25%	3.01%	3.23%	3.49%	3.18%	2.43%	62.76%
	75~79歳	4.65%	4.52%	4.91%	3.67%	4.24%	3.43%	3.56%	3.77%	3.48%	1.98%	61.79%
女性	80~84歳	5.02%	5.07%	4.84%	3.81%	3.52%	3.25%	3.93%	2.64%	3.36%	2.16%	62.40%
NIE NIE	85~89歳	4.94%	5.06%	5.04%	3.26%	3.68%	3.52%	4.33%	2.66%	2.78%	1.52%	63.21%
	90~94歳	5.03%	4.78%	4.91%	3.10%	2.93%	3.44%	3.92%	3.10%	2.11%	1.81%	64.89%
	95~99歳	5.08%	5.58%	4.06%	3.05%	1.27%	2.28%	4.06%	2.28%	0.76%	1.27%	70.30%
	100歳以上	4.17%	4.17%	4.17%	0.00%	4.17%	4.17%	4.17%	4.17%	4.17%	4.17%	62.50%

						習志里	予市					
	2 1 年度	消化性潰瘍用剤	鎮痛、鎮痒、 収斂、消炎剤	解熱鎮痛消炎剤	眼科用剤	局所麻酔剤	血圧降下剤	血管拡張剤	血液代用剤	高脂血症用剤	止しゃ剤、整腸剤	その他
性別	年齢											
	65~69歳	4.45%	4.01%	4.26%	3.08%	3.86%	3.28%	3.33%	3.72%	2.50%	3.23%	64.29%
	70~74歳	4.40%	4.10%	4.14%	3.12%	3.57%	3.35%	3.27%	3.20%	2.58%	2.58%	65.69%
	75~79歳	4.55%	4.35%	4.17%	3.63%	3.90%	3.37%	3.07%	3.02%	2.80%	2.77%	64.37%
男性	80~84歳	4.55%	4.57%	3.96%	3.76%	3.46%	3.39%	3.25%	2.63%	2.63%	2.58%	65.21%
为江	85~89歳	4.59%	4.76%	4.13%	3.57%	3.19%	3.53%	3.19%	2.51%	2.23%	2.45%	65.84%
	90~94歳	3.94%	4.57%	3.82%	3.44%	2.44%	3.57%	4.01%	2.13%	2.25%	2.44%	67.38%
	95~99歳	3.97%	4.96%	3.47%	4.47%	0.74%	3.47%	3.72%	1.74%	1.24%	2.23%	69.98%
	100歳以上	5.26%	5.26%	5.26%	0.00%	0.00%	5.26%	0.00%	5.26%	0.00%	0.00%	73.68%
	65~69歳	4.67%	4.14%	4.52%	4.07%	3.51%	2.35%	2.13%	2.84%	2.91%	3.17%	65.70%
	70~74歳	4.62%	4.42%	4.90%	4.10%	3.95%	2.74%	2.53%	2.88%	2.99%	2.53%	64.33%
	75~79歳	4.69%	4.74%	4.82%	4.26%	3.82%	3.14%	3.04%	2.32%	3.14%	2.91%	63.11%
女性	80~84歳	4.80%	5.03%	4.70%	3.90%	3.45%	3.14%	3.33%	2.29%	2.76%	2.56%	64.03%
XII	85~89歳	4.62%	5.08%	4.44%	3.89%	2.81%	3.43%	3.71%	1.89%	2.81%	2.34%	64.96%
	90~94歳	4.92%	5.11%	4.70%	3.84%	2.62%	3.40%	3.69%	1.92%	2.52%	2.27%	65.02%
	95~99歳	5.21%	5.79%	5.21%	4.29%	1.27%	3.36%	4.17%	1.74%	1.62%	2.32%	65.01%
	100歳以上	3.33%	5.56%	4.44%	3.33%	0.00%	1.11%	4.44%	4.44%	1.11%	1.11%	71.11%

						柏市	<u> </u>					
2 0	2 1 年度	消化性潰瘍用剤	鎮痛、鎮痒、 収斂、消炎剤	解熱鎮痛消炎剤	眼科用剤	局所麻酔剤	血圧降下剤	血管拡張剤	血液代用剤	高脂血症用剤	止しゃ剤、整腸剤	その他
性別	年齢											
	65~69歳	4.64%	3.92%	3.81%	2.64%	3.63%	3.13%	2.74%	3.65%	2.68%	2.72%	66.45%
	70~74歳	4.52%	3.96%	3.86%	3.13%	4.13%	3.34%	3.15%	3.96%	2.91%	2.85%	64.20%
	75~79歳	4.63%	4.22%	3.87%	3.43%	3.84%	3.42%	3.19%	3.70%	2.98%	2.72%	64.00%
男性	80~84歳	4.73%	4.32%	3.76%	3.39%	3.67%	3.31%	3.22%	3.49%	2.63%	2.67%	64.80%
2311	85~89歳	4.76%	4.50%	3.96%	3.11%	3.18%	3.44%	3.26%	3.18%	2.43%	2.57%	65.61%
	90~94歳	4.78%	4.99%	3.76%	2.96%	2.29%	3.69%	3.43%	2.70%	2.37%	2.08%	66.95%
	95~99歳	4.72%	5.42%	4.31%	3.47%	2.08%	2.08%	3.06%	2.78%	1.25%		68.47%
	100歳以上	5.56%	4.17%	5.56%	4.17%	1.39%	2.78%	1.39%	1.39%	1.39%	4.17%	68.06%
	65~69歳	4.59%	4.15%	4.43%	3.73%	3.64%	2.14%	1.91%	3.72%	2.71%	3.07%	65.91%
	70~74歳	4.73%	4.32%	4.33%	3.85%	3.90%	2.37%	2.31%	3.65%	3.11%	2.96%	64.48%
	75~79歳	4.79%	4.60%	4.34%	3.89%	3.71%	2.96%	2.75%	3.39%	3.12%	2.81%	63.64%
女性	80~84歳	4.92%	4.73%	4.46%	3.96%	3.34%	3.10%	3.23%	3.11%	3.19%	2.55%	63.40%
\ \rac{1}{2}	85~89歳	4.97%	4.94%	4.32%	3.71%	2.61%	3.38%	3.49%	2.83%	2.92%	2.22%	64.61%
	90~94歳	5.06%	5.18%	4.41%	3.54%	2.23%	3.44%	3.78%	2.37%	2.33%	2.01%	65.64%
	95~99歳	5.37%	5.59%	4.77%	3.45%	1.54%	3.51%	4.55%	1.92%	1.70%	1.64%	65.95%
	100歳以上	5.49%	5.49%	3.30%	2.20%	4.40%	4.40%	4.40%	4.40%	0.00%	3.30%	62.64%

						勝浦	市					
2 0	2 1 年度	消化性潰瘍用剤	鎮痛、鎮痒、 収斂、消炎剤	解熱鎮痛消炎剤	眼科用剤	局所麻酔剤	血圧降下剤	血管拡張剤	血液代用剤	高脂血症用剤	止しゃ剤、整腸剤	その他
	65~69歳	4.67%	3.65%	4.26%	2.23%	3.45%	4.06%	3.65%	3.65%	2.84%	2.23%	65.31%
	70~74歳	4.32%	4.11%	3.90%	2.42%	3.48%	4.11%	4.74%	3.48%	3.27%	2.32%	63.86%
	75~79歳	4.47%	4.67%	4.09%	2.72%	3.40%	3.89%	3.11%	3.70%	3.40%	2.53%	64.01%
男性	80~84歳	4.63%	4.43%	3.84%	3.74%	3.74%	4.13%	3.74%	3.35%	3.25%	2.26%	62.89%
711	85~89歳	3.30%	5.10%	4.20%	4.35%	3.60%	4.80%	3.90%	3.15%	2.85%	1.35%	63.42%
	90~94歳	4.33%	5.12%	3.54%	3.15%	1.57%	4.33%	3.94%	3.54%	2.36%	1.97%	66.14%
	95~99歳	3.80%	3.80%	5.06%	2.53%	0.00%	2.53%	3.80%	5.06%	1.27%	2.53%	69.62%
	100歳以上	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%
	65~69歳	5.23%	3.83%	4.18%	2.44%	4.53%	4.18%	3.14%	2.79%	3.48%	3.48%	62.72%
	70~74歳	4.70%	4.01%	5.11%	3.45%	4.28%	3.31%	3.31%	4.14%	3.45%	2.90%	61.33%
	75~79歳	4.81%	5.16%	4.58%	3.76%	4.11%	2.58%	3.05%	2.46%	3.76%	2.46%	63.26%
女性	80~84歳	5.02%	5.02%	4.82%	3.60%	3.26%	3.53%	3.12%	2.99%	2.99%	1.49%	64.18%
XII	85~89歳	4.65%	5.21%	5.21%	4.09%	2.88%	3.53%	3.77%	2.64%	2.72%	0.96%	64.34%
	90~94歳	5.29%	5.29%	4.56%	4.56%	3.28%	3.83%	3.28%	1.64%	2.92%	1.46%	63.87%
	95~99歳	5.66%	5.66%	5.66%	4.72%	2.83%	0.94%	1.89%	1.89%	3.77%	0.94%	66.04%
	100歳以上	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%

注1) 性別・年齢階層別に、上位3位に色付けをしています。

(%) 市原市 2021年度 鎮痛、鎮痒、 消化性潰瘍用剤 解熱鎮痛消炎剤 眼科用剤 局所麻酔剤 血圧降下剤 血管拡張剤 血液代用剤 高脂血症用剤 止しゃ剤、整腸剤 その他 収斂、消炎剤 性別 年齢 4.94% 4.19% 4.23% 2.89% 3.46% 3.35% 3.07% 3.18% 2.98% 2.73% 64.98% 65~69歳 70~74歳 4.79% 3.99% 3.96% 3.06% 3.53% 3.58% 3.30% 3.36% 2.79% 2.81% 64.83% 4.77% 3.99% 3.54% 4.04% 3.48% 3.50% 3.39% 3.27% 2.84% 64.47% 75~79歳 2.72% 80~84歳 4.87% 4.40% 3.86% 3.24% 3.24% 3.52% 3.53% 2.98% 2.59% 2.62% 65.15% 男性 4.75% 85~89歳 4.84% 3.89% 3.29% 2.96% 3.48% 3.62% 2.52% 2.43% 2.46% 65.76% 90~94歳 5.07% 4.85% 4.41% 3.11% 2.37% 3.22% 3.33% 2.22% 1.85% 2.41% 67.16% 5.10% 5.10% 1.85% 3.94% 4.52% 1.62% 3.59% 4.29% 3.01% 1.39% 65.59% 95~99歳 100歳以上 6.38% 6.38% 6.38% 2.13% 0.00% 6.38% 4.26% 0.00% 2.13% 2.13% 63.83% 2.55% 65~69歳 4.66% 4.22% 4.56% 3.93% 3.08% 2.68% 2.55% 3.34% 2.68% 65.74% 70~74歳 4.87% 4.67% 4.71% 3.92% 3.34% 3.17% 2.85% 2.89% 3.22% 2.68% 63.66% 4.95% 4.50% 3.97% 3.29% 2.87% 3.24% 2.55% 63.69% 75~79歳 4.68% 3.28% 2.98% 80~84歳 4.89% 4.82% 4.63% 3.87% 3.01% 3.64% 3.30% 2.39% 3.27% 2.52% 63.67% 5.13% 5.10% 4.64% 3.83% 2.57% 3.89% 3.62% 2.05% 2.91% 2.11% 64.16% 85~89歳 90~94歳 5.20% 5.30% 4.50% 3.89% 2.15% 4.15% 4.41% 1.80% 2.45% 2.08% 64.07% 65.99% 5.04% 1.47% 5.36% 3.45% 3.96% 4.28% 2.04% 2.36% 1.66% 95~99歳 4.40% 100歳以上 5.83% 5.00% 5.00% 4.17% 0.83% 5.83% 5.00% 3.33% 2.50% 0.83% 61.67%

						流山	市					
	2 1 年度	消化性潰瘍用剤	鎮痛、鎮痒、 収斂、消炎剤	解熱鎮痛消炎剤	眼科用剤	局所麻酔剤	血圧降下剤	血管拡張剤	血液代用剤	高脂血症用剤	止しゃ剤、整腸剤	その他
性別	年齢											
	65~69歳	4.67%	3.60%	3.78%	2.83%	3.82%	3.31%	3.27%	4.04%	3.05%	3.16%	64.47%
	70~74歳	4.51%	4.09%	3.61%	3.42%	3.96%	3.24%	3.30%	4.40%	2.66%	3.14%	63.67%
	75~79歳	4.49%	4.32%	3.94%	3.67%	3.98%	3.28%	3.10%	4.05%	3.04%	2.72%	63.41%
男性	80~84歳	4.44%	4.21%	3.85%	3.46%	3.62%	3.13%	3.23%	3.95%	2.61%	2.74%	64.77%
711	85~89歳	4.63%	4.52%	3.87%	3.41%	3.01%	3.35%	3.46%	3.40%	2.35%	2.44%	65.56%
	90~94歳	4.90%	4.64%	4.06%	2.95%	2.21%	3.64%	3.53%	3.11%	2.42%	2.00%	66.53%
	95~99歳	4.62%	4.62%	4.00%	3.69%	1.85%	2.77%	3.69%	3.69%	1.54%	0.92%	68.62%
	100歳以上	0.00%	5.36%	5.36%	5.36%	3.57%	1.79%	0.00%	3.57%	0.00%	1.79%	73.21%
	65~69歳	4.53%	4.48%	4.38%	4.05%	3.97%	2.28%	2.25%	4.02%	3.16%	3.14%	63.76%
	70~74歳	4.62%	4.47%	4.27%	4.18%	3.94%	2.19%	2.54%	4.16%	3.21%	2.97%	63.45%
	75~79歳	4.71%	4.64%	4.33%	4.05%	3.81%	2.65%	2.96%	3.80%	2.92%	2.85%	63.28%
女性	80~84歳	4.75%	4.88%	4.43%	3.99%	3.51%	2.97%	3.15%	3.54%	3.18%	2.60%	63.00%
XII	85~89歳	4.67%	4.94%	4.40%	3.85%	2.66%	3.07%	3.70%	3.17%	2.96%	2.42%	64.17%
	90~94歳	4.71%	5.09%	4.40%	3.49%	1.85%	3.71%	4.01%	2.88%	2.60%	1.88%	65.38%
	95~99歳	4.62%	5.49%	4.18%	3.30%	1.87%	3.41%	4.29%	2.42%	1.65%	2.20%	66.59%
	100歳以上	5.00%	6.43%	4.29%	4.29%	0.00%	2.86%	3.57%	4.29%	2.14%	2.14%	65.00%

						八千代	市					
2 0	2 1 年度	消化性潰瘍用剤	鎮痛、鎮痒、 収斂、消炎剤	解熱鎮痛消炎剤	眼科用剤	局所麻酔剤	血圧降下剤	血管拡張剤	血液代用剤	高脂血症用剤	止しゃ剤、整腸剤	その他
性別	年齢											
	65~69歳	4.40%	3.82%	4.62%	2.84%	3.67%	3.09%	2.80%	3.27%	2.62%	2.55%	66.33%
	70~74歳	4.31%	4.20%	4.35%	3.62%	3.94%	3.57%	3.36%	3.42%	3.34%	2.45%	63.43%
	75~79歳	4.50%	4.32%	4.20%	3.66%	3.54%	3.49%	3.39%	3.64%	2.84%	2.49%	63.91%
男性	80~84歳	4.53%	4.48%	4.28%	3.64%	3.50%	3.55%	3.38%	2.94%	2.67%	2.40%	64.62%
2511	85~89歳	4.52%	4.53%	4.21%	3.32%	2.54%	3.25%	3.68%	2.51%	2.54%	2.45%	66.46%
	90~94歳	4.59%	4.76%	3.81%	2.99%	2.21%	3.59%	3.90%	2.51%	2.38%	2.47%	66.78%
	95~99歳	4.48%	4.26%	4.26%	2.69%	2.02%	3.36%	4.04%	1.35%	2.47%	2.24%	68.83%
	100歳以上	4.17%	4.17%	4.17%	0.00%	4.17%	4.17%	4.17%	0.00%	0.00%	4.17%	70.83%
	65~69歳	4.55%	4.58%	4.95%	3.52%	3.81%	2.42%	2.31%	3.59%	2.79%	2.79%	64.70%
	70~74歳	4.54%	4.46%	4.70%	4.09%	3.62%	2.69%	2.83%	3.28%	3.18%	2.38%	64.23%
	75~79歳	4.68%	4.74%	4.72%	4.30%	3.33%	3.21%	3.23%	2.98%	3.40%	2.37%	63.04%
女性	80~84歳	4.76%	4.79%	4.46%	4.16%	3.03%	3.21%	3.47%	2.67%	3.36%	2.38%	63.72%
711	85~89歳	5.08%	5.03%	4.79%	3.77%	2.32%	3.36%	4.09%	2.42%	2.90%	1.99%	64.26%
	90~94歳	5.03%	5.36%	4.66%	3.91%	1.93%	3.83%	4.22%	1.77%	2.40%	2.27%	64.64%
	95~99歳	4.85%	5.00%	4.56%	3.68%	1.03%	3.97%	3.82%	1.32%	2.21%	1.91%	67.65%
	100歳以上	6.06%	6.06%	6.06%	3.03%	0.00%	3.03%	3.03%	0.00%	3.03%	0.00%	69.70%

						我孫子	市					
2 0	2 1 年度	消化性潰瘍用剤	鎮痛、鎮痒、 収斂、消炎剤	解熱鎮痛消炎剤	眼科用剤	局所麻酔剤	血圧降下剤	血管拡張剤	血液代用剤	高脂血症用剤	止しゃ剤、整腸剤	その他
	65~69歳	4.80%	4.03%	4.25%	3.54%	4.09%	3.65%	2.83%	3.87%	2.83%	2.72%	63.38%
	70~74歳	4.65%	3.87%	4.36%	3.42%	4.07%	3.44%	3.05%	4.08%	2.92%	2.84%	63.30%
	75~79歳	4.58%	4.24%	3.98%	3.44%	3.58%	3.13%	3.02%	3.58%	2.71%	2.84%	64.90%
男性	80~84歳	4.78%	4.22%	4.27%	3.74%	3.68%	3.13%	3.21%	3.51%	2.57%	2.55%	64.35%
711	85~89歳	4.43%	4.42%	3.84%	3.34%	3.21%	3.57%	3.44%	2.87%	2.41%	2.56%	65.90%
	90~94歳	4.73%	4.79%	3.77%	3.71%	2.63%	2.93%	3.77%	3.05%	2.04%	2.46%	66.11%
	95~99歳	5.44%	4.23%	3.63%	2.72%	1.21%	2.42%	3.02%	3.32%	0.91%	2.42%	70.69%
	100歳以上	0.00%	7.69%	7.69%	0.00%	0.00%	0.00%	3.85%	0.00%	3.85%	3.85%	73.08%
	65~69歳	4.74%	4.31%	4.69%	3.64%	4.02%	1.87%	1.96%	4.02%	3.21%	3.25%	64.31%
	70~74歳	4.76%	4.32%	4.96%	4.40%	4.08%	2.56%	2.42%	3.97%	3.15%	2.86%	62.51%
	75~79歳	4.73%	4.75%	4.63%	4.22%	3.76%	2.73%	2.94%	3.59%	3.19%	2.65%	62.80%
女性	80~84歳	4.82%	4.79%	4.55%	4.39%	3.30%	3.16%	3.18%	3.19%	3.11%	2.43%	63.09%
, ALL	85~89歳	4.94%	4.91%	4.45%	3.60%	2.40%	3.35%	3.42%	2.55%	2.74%	2.36%	65.27%
	90~94歳	5.05%	5.05%	4.48%	3.51%	2.01%	3.76%	3.83%	2.69%	2.65%	2.01%	64.96%
	95~99歳	4.68%	5.70%	4.09%	3.22%	1.75%	3.80%	4.24%	2.34%	2.63%	2.19%	65.35%
	100歳以上	4.69%	3.13%	3.13%	3.13%	0.00%	3.13%	1.56%	3.13%	1.56%	1.56%	75.00%

注1) 性別・年齢階層別に、上位3位に色付けをしています。

												(%)
						鴨川	市					
	2 1 年度	消化性潰瘍用剤	鎮痛、鎮痒、 収斂、消炎剤	解熱鎮痛消炎剤	眼科用剤	局所麻酔剤	血圧降下剤	血管拡張剤	血液代用剤	高脂血症用剤	止しゃ剤、整腸剤	その他
性別	年齢	4.650/	2.760/	2.760/	4 770/	4.420/	2.100/	2.000/	2.0004	2.000/	2.100/	65.710/
	65~69歳	4.65%	3.76%	3.76%	1.77%	4.42%	3.10%	2.88%	3.98%	2.88%	3.10%	65.71%
	70~74歳	4.81%	3.81%	3.81%	2.34%	4.14%	3.00%	2.67%	3.67%	3.00%	2.94%	65.82%
	75~79歳	4.96%	4.20%	4.06%	2.89%	4.27%	3.65%	3.30%	4.06%	3.10%	2.41%	63.11%
男性	80~84歳	4.44%	3.81%	3.65%	3.34%	4.12%	3.86%	3.44%	3.65%	2.56%	2.71%	64.41%
	85~89歳	4.64%	4.82%	4.09%	3.09%	3.73%	3.46%	2.73%	3.64%	2.27%	1.91%	65.61%
	90~94歳	4.83%	4.83%	3.91%	3.68%	4.60%	2.76%	3.68%	3.45%	1.84%	2.07%	64.37%
	95~99歳	4.12%	5.15%	3.09%	1.03%	2.06%	5.15%	6.19%	2.06%	5.15%	1.03%	64.95%
	100歳以上	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%
	65~69歳	4.55%	4.76%	4.55%	2.60%	3.68%	2.60%	2.38%	3.68%	2.81%	2.60%	65.80%
	70~74歳	4.72%	4.22%	4.64%	3.63%	5.06%	2.61%	2.87%	3.79%	3.04%	2.78%	62.65%
	75~79歳	4.81%	5.05%	4.51%	4.36%	4.01%	3.12%	2.82%	3.07%	3.12%	2.92%	62.19%
女性	80~84歳	4.40%	5.27%	4.45%	4.09%	4.14%	3.58%	3.78%	2.76%	3.27%	2.10%	62.17%
YIE .	85~89歳	4.95%	5.65%	4.83%	3.83%	3.77%	4.06%	4.18%	3.06%	2.83%	1.65%	61.19%
	90~94歳	5.03%	5.43%	4.54%	4.38%	3.49%	3.49%	3.81%	3.08%	2.11%	1.30%	63.34%
	95~99歳	5.61%	5.61%	5.61%	3.57%	1.02%	5.10%	3.57%	3.57%	1.53%	1.53%	63.27%
	100歳以上	6.45%	6.45%	6.45%	6.45%	0.00%	3.23%	6.45%	0.00%	3.23%	0.00%	61.29%

						鎌ケ名	市					
	2 1 年度	消化性潰瘍用剤	鎮痛、鎮痒、 収斂、消炎剤	解熱鎮痛消炎剤	眼科用剤	局所麻酔剤	血圧降下剤	血管拡張剤	血液代用剤	高脂血症用剤	止しゃ剤、整腸剤	その他
性別	年齢											
	65~69歳	4.54%	3.55%	4.47%	2.84%	3.83%	3.48%	2.48%	3.76%	2.84%	2.91%	65.29%
	70~74歳	4.55%	3.92%	4.19%	3.24%	3.82%	3.31%	3.22%	3.61%	2.71%	2.66%	64.77%
	75~79歳	4.74%	4.51%	4.17%	3.63%	3.68%	3.90%	3.45%	3.25%	3.31%	2.71%	62.64%
男性	80~84歳	4.79%	4.51%	4.02%	3.47%	3.50%	3.64%	3.70%	2.84%	2.45%	2.86%	64.22%
为江	85~89歳	4.80%	4.69%	4.22%	3.41%	3.00%	3.78%	3.61%	2.42%	1.95%	2.79%	65.33%
	90~94歳	4.76%	4.76%	3.87%	3.17%	1.79%	3.27%	3.57%	2.38%	2.28%	2.48%	67.66%
	95~99歳	5.43%	5.43%	3.88%	2.33%	2.33%	3.10%	3.88%	3.10%	1.55%	0.78%	68.22%
	100歳以上	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%
	65~69歳	4.98%	4.12%	4.52%	3.97%	4.07%	2.24%	2.14%	3.71%	2.95%	3.25%	64.06%
	70~74歳	4.46%	4.46%	4.50%	4.19%	4.11%	2.51%	2.86%	3.45%	3.02%	3.02%	63.40%
	75~79歳	4.76%	4.75%	4.68%	3.98%	3.64%	3.17%	2.94%	3.14%	3.07%	2.89%	62.98%
女性	80~84歳	4.88%	4.88%	4.74%	4.01%	3.11%	3.28%	3.52%	2.43%	2.81%	2.70%	63.64%
又性	85~89歳	5.01%	5.24%	4.74%	4.01%	2.72%	3.35%	3.64%	2.35%	2.58%	2.52%	63.84%
	90~94歳	5.26%	5.06%	5.11%	3.82%	1.91%	3.77%	3.87%	1.55%	2.84%	2.17%	64.65%
	95~99歳	5.32%	4.76%	4.48%	3.64%	1.96%	3.36%	3.64%	3.36%	1.96%	2.52%	64.99%
	100歳以上	3.74%	3.74%	4.67%	3.74%	0.00%	2.80%	1.87%	0.93%	0.93%	2.80%	74.77%

						君津	市					
2 0	2 1 年度	消化性潰瘍用剤	鎮痛、鎮痒、 収斂、消炎剤	解熱鎮痛消炎剤	眼科用剤	局所麻酔剤	血圧降下剤	血管拡張剤	血液代用剤	高脂血症用剤	止しゃ剤、整腸剤	その他
性別	年齢											
	65~69歳	4.57%	3.64%	3.93%	2.66%	3.76%	3.87%	3.06%	3.70%	3.12%	2.37%	65.32%
	70~74歳	4.59%	4.25%	3.89%	3.31%	3.99%	3.70%	3.17%	3.84%	2.88%	2.61%	63.77%
	75~79歳	4.57%	4.43%	3.88%	3.64%	3.61%	3.28%	3.52%	3.53%	2.70%	2.57%	64.28%
男性	80~84歳	4.52%	4.50%	4.03%	3.36%	3.36%	3.34%	3.19%	3.08%	2.67%	2.50%	65.46%
2511	85~89歳	4.54%	4.60%	4.05%	3.49%	2.97%	3.11%	3.35%	3.17%	2.21%	2.36%	66.14%
	90~94歳	4.68%	4.62%	4.34%	2.99%	1.83%	3.46%	3.67%	3.12%	1.77%	1.90%	67.62%
	95~99歳	5.43%	4.26%	3.88%	3.49%	1.16%	4.65%	3.88%	1.55%	1.55%	1.16%	68.99%
	100歳以上	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%
	65~69歳	4.60%	4.46%	4.22%	3.71%	3.57%	2.74%	2.60%	3.20%	3.30%	2.92%	64.67%
	70~74歳	4.48%	4.53%	4.23%	4.00%	4.13%	3.04%	2.79%	3.42%	3.47%	2.73%	63.18%
	75~79歳	4.75%	4.61%	4.41%	4.37%	3.50%	3.20%	2.98%	3.22%	3.89%	2.42%	62.65%
女性	80~84歳	4.72%	4.73%	4.52%	3.96%	3.10%	3.17%	3.22%	3.03%	3.29%	2.18%	64.06%
712	85~89歳	5.12%	5.02%	4.76%	4.06%	2.49%	3.46%	3.44%	2.86%	3.14%	1.93%	63.71%
	90~94歳	5.16%	4.74%	4.67%	3.44%	1.91%	3.96%	4.06%	2.79%	2.92%	1.65%	64.70%
	95~99歳	4.55%	4.90%	4.37%	3.85%	1.22%	3.50%	3.67%	3.85%	2.27%	0.87%	66.96%
	100歳以上	4.21%	4.21%	4.21%	2.11%	2.11%	2.11%	4.21%	3.16%	1.05%	1.05%	71.58%

						富津	市					
2 0	2 1 年度	消化性潰瘍用剤	鎮痛、鎮痒、 収斂、消炎剤	解熱鎮痛消炎剤	眼科用剤	局所麻酔剤	血圧降下剤	血管拡張剤	血液代用剤	高脂血症用剤	止しゃ剤、整腸剤	その他
	65~69歳	4.25%	3.24%	3.75%	2.67%	4.25%	3.31%	3.17%	3.82%	2.74%	3.03%	65.78%
	70~74歳	4.45%	4.32%	3.98%	2.90%	3.88%	3.58%	3.58%	3.64%	3.24%	2.56%	63.85%
	75~79歳	4.80%	4.35%	4.18%	3.21%	3.83%	3.58%	3.23%	3.81%	2.81%	2.24%	63.95%
男性	80~84歳	4.69%	4.29%	3.95%	3.12%	3.60%	3.28%	3.12%	3.44%	2.56%	2.27%	65.68%
711	85~89歳	4.54%	4.73%	4.33%	3.34%	3.13%	3.45%	3.38%	3.02%	2.36%	1.82%	65.90%
	90~94歳	4.46%	4.11%	3.99%	2.58%	2.46%	3.17%	3.05%	2.93%	2.11%	1.53%	69.60%
	95~99歳	4.59%	5.10%	5.10%	2.04%	2.04%	2.55%	4.08%	4.59%	1.53%	3.06%	65.31%
	100歳以上	6.06%	6.06%	3.03%	6.06%	0.00%	3.03%	3.03%	3.03%	0.00%	0.00%	69.70%
	65~69歳	5.04%	4.05%	3.96%	3.51%	3.24%	3.33%	2.43%	3.06%	3.51%	2.25%	65.65%
	70~74歳	4.60%	4.66%	4.28%	3.94%	4.18%	2.56%	2.56%	3.59%	3.39%	2.32%	63.93%
	75~79歳	4.98%	4.74%	4.60%	3.92%	3.63%	3.54%	3.02%	3.02%	3.56%	2.51%	62.48%
女性	80~84歳	4.96%	5.12%	4.92%	3.97%	3.50%	3.60%	3.50%	2.92%	3.17%	2.02%	62.32%
XII.	85~89歳	5.00%	5.21%	4.91%	3.69%	2.59%	3.93%	3.88%	2.81%	3.17%	1.75%	63.06%
	90~94歳	4.50%	4.94%	4.83%	4.00%	2.67%	3.83%	3.56%	2.61%	2.33%	1.39%	65.33%
	95~99歳	5.45%	5.45%	4.74%	4.03%	1.66%	3.55%	4.03%	3.08%	2.61%	1.90%	63.51%
	100歳以上	6.38%	6.38%	4.26%	2.13%	2.13%	4.26%	2.13%	2.13%	4.26%	0.00%	65.96%

注1) 性別・年齢階層別に、上位3位に色付けをしています。

(%) 浦安市 2021年度 鎮痛、鎮痒、 消化性潰瘍用剤 解熱鎮痛消炎剤 眼科用剤 局所麻酔剤 血圧降下剤 血管拡張剤 血液代用剤 高脂血症用剤 止しゃ剤、整腸剤 その他 収斂、消炎剤 性別 年齢 4.60% 3.85% 3.85% 2.76% 3.45% 2.47% 2.35% 3.68% 3.04% 2.76% 67.20% 65~69歳 70~74歳 4.50% 3.60% 3.99% 2.85% 3.55% 3.41% 2.56% 3.66% 3.22% 2.81% 65.85% 3.34% 75~79歳 4.17% 3.95% 3.69% 3.25% 3.73% 2.72% 3.53% 3.00% 65.82% 2.81% 80~84歳 4.33% 4.29% 4.03% 3.24% 3.61% 3.40% 2.80% 3.23% 2.89% 2.71% 65.48% 男性 2.79% 85~89歳 4.02% 4.51% 3.92% 3.26% 2.33% 3.65% 2.82% 2.84% 2.08% 67.76% 2.02% 90~94歳 3.98% 4.80% 4.05% 3.29% 3.98% 3.67% 2.47% 2.34% 2.28% 67.13% 4.96% 5.67% 5.67% 1.42% 2.13% 2.13% 2.84% 3.55% 1.42% 2.13% 68.09% 95~99歳 100歳以上 0.00% 0.00% 0.00% 0.00% 0.00% 0.00% 0.00% 0.00% 0.00% 0.00% 0.00% 65~69歳 4.56% 4.13% 4.56% 3.98% 3.51% 1.77% 1.85% 3.66% 2.75% 2.75% 66.49% 70~74歳 4.61% 4.12% 4.72% 4.07% 4.04% 2.63% 2.47% 3.84% 3.02% 2.82% 63.65% 2.87% 3.10% 2.58% 4.49% 3.49% 75~79歳 4.60% 4.58% 3.81% 2.69% 3.17% 64.63% 80~84歳 4.71% 4.75% 4.68% 3.93% 3.23% 3.10% 2.99% 2.98% 3.32% 2.40% 63.90% 4.54% 4.86% 4.59% 3.41% 2.58% 3.43% 2.93% 2.64% 3.16% 2.11% 65.76% 85~89歳 90~94歳 5.05% 5.14% 4.45% 4.07% 1.93% 3.68% 3.51% 2.23% 2.48% 2.14% 65.33% 1.66% 1.48% 3.14% 1.66% 4.62% 5.36% 4.99% 3.88% 2.40% 67.47% 95~99歳 3.33% 100歳以上 3.64% 5.45% 5.45% 1.82% 0.00% 3.64% 3.64% 1.82% 1.82% 3.64% 69.09%

						四街道	市					
2 0	2 1 年度 年齢	消化性潰瘍用剤	鎮痛、鎮痒、 収斂、消炎剤	解熱鎮痛消炎剤	眼科用剤	局所麻酔剤	血圧降下剤	血管拡張剤	血液代用剤	高脂血症用剤	止しゃ剤、整腸剤	その他
	65~69歳	4.33%	3.37%	4.65%	2.73%	3.69%	2.97%	2.49%	4.01%	2.25%	2.89%	66.64%
	70~74歳	4.67%	3.61%	4.52%	3.25%	3.95%	3.28%	3.34%	3.98%	2.86%	3.19%	63.34%
	75~79歳	4.51%	4.47%	4.23%	3.81%	4.10%	3.53%	3.16%	3.16%	2.87%	2.83%	63.34%
男性	80~84歳	4.61%	4.35%	4.13%	3.61%	3.54%	3.39%	3.37%	3.19%	2.38%	2.48%	64.94%
为江	85~89歳	4.70%	4.36%	3.86%	3.53%	3.40%	3.46%	3.40%	2.70%	2.56%	2.63%	65.39%
	90~94歳	4.35%	4.92%	3.55%	2.75%	2.75%	3.55%	3.09%	2.52%	3.09%	2.63%	66.82%
	95~99歳	6.15%	4.62%	4.62%	4.62%	0.77%	3.08%	3.08%	2.31%	2.31%	0.77%	67.69%
	100歳以上	3.85%	3.85%	3.85%	3.85%	3.85%	0.00%	3.85%	3.85%	0.00%	3.85%	69.23%
	65~69歳	4.61%	4.13%	4.82%	4.13%	4.47%	2.68%	2.68%	3.65%	3.30%	2.96%	62.56%
	70~74歳	4.60%	4.29%	4.94%	4.22%	4.15%	2.73%	2.37%	3.50%	2.95%	2.80%	63.45%
	75~79歳	4.51%	4.61%	5.03%	4.32%	3.95%	3.14%	2.88%	3.09%	3.25%	2.85%	62.39%
女性	80~84歳	4.87%	4.73%	4.52%	3.96%	3.15%	3.29%	3.21%	2.86%	3.10%	2.48%	63.83%
× 11	85~89歳	4.91%	5.07%	4.35%	3.65%	2.90%	3.85%	3.79%	2.40%	2.60%	2.17%	64.31%
	90~94歳	5.23%	4.98%	4.79%	3.74%	2.12%	3.80%	3.55%	2.74%	2.18%	2.24%	64.63%
	95~99歳	4.64%	5.51%	4.35%	2.32%	0.87%	3.19%	4.35%	2.32%	1.16%	1.74%	69.57%
	100歳以上	7.32%	4.88%	2.44%	4.88%	0.00%	4.88%	4.88%	2.44%	7.32%	2.44%	58.54%

						袖ケ洞	市					
2 0	2 1 年度	消化性潰瘍用剤	鎮痛、鎮痒、 収斂、消炎剤	解熱鎮痛消炎剤	眼科用剤	局所麻酔剤	血圧降下剤	血管拡張剤	血液代用剤	高脂血症用剤	止しゃ剤、整腸剤	その他
性別	年齢											
	65~69歳	4.89%	4.67%	4.44%	2.89%	3.19%	3.78%	2.74%	3.56%	2.74%	2.22%	64.89%
	70~74歳	4.89%	4.41%	4.15%	3.27%	4.12%	3.79%	3.45%	3.34%	3.09%	2.90%	62.59%
	75~79歳	4.85%	4.32%	4.18%	3.59%	3.59%	3.59%	2.92%	3.33%	2.86%	2.22%	64.52%
男性	80~84歳	4.68%	4.60%	3.97%	3.41%	3.41%	3.53%	3.14%	3.23%	2.28%	2.31%	65.43%
711	85~89歳	4.65%	4.75%	4.04%	3.44%	2.68%	3.69%	3.74%	2.63%	1.92%	1.87%	66.58%
	90~94歳	4.49%	4.95%	4.49%	3.72%	2.48%	3.10%	2.94%	2.48%	1.39%	2.01%	67.96%
	95~99歳	4.26%	3.19%	4.26%	3.19%	2.13%	3.19%	2.13%	3.19%	0.00%	2.13%	72.34%
	100歳以上	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%
	65~69歳	5.43%	4.46%	4.76%	3.42%	4.24%	2.75%	2.53%	3.05%	2.83%	2.45%	64.09%
	70~74歳	4.98%	4.71%	4.43%	3.65%	3.98%	3.46%	2.70%	3.19%	3.80%	2.49%	62.61%
	75~79歳	4.87%	4.78%	4.46%	3.83%	3.42%	3.33%	2.88%	2.92%	3.08%	2.47%	63.95%
女性	80~84歳	5.15%	5.04%	4.71%	3.94%	3.42%	3.06%	3.45%	2.50%	3.04%	2.16%	63.54%
711	85~89歳	5.23%	5.19%	5.02%	3.91%	2.64%	3.54%	3.87%	2.27%	2.47%	1.61%	64.25%
	90~94歳	5.35%	5.28%	4.77%	4.27%	1.74%	3.54%	3.83%	1.74%	2.24%		65.73%
	95~99歳	3.91%	4.75%	3.07%	2.79%	0.56%	3.91%	4.75%	2.23%	1.68%	1.96%	70.39%
	100歳以上	6.25%	6.25%	6.25%	3.13%	3.13%	0.00%	0.00%	0.00%	0.00%	0.00%	75.00%

						八街	市					
2 0	2 1 年度 年齢	消化性潰瘍用剤	鎮痛、鎮痒、 収斂、消炎剤	解熱鎮痛消炎剤	眼科用剤	局所麻酔剤	血圧降下剤	血管拡張剤	血液代用剤	高脂血症用剤	止しゃ剤、整腸剤	その他
	65~69歳	4.51%	4.07%	4.51%	2.47%	3.27%	3.63%	3.49%	2.69%	2.91%	2.69%	65.77%
	70~74歳	4.70%	4.10%	4.67%	3.42%	4.18%	3.91%	3.47%	3.55%	3.01%	2.60%	62.38%
	75~79歳	4.83%	4.40%	4.30%	3.57%	3.91%	4.06%	3.38%	3.42%	2.87%	2.53%	62.74%
男性	80~84歳	4.66%	4.44%	4.47%	3.62%	3.78%	3.97%	3.15%	3.12%	2.93%	2.39%	63.49%
711	85~89歳	5.30%	4.75%	4.40%	2.86%	3.35%	3.84%	3.70%	3.14%	2.16%	1.95%	64.55%
	90~94歳	4.73%	4.59%	3.59%	3.73%	2.87%	3.59%	3.59%	2.87%	2.44%	2.44%	65.57%
	95~99歳	5.29%	3.53%	4.71%	2.94%	1.76%	4.12%	3.53%	2.35%	1.76%	2.35%	67.65%
	100歳以上	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%
	65~69歳	4.89%	4.06%	5.40%	3.43%	3.68%	2.60%	2.29%	3.37%	3.05%	2.67%	64.57%
	70~74歳	4.99%	4.46%	5.20%	3.66%	3.50%	3.31%	2.82%	3.22%	3.41%	2.39%	63.04%
	75~79歳	5.02%	4.62%	4.88%	4.01%	3.56%	3.37%	3.02%	3.06%	3.51%	2.57%	62.39%
女性	80~84歳	4.86%	4.68%	4.95%	3.73%	3.02%	3.94%	3.39%	2.67%	3.48%	2.26%	63.03%
XII	85~89歳	4.65%	4.96%	4.69%	3.49%	2.14%	3.97%	3.85%	2.26%	2.82%	2.07%	65.09%
	90~94歳	5.06%	5.31%	4.82%	3.94%	2.25%	4.10%	3.62%	2.57%	2.57%	1.77%	63.99%
	95~99歳	4.80%	5.71%	4.20%	4.20%	1.20%	4.20%	4.80%	2.70%	2.40%	2.40%	63.36%
	100歳以上	5.88%	5.88%	0.00%	5.88%	0.00%	5.88%	5.88%	0.00%	0.00%	5.88%	64.71%

注1) 性別・年齢階層別に、上位3位に色付けをしています。

(%) 印西市 2021年度 鎮痛、鎮痒、 消化性潰瘍用剤 解熱鎮痛消炎剤 眼科用剤 局所麻酔剤 血圧降下剤 血管拡張剤 血液代用剤 高脂血症用剤 止しゃ剤、整腸剤 その他 収斂、消炎剤 性別 年齢 4.82% 4.20% 4.14% 3.26% 3.82% 3.07% 2.51% 2.76% 2.82% 2.44% 66.17% 65~69歳 70~74歳 4.49% 4.01% 4.21% 3.47% 3.83% 3.57% 3.08% 3.18% 3.21% 2.95% 64.01% 5.06% 3.98% 75~79歳 4.72% 3.69% 3.76% 3.59% 2.93% 2.91% 2.79% 2.88% 63.69% 80~84歳 4.98% 4.61% 4.02% 3.72% 3.32% 3.84% 3.44% 2.86% 2.83% 2.37% 64.02% 男性 3.87% 85~89歳 5.05% 4.96% 4.32% 3.32% 2.50% 3.73% 2.68% 2.05% 1.82% 65.71% 1.95% 90~94歳 5.01% 5.37% 4.03% 3.05% 3.30% 2.81% 2.56% 2.20% 3.05% 66.67% 6.25% 6.25% 6.25% 3.13% 2.08% 5.21% 4.17% 4.17% 2.08% 3.13% 57.29% 95~99歳 100歳以上 0.00% 0.00% 0.00% 0.00% 0.00% 0.00% 0.00% 0.00% 0.00% 0.00% 0.00% 2.72% 65.52% 65~69歳 4.49% 4.21% 4.32% 4.16% 3.49% 2.16% 2.99% 3.05% 2.88% 70~74歳 5.00% 4.69% 5.00% 4.50% 3.69% 2.90% 2.42% 3.13% 3.19% 2.76% 62.72% 2.94% 2.94% 62.70% 5.11% 3.49% 3.35% 2.42% 75~79歳 4.89% 4.94% 4.45% 2.80% 80~84歳 4.84% 4.81% 4.62% 3.98% 2.91% 3.48% 3.26% 2.43% 3.41% 2.38% 63.89% 4.95% 5.26% 4.72% 3.61% 2.50% 3.58% 3.44% 2.10% 2.90% 2.19% 64.73% 85~89歳 90~94歳 4.92% 5.44% 4.53% 3.37% 1.88% 3.82% 4.34% 1.94% 2.46% 2.33% 64.98% 1.17% 5.28% 6.16% 4.99% 0.88% 3.81% 4.40% 2.05% 1.76% 66.57% 95~99歳 2.93% 100歳以上 4.17% 5.56% 4.17% 1.39% 1.39% 4.17% 5.56% 2.78% 1.39% 1.39% 68.06%

						白井	市					
	21年度	消化性潰瘍用剤	鎮痛、鎮痒、 収斂、消炎剤	解熱鎮痛消炎剤	眼科用剤	局所麻酔剤	血圧降下剤	血管拡張剤	血液代用剤	高脂血症用剤	止しゃ剤、整腸剤	その他
性別	年齢											
	65~69歳	4.88%	4.34%	4.77%	3.04%	3.36%	3.69%	2.93%	3.04%	2.71%		
	70~74歳	4.34%	4.15%	3.97%	3.63%	4.19%	3.82%	3.15%	3.56%	3.08%	3.19%	62.92%
	75~79歳	4.48%	4.10%	4.31%	3.64%	3.84%	3.38%	3.00%	3.77%	2.64%	2.82%	64.02%
男性	80~84歳	4.46%	4.49%	4.28%	3.28%	3.41%	3.59%	3.13%	2.94%	2.51%	2.57%	65.32%
711	85~89歳	4.36%	4.87%	3.91%	3.51%	3.12%	3.74%	2.83%	2.61%	2.66%	1.98%	66.40%
	90~94歳	4.49%	4.65%	4.17%	3.69%	2.41%	3.53%	3.05%	1.44%	2.57%	1.61%	68.38%
	95~99歳	3.01%	3.01%	4.51%	4.51%	2.26%	3.76%	4.51%	2.26%	1.50%	3.01%	67.67%
	100歳以上	5.00%	5.00%	5.00%	5.00%	5.00%	5.00%	0.00%	5.00%	0.00%	0.00%	65.00%
	65~69歳	4.49%	4.15%	4.58%	4.06%	3.54%	3.11%	2.50%	3.37%	3.02%	3.02%	64.16%
	70~74歳	4.79%	4.42%	4.82%	4.39%	3.99%	2.68%	2.38%	3.42%	3.42%	3.18%	62.53%
	75~79歳	4.59%	4.71%	4.57%	4.43%	3.74%	3.29%	2.96%	3.35%	3.24%	2.68%	62.44%
女性	80~84歳	4.97%	4.82%	4.35%	4.24%	3.28%	3.33%	3.38%	2.86%	3.38%	2.60%	62.78%
XII	85~89歳	4.94%	4.66%	4.48%	3.83%	2.95%	3.79%	3.65%	2.77%	2.91%	2.26%	63.76%
	90~94歳	4.33%	5.31%	4.53%	3.54%	2.17%	3.74%	3.35%	2.76%	1.97%	2.46%	65.85%
	95~99歳	4.49%	5.42%	4.67%	4.30%	0.93%	3.74%	4.11%	2.99%	2.06%	2.43%	64.86%
	100歳以上	5.36%	5.36%	5.36%	3.57%	3.57%	3.57%	1.79%	5.36%	1.79%	3.57%	60.71%

						富里	市					
	2 1 年度	消化性潰瘍用剤	鎮痛、鎮痒、 収斂、消炎剤	解熱鎮痛消炎剤	眼科用剤	局所麻酔剤	血圧降下剤	血管拡張剤	血液代用剤	高脂血症用剤	止しゃ剤、整腸剤	その他
性別	年齢											
	65~69歳	4.88%	4.36%	3.94%	2.59%	3.73%	2.80%	2.59%	4.05%	2.39%	3.11%	65.56%
	70~74歳	4.65%	3.68%	3.53%	2.44%	4.15%	3.61%	3.18%	3.99%	3.06%	2.29%	65.41%
	75~79歳	4.63%	4.18%	3.83%	3.17%	3.77%	3.41%	3.38%	3.83%	2.61%	2.67%	64.53%
男性	80~84歳	4.46%	4.35%	3.95%	3.28%	3.76%	3.36%	3.39%	3.32%	2.80%	2.29%	65.03%
2511	85~89歳	5.04%	4.73%	4.01%	2.16%	2.57%	3.39%	3.60%	3.39%	2.47%	2.36%	66.29%
	90~94歳	4.49%	4.81%	5.13%	3.21%	3.21%	3.21%	3.85%	3.21%	1.92%	1.92%	65.06%
	95~99歳	5.41%	5.41%	2.70%	2.70%	2.70%	2.70%	5.41%	5.41%	2.70%	2.70%	62.16%
	100歳以上	6.90%	6.90%	0.00%	6.90%	0.00%	3.45%	3.45%	3.45%	0.00%	6.90%	62.07%
	65~69歳	4.39%	3.98%	4.23%	3.09%	3.98%	2.11%	1.79%	3.17%	2.76%	2.93%	67.56%
	70~74歳	4.70%	4.26%	4.34%	3.38%	3.49%	2.53%	2.42%	3.45%	3.38%	2.72%	65.32%
	75~79歳	5.04%	4.58%	4.16%	3.77%	3.38%	3.49%	3.24%	3.42%	3.52%	2.68%	62.71%
女性	80~84歳	4.94%	4.86%	4.78%	3.65%	3.18%	3.53%	3.41%	3.06%	3.61%	2.43%	62.56%
7.1	85~89歳	5.08%	5.14%	4.78%	3.84%	3.25%	3.78%	3.96%	2.83%	3.13%	2.01%	62.22%
	90~94歳	5.48%	5.16%	4.69%	4.23%	2.50%	4.54%	3.91%	2.97%	2.50%	1.88%	62.13%
	95~99歳	4.24%	5.45%	4.24%	3.03%	1.21%	4.85%	4.24%	2.42%	3.64%	1.21%	65.45%
	100歳以上	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%

						南房約	総市					
2 0	2 1 年度	消化性潰瘍用剤	鎮痛、鎮痒、 収斂、消炎剤	解熱鎮痛消炎剤	眼科用剤	局所麻酔剤	血圧降下剤	血管拡張剤	血液代用剤	高脂血症用剤	止しゃ剤、整腸剤	その他
	65~69歳	4.49%	3.73%	4.30%	2.49%	4.11%	3.25%	3.15%	3.92%	3.44%	2.39%	64.72%
	70~74歳	5.33%	4.00%	4.41%	2.97%	4.04%	3.42%	3.01%	3.56%	2.94%	2.90%	63.42%
	75~79歳	4.89%	4.23%	4.39%	2.92%	4.20%	3.51%	2.89%	3.61%	2.66%	2.43%	64.30%
男性	80~84歳	4.97%	4.60%	3.93%	3.60%	4.07%	3.39%	2.82%	3.13%	2.62%	2.42%	64.45%
为江	85~89歳	4.82%	4.67%	4.37%	3.08%	3.57%	3.62%	3.03%	3.28%	2.78%	2.14%	64.65%
	90~94歳	4.91%	4.91%	4.59%	3.76%	3.34%	3.86%	3.34%	3.44%	1.88%	1.36%	64.61%
	95~99歳	5.23%	4.88%	4.88%	3.48%	2.44%	2.79%	3.83%	3.48%	1.05%	1.39%	66.55%
	100歳以上	0.00%	11.11%	0.00%	11.11%	0.00%	0.00%	11.11%	0.00%	0.00%	0.00%	66.67%
	65~69歳	5.20%	4.76%	5.09%	3.21%	4.20%	2.88%	1.88%	3.43%	3.21%	3.10%	63.05%
	70~74歳	5.00%	4.39%	4.93%	3.86%	4.51%	2.90%	2.67%		3.21%		62.47%
	75~79歳	5.00%	5.10%	4.80%	3.98%	4.00%	3.57%	2.80%	3.15%	3.49%	2.41%	61.71%
女性	80~84歳	5.22%	5.11%	4.81%	3.95%	3.74%	3.58%	2.58%	3.24%	3.06%	2.40%	62.32%
	85~89歳	5.28%	5.38%	4.95%	4.28%	3.63%	3.53%	3.45%		3.30%		61.51%
	90~94歳	5.47%	5.37%	5.07%	4.15%	2.94%	3.75%	3.39%	2.43%	2.63%	1.52%	63.27%
	95~99歳	5.78%	5.28%	4.46%	3.96%	2.81%	3.47%	3.30%	3.96%	2.64%	1.65%	62.71%
	100歳以上	6.45%	6.45%	6.45%	0.00%	3.23%	3.23%	3.23%	3.23%	6.45%	0.00%	61.29%

注1) 性別・年齢階層別に、上位3位に色付けをしています。

												(%)
						匝瑳	市					
	2 1 年度 年齢	消化性潰瘍用剤	鎮痛、鎮痒、 収斂、消炎剤	解熱鎮痛消炎剤	眼科用剤	局所麻酔剤	血圧降下剤	血管拡張剤	血液代用剤	高脂血症用剤	止しゃ剤、整腸剤	その他
性別	午四p 65~69歳	5.23%	4.83%	4,70%	2.28%	4.43%	3.22%	3,49%	3.22%	3.36%	2.55%	62.68%
	70~74歳	4.50%	4.31%		2.59%	4.06%	2.77%	3.08%	3.39%	2.28%	2.83%	66.32%
	75~79歳	4.56%	4.46%		3.52%	4.30%	4.15%	3.32%	3.63%	2.69%	2.90%	62.33%
男性	80~84歳	4.64%	4.28%	4.23%	3.21%	4.48%	3.62%	3.72%	3.16%	3.26%	2.45%	62.96%
男性	85~89歳	4.77%	4.68%	4.60%	3.40%	3.40%	3.57%	3.57%	3.32%	2.13%	2.04%	64.51%
	90~94歳	4.73%	4.92%	3.98%	3.03%	3.60%	3.22%	4.73%	3.03%	0.76%	3.60%	64.39%
	95~99歳	5.41%	2.70%		2.70%	0.00%	2.70%	2.70%	2.70%	2.70%	0.00%	75.68%
	100歳以上	0.00%	3.33%		6.67%	0.00%	3.33%	6.67%	0.00%	6.67%	0.00%	66.67%
	65~69歳	5.14%	4.09%		3.15%	4.79%	2.57%	2.57%	3.62%	2.45%	2.92%	64.02%
	70~74歳	4.60%	4.80%		3.90%	4.35%	2.81%	3.13%	3.64%	3.13%	2.69%	62.21%
	75~79歳	4.45%	4.64%	4.79%	3.16%	3.83%	3.11%	3.11%	3.54%	3.11%	2.35%	63.91%
女性	80~84歳	5.12%	4.67%	4.71%	3.60%	3.80%	3.26%	3.47%	3.02%	2.89%	2.11%	63.35%
	85~89歳	5.03%	5.49%	4.56%	4.15%	3.63%	3.58%	4.15%	2.69%	3.11%	1.66%	61.97%
	90~94歳	4.86%	5.21%		3.80%	2.65%	3.62%	4.42%	3.36%	2.03%	2.21%	63.16%
	95~99歳	4.35%	5.98%	5.43%	3.26%	3.26%	2.72%	4.35%	3.80%	1.63%	0.00%	65.22%
	100歳以上	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%

						香取	市					
	2 1 年度	消化性潰瘍用剤	鎮痛、鎮痒、 収斂、消炎剤	解熱鎮痛消炎剤	眼科用剤	局所麻酔剤	血圧降下剤	血管拡張剤	血液代用剤	高脂血症用剤	止しゃ剤、整腸剤	その他
性別	年齢											
	65~69歳	4.47%	4.27%	3.97%	1.99%	3.43%	3.67%	3.53%	3.33%	3.18%	2.93%	65.24%
	70~74歳	4.67%	4.19%	3.84%	3.19%	4.16%	3.70%	3.43%	3.41%	2.82%	2.95%	63.64%
	75~79歳	4.47%	4.25%	3.54%	3.47%	3.74%	3.76%	3.43%	3.41%	2.74%	2.58%	64.60%
男性	80~84歳	4.69%	4.54%	4.24%	3.46%	3.57%	3.95%	3.36%	3.08%	2.83%	2.53%	63.75%
711	85~89歳	4.92%	4.85%	4.45%	3.76%	3.38%	3.73%	3.57%	2.57%	2.51%	2.85%	63.42%
	90~94歳	4.69%	4.78%	4.34%	3.56%	2.17%	4.08%	3.13%	2.26%	2.09%	2.52%	66.38%
	95~99歳	5.48%	5.48%	3.23%	3.55%	0.97%	4.84%	3.55%	2.90%	1.94%	1.61%	66.45%
	100歳以上	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%
	65~69歳	4.82%	4.21%	4.49%	3.71%	3.82%	2.55%	2.60%	3.21%	3.21%	3.10%	64.27%
	70~74歳	4.96%	4.56%	4.65%	3.87%	3.71%	3.26%	3.02%	2.86%	3.09%	3.02%	62.98%
	75~79歳	4.79%	4.81%	4.79%	3.98%	3.96%	3.65%	3.44%	2.48%	3.27%	2.81%	62.01%
女性	80~84歳	4.89%	4.91%	4.75%	4.45%	3.41%	3.75%	3.48%	2.69%	3.19%	2.56%	61.92%
又任	85~89歳	5.02%	5.08%	4.71%	4.18%	2.65%	3.74%	3.82%	1.96%	2.96%	2.23%	63.64%
	90~94歳	5.31%	5.31%	5.06%	4.38%	2.29%	4.21%	4.42%	2.21%	2.59%	1.70%	62.52%
	95~99歳	5.09%	5.66%	4.72%	3.77%	2.08%	4.34%	5.09%	1.89%	1.89%	2.26%	63.21%
	100歳以上	6.12%	6.12%	4.08%	2.04%	0.00%	2.04%	6.12%	2.04%	2.04%	2.04%	67.35%

						山武	市					
2 0	2 1 年度	消化性潰瘍用剤	鎮痛、鎮痒、 収斂、消炎剤	解熱鎮痛消炎剤	眼科用剤	局所麻酔剤	血圧降下剤	血管拡張剤	血液代用剤	高脂血症用剤	止しゃ剤、整腸剤	その他
性別	年齢											
	65~69歳	5.14%	3.84%	4.60%	2.33%	3.84%	3.50%	3.16%	3.84%	3.29%	2.26%	64.20%
	70~74歳	5.03%	3.77%	4.12%	2.74%	3.96%	3.73%	2.93%	4.12%	3.16%	2.48%	63.95%
	75~79歳	4.88%	4.39%	4.23%	3.49%	4.08%	3.68%	3.15%	4.08%	2.72%	2.32%	63.00%
男性	80~84歳	5.06%	4.75%	4.11%	3.37%	3.41%	3.50%	3.11%	3.59%	2.20%	2.20%	64.69%
2311	85~89歳	5.01%	4.31%	4.06%	3.16%	2.66%	3.96%	3.86%	3.16%	2.10%	2.10%	65.63%
	90~94歳	4.84%	5.03%	4.47%	3.35%	2.79%	4.28%	3.35%	2.61%	2.61%	2.61%	64.06%
	95~99歳	4.87%	4.87%	3.98%	2.65%	2.21%	2.65%	4.42%	2.65%	1.77%	1.77%	68.14%
	100歳以上	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%		0.00%
	65~69歳	5.11%	4.54%	5.35%	4.14%	4.06%	2.84%	2.35%	3.97%	2.51%	2.27%	62.85%
	70~74歳	5.04%	4.38%	4.82%	3.76%	3.79%	3.24%	3.31%	3.87%	3.02%		62.37%
	75~79歳	4.94%	4.80%	4.86%	4.14%	3.81%	3.52%	3.10%	3.66%	3.46%		61.45%
女性	80~84歳	5.15%	4.80%	4.71%	3.86%	3.79%	3.45%	3.41%	3.48%	3.13%		61.98%
711	85~89歳	5.26%	5.30%	4.65%	3.06%	2.77%	3.59%	3.55%	2.94%	2.65%	1.84%	64.38%
	90~94歳	5.68%	5.15%	4.35%	3.46%	1.51%	3.11%	3.37%	2.84%	2.75%		65.81%
	95~99歳	5.73%	6.05%	5.10%	3.50%	1.59%	4.46%	4.14%	2.23%	0.64%	0.96%	65.61%
	100歳以上	2.33%	4.65%	4.65%	4.65%	0.00%	0.00%	4.65%	2.33%	0.00%	4.65%	72.09%

						いすみ	/ 市					
2 0	2 1 年度 年齢	消化性潰瘍用剤	鎮痛、鎮痒、 収斂、消炎剤	解熱鎮痛消炎剤	眼科用剤	局所麻酔剤	血圧降下剤	血管拡張剤	血液代用剤	高脂血症用剤	止しゃ剤、整腸剤	その他
	65~69歳	4.84%	3.78%	4.65%	3.00%	4.07%	3.58%	2.81%	3.10%	2.90%	3.00%	64.28%
	70~74歳	4.84%	4.52%	4.29%	2.90%	4.65%	3.73%	2.76%	3.09%	2.81%	2.72%	63.69%
	75~79歳	4.98%	4.29%	3.82%	3.27%	4.14%	3.09%	3.27%	3.71%	2.80%	2.69%	63.94%
男性	80~84歳	4.56%	4.68%	4.40%	3.10%	3.65%	3.42%	2.83%	3.06%	2.20%	2.36%	65.74%
711	85~89歳	4.72%	4.42%	4.25%	3.36%	3.54%	3.24%	3.36%	2.89%	2.12%	2.12%	65.96%
	90~94歳	4.73%	4.59%	4.17%	3.34%	2.78%	3.06%	3.34%	3.06%	1.53%	1.95%	67.45%
	95~99歳	5.52%	4.91%	4.29%	3.07%	3.07%	3.07%	4.91%	2.45%	2.45%	3.07%	63.19%
	100歳以上	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%
	65~69歳	5.36%	4.18%	5.36%	4.18%	4.82%	1.82%	2.47%	3.11%	3.22%	3.22%	62.27%
	70~74歳	5.03%	4.73%	5.08%	3.24%	4.53%	2.94%	2.64%	3.14%	2.79%	2.74%	63.15%
	75~79歳	4.97%	4.78%	4.74%	3.18%	4.04%	3.38%	2.72%	3.15%	3.22%	2.33%	63.50%
女性	80~84歳	5.13%	4.91%	5.10%	3.87%	3.90%	3.16%	3.10%	2.55%	3.13%	2.21%	62.93%
~1	85~89歳	5.09%	5.27%	5.02%	3.77%	3.26%	3.62%	3.26%	2.30%	2.94%	1.40%	64.06%
	90~94歳	5.00%	5.31%	5.00%	3.52%	2.96%	3.64%	4.01%	2.90%	2.78%	1.79%	63.06%
	95~99歳	5.38%	6.09%	5.02%	2.51%	1.79%	4.30%	3.58%	1.43%	1.43%	1.79%	66.67%
	100歳以上	5.00%	5.00%	5.00%	0.00%	0.00%	5.00%	5.00%	0.00%	5.00%	0.00%	70.00%

注1) 性別・年齢階層別に、上位3位に色付けをしています。

	(%)												
大網白里市													
2021年度		消化性潰瘍用剤	鎮痛、鎮痒、 収斂、消炎剤	解熱鎮痛消炎剤	眼科用剤	局所麻酔剤	血圧降下剤	血管拡張剤	血液代用剤	高脂血症用剤	止しゃ剤、整腸剤	その他	
性別	年齢												
	65~69歳	4.85%	3.81%	3.92%	2.68%	3.81%	4.02%	3.09%	3.20%	2.89%	3.71%	64.02%	
	70~74歳	4.85%	4.54%	4.49%	3.40%	3.99%	3.77%	3.31%	3.18%	3.09%	2.99%	62.39%	
	75~79歳	4.71%	4.30%	4.17%	3.35%	4.07%	4.13%	3.46%	3.62%	3.22%	2.54%	62.43%	
男性	80~84歳	4.72%	4.62%	4.03%	3.86%	3.24%	4.07%	3.28%	2.86%	2.38%	2.31%	64.62%	
2312	85~89歳	4.54%	4.59%	4.14%	3.28%	2.62%	3.99%	3.48%	2.88%	2.27%	2.47%	65.72%	
	90~94歳	4.81%	5.09%	3.71%	2.61%	2.48%	3.16%	3.30%	3.03%	2.06%	1.93%	67.81%	
	95~99歳	4.62%	4.62%	3.47%	3.47%	1.73%	4.05%	4.62%	1.73%	1.16%	3.47%	67.05%	
	100歳以上	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	
	65~69歳	4.94%	4.47%	4.47%	2.90%	3.61%	3.13%	2.59%	2.66%	3.13%	3.21%	64.89%	
	70~74歳	5.12%	4.65%	4.86%	4.07%	3.60%	3.06%	2.41%	2.88%	3.21%	2.70%	63.42%	
	75~79歳	5.04%	4.60%	5.01%	4.26%	4.07%	3.17%	2.95%	2.95%	3.36%	2.43%	62.15%	
女性	80~84歳	5.19%	5.05%	5.11%	4.06%	3.54%	3.54%	3.16%	2.64%	2.87%	2.23%	62.59%	
XIE.	85~89歳	5.27%	5.23%	4.86%	4.24%	2.45%	3.91%	3.73%	2.01%	3.11%	2.49%	62.71%	
	90~94歳	5.24%	5.42%	5.00%	3.35%	1.65%	3.96%	4.14%	2.19%	2.62%	2.07%	64.35%	
	95~99歳	4.31%	5.17%	4.02%	3.45%	1.44%	3.45%	3.74%	3.16%	2.30%	1.44%	67.53%	
	100歳以上	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	

酒々井町												
2 0	21年度 年齢	消化性潰瘍用剤	鎮痛、鎮痒、 収斂、消炎剤	解熱鎮痛消炎剤	眼科用剤	局所麻酔剤	血圧降下剤	血管拡張剤	血液代用剤	高脂血症用剤	止しゃ剤、整腸剤	その他
生力リ												
	65~69歳	5.51%	3.94%	3.67%	3.94%	2.62%	3.15%	2.89%	2.62%	2.36%	3.15%	66.14%
	70~74歳	3.95%	4.27%	3.95%	3.63%	3.20%	3.52%	3.31%	3.09%	2.99%	2.67%	65.42%
	75~79歳	4.61%	4.14%	3.67%	3.21%	3.21%	3.26%	2.90%	3.36%	2.90%	2.43%	66.30%
男性	80~84歳	4.79%	4.72%	4.28%	3.76%	3.98%	3.39%	3.76%	3.02%	2.88%	2.29%	63.13%
2512	85~89歳	4.97%	4.16%	3.81%	3.46%	2.89%	3.81%	3.70%	3.12%	3.58%	2.42%	64.09%
	90~94歳	4.29%	4.29%	3.93%	2.50%	2.14%	2.50%	3.21%	3.57%	3.21%	2.86%	67.50%
	95~99歳	5.26%	3.51%	3.51%	5.26%	3.51%	1.75%	3.51%	1.75%	1.75%	5.26%	64.91%
	100歳以上	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%
	65~69歳	5.14%	4.29%	4.57%	4.29%	3.71%	2.00%	3.14%	2.86%	2.00%	2.86%	65.14%
	70~74歳	4.91%	4.77%	4.47%	4.11%	3.52%	2.64%	2.86%	3.23%	3.08%	2.49%	63.93%
	75~79歳	4.99%	4.53%	4.59%	4.07%	3.60%	2.67%	3.43%	2.79%	3.25%	2.96%	63.12%
女性	80~84歳	5.02%	5.02%	4.63%	4.47%	3.19%	3.03%	3.35%	2.71%	3.03%	2.55%	63.00%
XII	85~89歳	5.33%	5.33%	4.48%	4.00%	2.30%	4.12%	3.88%	2.06%	3.52%	1.45%	63.52%
	90~94歳	5.90%	5.63%	5.63%	3.22%	2.68%	3.49%	5.36%	3.49%	2.41%	1.61%	60.59%
	95~99歳	3.85%	5.38%	3.08%	3.08%	2.31%	3.85%	4.62%	3.08%	0.77%	1.54%	68.46%
	100歳以上	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%

栄町												
2 0	2 1 年度	消化性潰瘍用剤	鎮痛、鎮痒、 収斂、消炎剤	解熱鎮痛消炎剤	眼科用剤	局所麻酔剤	血圧降下剤	血管拡張剤	血液代用剤	高脂血症用剤	止しや剤、整腸剤	その他
性別	年齢											
	65~69歳	4.59%	4.59%	4.11%	2.17%	3.86%	3.86%	3.14%	2.90%	3.38%	2.17%	65.22%
	70~74歳	4.98%	3.07%	4.06%	3.73%	4.23%	3.32%	2.90%	3.98%	2.74%	3.23%	63.76%
	75~79歳	4.67%	4.22%	4.04%	3.68%	4.22%	3.23%	2.61%	3.14%	2.16%	3.23%	64.78%
男性	80~84歳	4.39%	3.90%	3.80%	3.51%	4.10%	3.71%	3.02%	3.32%	3.32%	2.54%	64.39%
711	85~89歳	4.63%	4.29%	3.60%	3.43%	3.60%	2.57%	3.09%	3.95%	2.23%	2.92%	65.69%
	90~94歳	5.31%	4.87%	3.10%	3.98%	2.21%	2.65%	3.10%	1.77%	2.65%	2.65%	67.70%
	95~99歳	4.35%	4.35%	4.35%	2.17%	0.00%	2.17%	6.52%	2.17%	4.35%	0.00%	69.57%
	100歳以上	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%
	65~69歳	4.48%	3.82%	3.95%	3.16%	3.82%	1.98%	1.84%	3.03%	2.24%	2.90%	68.77%
	70~74歳	4.70%	4.63%	4.24%	3.62%	3.86%	2.93%	2.85%	3.47%	3.08%	3.01%	63.61%
	75~79歳	4.58%	4.07%	3.90%	3.81%	3.81%	2.88%	3.05%	3.39%	3.31%	2.88%	64.32%
女性	80~84歳	4.79%	4.63%	4.47%	3.75%	3.03%	2.79%	3.27%	3.03%	3.03%	2.87%	64.33%
XIE.	85~89歳	5.03%	5.03%	4.40%	3.98%	3.25%	3.67%	3.77%	2.20%	3.46%	2.73%	62.47%
	90~94歳	5.23%	4.60%	3.97%	4.60%	2.51%	4.18%	3.77%	1.67%	2.72%	2.30%	64.44%
	95~99歳	4.96%	4.96%	5.79%	2.48%	1.65%	4.13%	4.13%	1.65%	1.65%	0.83%	67.77%
	100歳以上	7.14%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	92.86%

	神崎町												
2 0	2 1 年度	消化性潰瘍用剤	鎮痛、鎮痒、 収斂、消炎剤	解熱鎮痛消炎剤	眼科用剤	局所麻酔剤	血圧降下剤	血管拡張剤	血液代用剤	高脂血症用剤	止しゃ剤、整腸剤	その他	
	65~69歳	4.76%	4.76%	4.76%	2.38%	4.76%	1.59%	1.59%	4.76%	1.59%	3.97%	65.08%	
	70~74歳	4.94%	4.53%	5.35%	3.70%	3.29%	3.29%	3.29%	2.47%	2.06%	2.47%	64.61%	
	75~79歳	4.90%	3.85%	2.80%	2.10%	3.85%	4.55%	3.50%	3.85%	3.15%	2.45%	65.03%	
男性	80~84歳	5.85%	5.01%	4.46%	4.74%	2.23%	5.29%	3.06%	2.79%	3.34%	1.67%	61.56%	
力圧	85~89歳	6.12%	3.67%	4.49%	5.31%	3.67%	4.08%	4.08%	2.45%	2.86%	2.86%	60.41%	
	90~94歳	4.44%	3.70%	4.44%	2.96%	3.70%	3.70%	3.70%	2.96%	2.96%	2.96%	64.44%	
	95~99歳	4.76%	4.76%	4.76%	4.76%	4.76%	4.76%	0.00%	4.76%	0.00%	4.76%	61.90%	
	100歳以上	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	
	65~69歳	3.45%	3.45%	4.83%	4.14%	3.45%	2.76%	2.76%	2.76%	2.76%	3.45%	66.21%	
	70~74歳	5.04%	4.62%	5.04%	3.78%	3.78%	2.52%	3.78%	2.52%	3.36%		62.18%	
	75~79歳	5.46%	4.51%	4.51%	4.75%	3.80%	2.61%	2.85%	2.61%	4.28%	3.33%	61.28%	
女性	80~84歳	5.48%	5.67%	4.75%	4.57%	4.20%	4.75%	4.02%	2.56%	4.20%	4.02%	55.76%	
~	85~89歳	5.05%	4.33%	5.05%	4.09%	4.33%	2.64%	3.37%	1.92%	2.64%	3.13%	63.46%	
	90~94歳	5.46%	5.80%	5.12%	3.75%	1.37%	4.44%	4.44%	2.39%	3.07%	1.37%	62.80%	
	95~99歳	5.88%	3.92%	5.88%	5.88%	1.96%	3.92%	3.92%	3.92%	1.96%	1.96%	60.78%	
	100歳以上	5.88%	5.88%	5.88%	5.88%	5.88%	0.00%	0.00%	5.88%	0.00%	0.00%	64.71%	

注1) 性別・年齢階層別に、上位3位に色付けをしています。