

年 月 日	採 取 時 刻	採取層・位置	天 候	気 温	水 温	採 取 水 深	全 水 深	流量・ 透明度	透 視 度	生 活 環 境 項 目										そ の 他 項 目						
										p H	DO	BOD	COD	SS	大 腸 群 菌 数	N 抽 出 物 質 ヘキサ ン	全 窒 素	全 リ ン	全 亜 鉛	アン モ ニ ア 性 窒 素	亜 硝 酸 性 窒 素	硝 酸 性 窒 素	リン 酸 性 リ ン	塩 化 物 イ オ ン	伝 導 率	電 気
											mg/L	mg/L	mg/L	mg/L	MPN/100mL	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mS/m	
2009.05.20	09:00	流心	晴	24.0	20.5	0.5	2.14	0.39	> 50	7.3	4.5	7.6	6.4	3			9.1	0.84							1600	
2009.05.20	11:00	流心	晴	26.5	21.2	0.5	2.50	- 0.47	> 50	7.3	7.8	5.3	5.4	3			7.6	0.67							1700	
2009.05.20	13:00	流心	晴	29.6	22.4	0.5	2.78	- 0.50	> 50	7.3	6.8	4.5	6.2	3			7.5	0.67							1400	
2009.05.20	15:00	流心	晴	29.0	23.3	0.5	2.73	1.66	> 50	7.4	7.4	5.6	7.0	3			8.2	0.71							670	
2009.05.20	17:00	流心	晴	25.0	22.9	0.5	2.44	3.13	> 50	7.4	6.8	8.6	8.0	3			9.3	0.77							660	
2009.05.20	19:00	流心	晴	21.5	22.1	0.4	2.15	1.72		7.4	6.1	12	8.2	3			9.8	0.82							840	
2009.05.20	21:00	流心	晴	20.0	21.7	0.5	2.26	- 0.47		7.5	5.3	12	7.6	2			9.1	0.80							1000	
2009.05.20	23:00	流心	晴	20.0	21.0	0.5	2.63	- 0.24		7.4	4.7	9.2	8.2	3			8.7	0.81							1300	
2009.05.21	01:00	流心	晴	19.0	20.5	0.6	2.90	- 0.21		7.4	4.0	12	8.4	2			7.8	0.84							480	
2009.05.21	03:00	流心	晴	19.0	19.7	0.5	2.82	0.98		7.4	4.0	11	8.2	2			8.4	0.90							500	
2009.05.21	05:00	流心	晴	19.0	19.3	0.5	2.44	1.75	> 50	7.4	4.0	13	8.2	2			9.1	0.92							510	
2009.05.21	07:00	流心	晴	20.0	19.5	0.4	1.88	1.73	> 50	7.4	3.9	13	8.4	2			11	0.89							820	
2009.05.21	09:00	流心	晴	21.0	21.6	0.4	1.80	0.51	> 50	7.4	4.0	6.1	8.2	3			9.2	0.86							1800	
平均値				22.6	21.2			0.77	> 50	7.4	5.3	9.2	7.6	3			8.8	0.81							1000	
最小値				19.0	19.3			- 0.50	> 50	7.3	3.9	4.5	5.4	2			7.5	0.67							480	
最大値				29.6	23.3			3.13	> 50	7.5	7.8	13	8.4	3			11	0.92							1800	
m, k										0	0	6		0											13	
n				13	13			13	8	13	13	13	13	13			13	13							13	

年 月 日	採 取 時 刻	採取層・位置	天 候	気 温	水 温	採 取 水 深	全 水 深	流量・ 透明度	透 視 度	生 活 環 境 項 目										そ の 他 項 目						
										PH	DO	BOD	COD	SS	大 群 腸 数 菌	N 抽 出 物 質 へ キ サ ン	全 窒 素	全 リ ン	全 亜 鉛	アン モ ニ ア 性 窒 素	亜 硝 酸 性 窒 素	硝 酸 性 窒 素	リン 酸 性 リ ン	塩 化 物 イ オ ン	伝 導 率	電 気
											mg/L	mg/L	mg/L	mg/L	MPN/100mL	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mS/m	
2009.09.09	09:00	流	曇	21.2	22.2	0.6	2.91	2.66	> 50	7.3	4.1	3.0	7.4	2			7.2	0.59							4600	
2009.09.09	11:00	流	曇	21.0	22.5	0.5	2.55	1.89	> 50	7.3	3.7	3.4	7.6	3			8.1	0.59							4900	
2009.09.09	13:00	流	曇	21.8	22.3	0.5	2.21	2.15	> 50	7.4	4.4	2.3	7.2	3			8.7	0.69							2000	
2009.09.09	15:00	流	曇	22.0	22.4	0.5	2.43	- 1.90	> 50	7.4	4.9	2.3	8.2	3			8.1	0.64							2400	
2009.09.09	17:00	流	曇	20.5	22.1	0.6	2.90	- 1.09	> 50	7.4	4.8	1.9	6.0	3			6.9	0.54							4900	
2009.09.09	19:00	流	曇	20.5	22.0	0.6	2.92	0.03		7.4	4.8	2.4	6.6	3			6.2	0.49							6200	
2009.09.09	21:00	流	小雨	19.2	21.8	0.6	2.96	3.34		7.4	4.0	3.1	7.4	3			7.6	0.64							3100	
2009.09.09	23:00	流	曇	18.0	22.0	0.5	2.40	4.12		7.4	3.5	3.0	8.2	2			7.7	0.71							3400	
2009.09.10	01:00	流	晴	17.0	21.5	0.4	1.79	2.65		7.4	3.2	3.4	7.0	3			6.0	0.58							7500	
2009.09.10	03:00	流	晴	17.0	21.6	0.4	1.81	- 1.11		7.4	3.0	4.5	9.0	3			8.0	0.67							4300	
2009.09.10	05:00	流	晴	16.0	21.0	0.5	2.43	- 2.26	> 50	7.4	3.2	3.7	8.8	3			7.6	0.68							4000	
2009.09.10	07:00	流	晴	18.0	21.4	0.6	2.97	2.39	> 50	7.4	3.1	3.0	5.8	4			5.8	0.54							7500	
2009.09.10	09:00	流	晴	22.0	22.0	0.6	2.94	3.12	> 50	7.5	3.5	3.6	8.6	4			7.2	0.68							4300	
平均値				19.6	21.9			1.23	> 50	7.4	3.9	3.0	7.5	3			7.3	0.62							4500	
最小値				16.0	21.0			- 2.26	> 50	7.3	3.0	1.9	5.8	2			5.8	0.49							2000	
最大値				22.0	22.5			4.12	> 50	7.5	4.9	4.5	9.0	4			8.7	0.71							7500	
m, k										0	0	0		0											13	
n				13	13			13	8	13	13	13	13	13			13	13							13	